

- Abel1990** Abell, G. C.; Matson, L. K.; Steinmeyer, R. H.; Jr, R. C. Bowman; Oliver, B. M. (1990). Helium release from aged palladium tritide. *Phys. Rev. B: Condens. Matter*, 41:1220–1223.
- Aber1990** Aberdam, D.; Avenier, M.; Bagieu, G.; Bouchez, J.; Cavaignac, J. F.; Collot, J.; Durand, R.; Faure, R.; Favier, J.; Kajfasz, E.; Koang, D. H.; Lefievre, B.; Lesquoy, E.; Pessard, H.; Rouault, A.; Senateur, J. P.; Stutz, A.; Weiss, F. (1990). Limits on neutron emission following deuterium absorption into palladium and titanium. *Phys. Rev. Lett.*, 65:1196–1199.
- Abri1989** Abriola, D.; Achterberg, E.; Davidson, M.; Debray, M.; Etchegoyen, M. C.; Fazzini, N.; Niello, J. F.; Ferrero, A. M. J.; Filevich, A.; Galia, M. C.; Garavaglia, R.; G Bermudez. Garcia; Gettar, R. T.; Gil, S.; Grahmann, H.; Huck, H.; Jech, A.; Kreiner, A. J.; Macchiavelli, A. O.; Magallanes, J. F.; Maqueda, E.; Marti, G.; Pacheco, A. J.; Percz, M. L.; Pomar, C.; Ramirez, M.; Scassera, M. (1989). Examination of nuclear measurement conditions in cold fusion experiments. *J. Electroanal. Chem.*, 265:355–360.
- AbuT1990b** AbuTaha, A. F. (1990a). Cold fusion - engineering perspectives. *J. Fusion Energy*, 9:391–396.
- AbuT1990a** AbuTaha, A. F. (1990b). Cold fusion - the heat mechanism. *J. Fusion Energy*, 9:345–349.
- Acke2006** Ackerman, E. (2006). Indicators of failed information epidemics in the scientific journal literature: a publication analysis of polywater and cold nuclear fusion. *Scientometrics*, 66:451–466.
- Adac1992** Adachi, G.; Sakaguchi, H.; Nagao, K. (1992). (3)He and (4)He from D2 absorbed in LaNi5. *J. Alloys Comp.*, 181:469–476.
- Adle1990** Adler, P. N.; Schulte, R. L.; Margolin, H. (1990). Deuterium surface segregation in titanium alloys. *Metall. Trans.*, 21A:2003–2007.
- Afon2006** Afonichev, D. D. (2006). Mechanism of cold fusion via tritium channel. *Int. J. Hydrogen Energy*, 31:551–553.
- Afon2003** Afonichev, D. D.; Murzinova, M. A. (2003). Indicator of the process of cold fusion. *Int. J. Hydrogen Energy*, 28:1005–1010.
- Agel2000** Agelao, G.; Romano, M. C.; Italiano, F. (2000). Heat and helium production during exothermic reactions between gases through palladium geometrical elements loaded with hydrogen. *Fusion Technol.*, 38:224–237.
- Aiel1990** Aiello, S.; E Filippo. De; Lanzano, G.; S Nigro. Lo; Pagano, A. (1990). Nuclear fusion experiment in palladium charged by deuterium gas. *Fusion Technol.*, 18:115–119.
- Alba1990** Albagli, D.; Ballinger, R.; Cammarata, V.; Chen, X.; Crooks, R. M.; Fiore, C.; Gaudreau, M. P. J.; Hwang, I.; Li, C. K.; Lindsay, P.; Luckhardt, S. C.; Parker, R. R.; Petrasso, R. D.; Schloh, M. O.; Wenzel, K. W.; Wrighton, M. S. (1990). Measurement and analysis of neutron and gamma-ray emission rates, other fusion products, and power in electrochemical cells having Pd cathodes. *J. Fusion Energy*, 9:133–148.
- Albe1989** Alber, D.; Boebel, O.; Schwarz, C.; Duwe, H.; Hilscher, D.; Homeyer, H.; Jahnke, U.; Spellmeyer, B. (1989). Search for neutrons from cold nuclear fusion. *Z. Phys. A: At. Nucl.*, 333:319–320.
- Albe1990** Alberg, M. A.; Wilets, L.; Rehr, J. J.; Mustre, . (1990). Upper limits to fusion rates of isotopic hydrogen molecules in palladium. *Phys. Rev. C*, 41:2544–2547.
- Alek1990** Aleksan, R.; Avenier, M.; Bagieu, G.; Bouchez, J.; Cavaignac, J. F.; Collot, J.; Cousinou, M. C.; Declais, Y.; Dufour, Y.; Durand, R.; Faure, R.; Favier, J.; Kajfasz, E.; H. Kerret. De; Koang, D. H.; Lefievre, B.; Lesquoy, E.; Mallet, J.; Nagy, E.; Obolensky, M.; Pessard, H.; Pierre, F.; Stutz, A.; Wüthrich, J. P. (1990). Limits on electrochemically induced fusion of deuterium by neutron flux measurements. *Phys. Lett. B*, 234:389–394.
- Alek1995** Alekseev, V. A.; Vasil'ev, V. I.; Romodanov, V. A.; Ryshkov, Yu. F.; Rylov, S. V.; Savin, V. I.; Skuratnik, Ya. B.; Strunnikov, V. M. (1995). Tritium production in the interaction of dense streams of deuterium plasma with metal surfaces. *Tech. Phys. Lett.*, 21:231–232. Orig. in: Pis'ma Zh. Tekh. Fiz. 21 (1995) 64.
- Ales1990** Alessandrello, A.; Bellotti, E.; Cattadori, C.; Antonione, C.; Bianchi, G.; Rondinini, S.; Torchio, S.; Fiorini, E.; Giuliani, A.; Ragazzi, S.; Zanotti, L.; Gatti, C. (1990). Search for cold fusion induced by electrolysis in palladium. *Il Nuovo Cimento A*, 103:1617–1638.
- Alex1989** Alexander, K. F. (1989). Cold nuclear fusion. *Wissenschaft. Fortschir.*, 39:225–228. In German.
- Algu1996** Alguero, M.; Fernandez, J. F.; Cuevas, F.; Sanchez, C. (1996). An interpretation of some postelectrolysis nuclear effects in deuterated titanium. *Fusion Technol.*, 29:390–397.
- Alta1990** Altaiskii, M. V.; Artekha, S. N.; Barts, B. I.; Bar'yakhtar, V. G.; Moiseev, S. S. (1990). Fluctuational enhancement of quantum mechanical and wave barrier penetrability and some physical consequences. *Vopr. Atom. Nauk. Tekh. Ser.: Fiz. Radiats. Povr. Radiats. Mater.*, 52(1):78–80. In Russian.
- An1995** An, H. K.; Jeong, E. I.; Hong, J. H.; Lee, Y. (1995). Analysis of deformed palladium cathodes resulting from heavy water electrolysis. *Fusion Technol.*, 27:408–416.
- An1991** An, X. W.; Yan, H. K.; Han, B. X.; Guo, D. J.; Xie, D. Y.; Zhu, Q. H.; Hu, R. H. (1991). Calorimetric investigation of electrochemically induced nuclear fusion of deuterium. *Thermochim. Acta*, 183:107–115.

**Andr1994** Andresen, B. D.; Whipple, R.; Alcazar, A.; Haas, J. S.; Grant, P. M. (1994). Potentially explosive organic reaction mechanisms in Pd/D<sub>2</sub>O electrochemical cells. *Chem. Health Safety*, 1:44–47.

**Angh1990** Anghaie, S.; Froelich, P.; Monkhurst, H. J. (1990). On fusion/fission chain reactions in the Fleischmann-Pons 'cold fusion' experiment. *Fusion Technol.*, 17:500–506.

**Anta1993** Antanasijevic, R.; Lakicevic, I.; Maric, Z.; Zivic, D.; Zaric, A.; Vigier, J. P. (1993). Preliminary observations on possible implications of new Bohr orbits (resulting from electromagnetic spin-spin and spin-orbit coupling) in 'cold' quantum mechanical fusion processes appearing in strong 'plasma focus' and 'capillary fusion' experiments. *Phys. Letters A*, 180:25–32.

**Anto1990** Antonov, A. V.; Benetskii, B. A.; Ginodman, V. B.; Zherikhina, L. N.; Klyachko, A. V.; Konobeevskii, E. S.; Mordovskoi, M. V.; Popov, V. I.; Rozantsev, A. I.; Tskhovrebov, A. M. (1990). An attempt to observe cold thermonuclear fusion during the electrolysis of heavy water. *Sov. Phys. Lebedev Inst. Rep.*, (5):52–56. Orig. in: Kratk. Soobshch. Fiz. (1990)(5) 38.

**Anuf1991** Anufriev, G. S.; Boltenkov, B. S. (1991). Helium isotopes and hydrogen in aluminium and other metals. *Vopr. At. Nauki Tekh. Ser.: Fiz. Radiats. Povr. Radiats. Materialoved.*, 56(2):73–81. In Russian.

**Aoki1998** Aoki, T.; Kurata, Y.; Ebihara, H.; Yoshikawa, N. (1998). Search for nuclear products of the D + D nuclear fusion. *Int. J. Soc. Mat. Eng. Resources*, 6(1):22–25.

**Aoya1991** Aoyama, T.; Mori, C.; Uritani, A.; Matsui, T.; Naito, K. (1991). Highly reliable low-level neutron detection using (3)He proportional counters. *Radioisotopes*, 40:188–192.

**Apak1989** Apak, R. (1989). Conformism in chemistry and the results. *Kim. Sanayi*, 31(157-8):41–52. In Turkish, Engl. abstr.

**Apos1989** Apostol, M.; Dorobantu, I. A. (1989). On a competition between solid state and nuclear scale energies. A possible theoretical approach to cold fusion in palladium and other transitional elements. *Rev. Roum. Phys.*, 34:233–239.

**Arat2000** Arata, Y. (2000). Developmental challenge in new energy source. 'Solid state plasma fusion'. *Kotai Butsuri*, 35(1):67–75. In Japanese.

**Arat2004** Arata, Y. (2004). The formation of 'solid deuterium' solidified inside crystal lattice and intense solid-state nuclear fusion ('cold fusion'). *Il Nuovo Saggiatore*, 20(5–6):66–71.

**Arat1997b** Arata, Y.; Zhang, C. (1997a). Presence of helium (4/2He, 3/2He) confirmed in deuterated Pd-black by the "vi-effect" in a "closed QMS" environment. *Proc. Japan. Acad. Ser. B*, 73:62–67.

**Arat1999d** Arata, Y.; Zhang, Y. (1999a). Observation of anomalous heat release and helium-4 production from highly deuterated palladium fine particles. *Jpn. J. Appl. Phys.*, 38:L774–L776.

**Arat2008** Arata, Y.; Zhang, Y. (2008). The establishment of solid nuclear fusion reactor. *J. High Temp. Soc.*, 34:85–96. In Japanese, Engl. abstr.

**Arat1989** Arata, Y.; Zhang, Y. C. (1989). Achievement of intense 'cold fusion' reaction. *Kaku Yugo Kenkyu*, 62:398–411. In Japanese.

**Arat1990d** Arata, Y.; Zhang, Y.-C. (1990a). Achievement of an intense cold fusion reaction. *Fusion Technol.*, 18:95–102. But see: "Corrigendum", FT 19 (1991) 196.

**Arat1990a** Arata, Y.; Zhang, Y. C. (1990b). Achievement of intense 'cold' fusion reaction. *Proc. Jpn. Acad., Ser. B*, 66:1–6.

**Arat1990b** Arata, Y.; Zhang, Y. C. (1990c). 'Cold' fusion caused by a weak 'on-off effect'. *Proc. Japan Acad. Ser. B*, 66:33–36.

**Arat1990c** Arata, Y.; Zhang, Y. C. (1990d). Corroborating evidence for 'cold' fusion reaction. *Proc. Japan Acad. Ser. B*, 66:110–115.

**Arat1992b** Arata, Y.; Zhang, Y. C. (1992a). 'Cold' fusion in deuterated complex cathode. *Kaku Yugo Kenkyu*, 67(5):432–444. In Japanese.

**Arat1992a** Arata, Y.; Zhang, Y. C. (1992b). Reproducible 'cold' fusion reaction using a complex cathode. *Fusion Technol.*, 22:287–295.

**Arat1993** Arata, Y.; Zhang, Y. C. (1993). Excess heat in a double structure deuterated cathode. *Kakuyuogo Kenkyo*, 69(8):963–967. In Japanese.

**Arat1994a** Arata, Y.; Zhang, Y. C. (1994a). A new energy generated in DS-cathode with 'Pd-black'. *Koon Gakkaishi*, 20(4):148–155.

**Arat1995b** Arata, Y.; Zhang, Y. C. (1995a). Achievement of solid-state plasma fusion ("cold fusion"). *Proc. Japan Acad. Ser. B*, 71:304–309.

**Arat1995d** Arata, Y.; Zhang, Y. C. (1995b). Achievement of solid-state plasma fusion ("cold fusion"). *Koon Gakkaishi*.

**Arat1995e** Arata, Y.; Zhang, Y. C. (1995c). Cold fusion caused by 'lattice quake'. *Koon Gakkaishi*, 21:43–51. In Japanese, Engl. abstr.

**Arat1995a** Arata, Y.; Zhang, Y. C. (1995d). Cold fusion reactions driven by 'Latticequake'. *Proc. Japan Acad.*, 71B:98–103.

**Arat1995c** Arata, Y.; Zhang, Y. C. (1995e). Peculiar relation between hot plasma fusion and solid-state plasma fusion ("cold fusion"). *Koon Gakkaishi*, 21:130–141.

**Arat1996b** Arata, Y.; Zhang, Y. C. (1996a). Deuterium nuclear reaction process within solid. *Proc. Japan Acad. Ser. B*, 72:179–184.

**Arat1996a** Arata, Y.; Zhang, Y. C. (1996b). Generation and mechanism of solid-state plasma fusion ("cold fusion"). *Koon Gakkaishi*, 22(1):29–47.

**Arat1997a** Arata, Y.; Zhang, Y. C. (1997b). Helium (4/2He, 3/2He) within deuterated Pd-black. *Proc. Jap. Acad. B*, 73:1–6.

**Arat1997d** Arata, Y.; Zhang, Y. C. (1997c). Presence of helium (4/2He, 3/2He) confirmed in highly deuterated Pd-black by the new detecting methodology. *J. High Temp. Soc.*, 23:110–117. In Japanese, Engl. abstr.

**Arat1997c** Arata, Y.; Zhang, Y. C. (1997d). Solid-state plasma fusion ('cold fusion'). *J. High Temp. Soc.*, 23:1–56.

**Arat1998b** Arata, Y.; Zhang, Y. C. (1998a). Anomalous 'deuterium-reaction energies' within solid. *Proc. Japan. Acad. B*, 74:155–158.

**Arat1998a** Arata, Y.; Zhang, Y. C. (1998b). Anomalous difference between reaction energies generated within D<sub>2</sub>O-cell and H<sub>2</sub>O-cell. *Jpn. J. Appl. Phys. Pt.2*, 37:L1274–L1276.

**Arat1999c** Arata, Y.; Zhang, Y. C. (1999b). Anomalous production of gaseous 4He at the inside of 'DS cathode' during D<sub>2</sub>O-electrolysis. *Proc. Japan. Acad. Ser. B*, 75:281–286.

**Arat1999b** Arata, Y.; Zhang, Y. C. (1999c). Critical condition to induce 'excess energy' within [DS-H<sub>2</sub>O] cell. *Proc. Japan Acad. Ser. B*, 75:76–80.

**Arat1999a** Arata, Y.; Zhang, Y. C. (1999d). Definitive difference between [DS-D<sub>2</sub>O] and [Bulk-D<sub>2</sub>O] cells in 'deuterium-reaction'. *Proc. Japan Acad. Ser. B*, 75:71–75.

**Arat2002** Arata, Y.; Zhang, Y. C. (2002). Formation of condensed metallic deuterium lattice and nuclear fusion. *Proc. Japan. Acad. Ser. B*, 78:57–62.

**Arat2003** Arata, Y.; Zhang, Y. C.; Fujita, H.; Inoue, A. (2003). Discovery of solid deuterium nuclear fusion of pycnodeuterium-lumps solidified locally within nano-Pd particles. *Koon Gakkaishi*, 29(2):68.

**Arat1994b** Arata, Y.; Zhang, Y.C. (1994b). A new energy caused by 'spillover-deuterium'. *Proc. Japan. Acad. Ser. B*, 70:106–111.

**Aris1989** Arista, N. R.; Gras-Marti, A.; Baragiola, R. A. (1989). Screening effects in nuclear fusion of hydrogen isotopes in dense media. *Phys. Rev. A: Gen. Phys.*, 40:6873–6878.

**Arms1989b** Armstrong, R. D.; Charles, E. A.; Fells, I.; Molyneux, L.; Todd, M. (1989a). A long-term calorimetric study of the electrolysis of D<sub>2</sub>O using palladium cube cathodes. *J. Electroanal. Chem.*, 272:293–297.

**Arms1989a** Armstrong, R. D.; Charles, E. A.; Fells, I.; Molyneux, L.; Todd, M. (1989b). Some aspects of thermal energy generation during the electrolysis of D<sub>2</sub>O using a palladium cathode. *Electrochim. Acta*, 34:1319–1322.

**Arni1990** Arnikar, H. J. (1990). 'Cold fusion' - a misnomer. *Ind. J. Chem. Sci.*, 4:65.

**Arzhannikov1991** Arzhannikov, A. V.; Kezerashvili, G. Ya. (1991). First observation of neutron emission from chemical reactions. *Phys. Lett. A*, 156:514–518.

**Asam1997e** Asami, N.; Senjuh, T.; Kamimura, H.; Sumi, M.; Kennel, E.; Sakai, T.; Mori, K.; Watanabe, H.; Matsui, K. (1997). Material characteristics and behaviour of highly deuterium loaded palladium by electrolysis. *J. Alloys Comp.*, 253–254:185–190.

**Asta1991** Astakhov, I. I.; Davydov, A. D.; Katargin, N. V.; Kazarinov, V. E.; Kiseleva, I. G.; Kriksunov, L. B.; Kudryavtsev, D. Yu.; Lebedev, I. A.; Myasoedov, B. F.; Shcheglov, O. P.; Teplitskaya, G. L.; Tsionskii, V. M. (1991). An attempt to detect neutron and gamma radiations in heavy water electrolysis with a palladium cathode. *Electrochim. Acta*, 36:1127–1128.

**Atta1990** Attas, E. M.; Chambers, K. W.; Dueck, W.; Dutton, R.; McIlwain, A. K. (1990). Solar flares and 'cold fusion'. *Nature*, 344:390.

**Augu1989a** Augustynski, J. (1989). Commentaire: Pourquoi les expériences de 'fusion froide' de deuterium sont-elles si difficiles à reproduire. *Chimia*, 43:99–100. In French.

**Augu1989b** Augustynski, J.; Ulmann, M.; Liu, J. (1989). Electrochemical measurements on palladium cathodes in LiOD/D<sub>2</sub>O solutions related to the 'cold fusion experiments'. *Chimia*, 43:355–357.

**Azbe1990** Azbel, M. Ya. (1990). Possibility of cold fusion. *Solid State Commun.*, 76:127–129.

**Azizi2015** Azizi, O.; El-Boher, A.; He, J. H.; Hubler, G. K.; Pease, D.; Isaacson, W.; Violante, V.; Gangopadhyay, S. (2015). Progress towards understanding anomalous heat effect in metal deuterides. *Curr. Sci.*, 108:565–573.

**Azum1993** Azumi, K.; Ishiguro, S.; Mizuno, T.; Seo, M. (1993). Acoustic emission from a palladium electrode during hydrogen charging and its release in a LiOH electrolyte. *J. Electroanal. Chem.*, 347:111–121.

**Babu1990** Babu, K. S. C.; Lalla, N. P.; Pandey, R. N.; Tiwari, R. S.; Srivastava, O. N. (1990). On the formation of palladium deuteride and its relationship to suspected cold fusion. In *Adv. Hydrogen Energy, Hydrogen Energy Prog. VIII*, Vol. 2, volume 8, pages 1051–1060.

**Badu1989** Badurek, G.; Rauch, H.; Seidl, E. (1989). Search for cold fusion in palladium-deuterium and titanium-deuterium. *Kerntechnik*, 54:178–182.

**Bala1989** Balabanov, N. P. (1988). Hypothesis to explain electrochemically induced nuclear fusion. *Nauchni Tr. Plovdivski Univ.*, 26(4,(Fiz)):247–251. In Bulgarian; published in 1989.

**Baldo1990** Baldo, M.; Pucci, R.; Bortignon, P. F. (1990). Relaxation toward equilibrium in plasmon-enhanced fusion. *Fusion Technol.*, 18:347–350.

**Balej1989** Balej, J.; Divisek, J. (1989). Energy balance of D2O electrolysis with a palladium cathode. Part I. Theoretical relations. *J. Electroanal. Chem.*, 278:85–98.

**Bale1989** Balescu, R. (1989). Some like it cool. *Phys. Mag.*, 11:3–18. In French.

**Bali1989** Balian, R.; Blaizot, J. P.; Bonche, P. (1989). Cold fusion in a dense electron gas. *J. Phys. (France)*, 50:2307–2311.

**Balk1990** Balke, B.; Cox, L.; Fackler, O.; Mugge, M.; Souers, P. C.; Tsugawa, R. T.; White, R. M. (1990). Limits on neutron emission from 'cold fusion' in metal hydrides. *Phys. Rev. C*, 42:30–37.

**Bana1989** Banas, J.; Ciechanowski, M.; Dulinski, M.; Kreft, A.; Molenda, J.; Morstin, K.; Stoklosa, A.; Wozniak, J. (1989). Geophysical aspects of cold nuclear fusion in condensed matter. *Nucl. Geophys.*, 3:321–322.

**Bara1994** Baranowski, B.; Filipek, S.; Raczyński, W. (1994). Electrolytic charging of palladium by deuterium at normal and high pressure conditions. *Pol. J. Chem.*, 68:845–857.

**Bara1990** Baranowski, B.; Filipek, S. M.; Szustakowski, M.; Farny, J.; Woryna, W. (1990). Search for 'cold fusion' in some Me-D systems at high pressures of gaseous deuterium. *J. Less-Common Met.*, 158:347–357.

**Bart1992** Barts, B. I.; Barts, D. B.; Grinenko, A. A. (1992). Theory of nuclear reactions with the participation of slow charged particles in solids. *Sov. J. Nucl. Phys.*, 55:45–48.

**Baru1990** Barut, A. O. (1990). Prediction of new tightly-bound states of H2+ (D2+) and 'cold fusion' experiments. *J. Hydrogen Energy*, 15:907–909.

**Barw1990** Barwick, S. W.; Price, P. B.; Williams, W. T.; Porter, J. D. (1990). Search for 0.8 MeV (3)He nuclei emitted from Pd and Ti exposed to high pressure D2. *J. Fusion Energy*, 9:273.

**Bash1990** Bashkirov, Yu. A.; Baranova, R. Kh.; Bazanin, B. G.; Kazakova, V. M. (1990). Observation of neutron emission from electrolysis of heavy water. *Pis'ma Zh. Tekh. Fiz.*, 16(19):51–55. In Russian.

**Bash1991** Bashko, V. A.; Vit'ko, V. I.; Goncharov, I. G.; Zelenskii, V. F.; Kovalenko, G. D.; Krivoruchko, S. M.; Ranyuk, Yu. N.; Tarasov, I. K. (1991). Study of the nuclear fusion reaction in palladium by the emission of neutrons upon electrolysis. *Vopr. Atom. Nauk Tekh. Ser.: Fiz. Radiats. Povrezhden. Radiats. Materialoved.*, 56(2):54–63. In Russian. Chem. Abstracts (117:199600) has the first author as "Rashko", and this will probably be the entry in the CAS database.

**Bast1994** Basteev, A. V.; Nechiporenko, L. A. (1994). Activation of solid-phase deflagration of hydrogen-containing energy-storing substances. *Int. J. Hydrogen Energy*, 19:739–741.

**Bata1989** Batalla, E.; Zwart, E. G.; Judd, B. A. (1989). In-situ X-ray diffraction of palladium cathodes in electrolytic cells. *Solid State Commun.*, 71:805–807.

**Batt1999** Battaglia, A.; Daddi, L.; Focardi, S.; Gabbani, V.; Montalbano, V.; Piantelli, F.; Sona, P. G.; Veronesi, S. (1999). Neutron emission in Ni-H systems. *Nuovo Cimento A*, 112:921–931.

**Baue2002** Bauer, H. H. (2002). 'Pathological Science' is not scientific misconduct (nor is it pathological). *HYLE Int. J. Phil. Chem.*, 8(1):5–20. URL <http://www.hyle.org/journal/issues/8-1/bauer.htm>.

**Baur1989** Baurichter, A.; Eyrich, W.; Frank, M.; Goehr, H.; Kreische, W.; Ortner, H.; Roeseler, B.; Schiller, C. A.; Weeske, G.; Witthun, W. (1989). Search for cold fusion in palladium. *Z. Phys. B: Condens. Matter*, 76:1–2.

**Bazh1991** Bazhutov, Yu. N.; Kuznetsov, A. B.; Surova, T. D.; Chertov, Yu. P. (1991). Study of the possibility of a cold nuclear fusion reaction by electrolysis of heavy water with a titanium electrode. *Teo. Eksp. Issled. Vopr. Obshch. Fiz., Min. Obshch. Mashin. SSSR*, pages 37–40. In Russian.

**Bazh1990** Bazhutov, Yu. N.; Vereshkov, G. M.; Kuz'min, R. N.; Frolov, A. M. (1990). Interpretation of cold nuclear fusion

- Beck1989** Becker, E. W. (1989). Triple collision reaction of deuterons as a possible explanation of cold nuclear fusion. *Naturwiss.*, 76:214.
- Behr1992** Behrisch, R. (1992). Comment on: H. Gentsch, DD-fusion reactions at a PdAg(D) target in a minireactor, Ber. Bunsenges. Phys. Chem. 95, 1283 (1991). *Ber. Bunsenges. Phys. Chem.*, 96:733. In German.
- Behr1989** Behrisch, R.; Moeller, W.; Roth, J.; Scherzer, B. M. U. (1989). Search for fusion reactions between deuterium atoms implanted into titanium. *Nucl. Fusion*, 29:1187–1190.
- Belo1990** Belov, A. S.; Kusik, V. E.; Ryabov, Yu. V. (1990). The nuclear fusion for the reactions  $(2\text{H}(\text{d},\text{n})(3\text{He},(2\text{H}(\text{d},\gamma)(4\text{He}$  at low deuterons energy and 'cold' nuclear fusion. *Il Nuovo Cimento A*, 103:1647–1650.
- Belt1991** Beltyukov, I. L.; Bondarenko, N. B.; Janelidze, A. A.; Gapanov, M. Yu.; Gribanov, K. G.; Kondratov, S. V.; Maltsev, A. G.; Novikov, P. I.; Tsvetkov, S. A.; Zakharov, V. I. (1991). Laser-induced cold nuclear fusion in Ti-H<sub>2</sub>-D<sub>2</sub>-T<sub>2</sub> compositions. *Fusion Technol.*, 20:234–238.
- Belz1990b** Belzner, A.; Bischler, U.; Crouch-Baker, S.; Guer, T. M.; Lucier, G.; Schreiber, M.; Huggins, R. A. (1990a). Recent results on mixed conductors containing hydrogen or deuterium. *Solid State Ionics*, 40/41:519–524.
- Belz1990a** Belzner, A.; Bischler, U.; Crouch-Baker, S.; Guer, T. M.; Lucier, G.; Schreiber, M.; Huggins, R. A. (1990b). Two fast mixed-conductor systems: deuterium and hydrogen in palladium - thermal measurements and experimental considerations. *J. Fusion Energy*, 9:219–227.
- Bened1989** Benedek, G.; Bortignon, P. F. (1989). Cold nuclear fusion: viewpoints of solid-state physics. *Nuovo Cimento Soc. Ital. Fis. D*, 11:1227–1235.
- Benes1989** Benesh, C. J.; Vary, J. P. (1989). Fusion rates of squeezed and screened hydrogenic nuclei. *Phys. Rev. C: Nucl. Phys.*, 40:R495–R496.
- Benet1989** Benetskii, B. A.; Klyachko, A. V.; Rozantsev, A. I. (1989). An attempt to observe cold thermonuclear fusion in a condensed medium. *Sov. Phys. - Lebedev Inst. Rep.*, (6):75–78. Originally in: Kratk. Soobshch. Fiz. (1989)(6) 58, in Russian.
- Benn1990** Bennington, S. M.; Benham, M. J.; Stonadge, P. R.; Fairclough, J. P. A.; Ross, D. K. (1990). In-situ measurements of deuterium uptake into a palladium electrode using time-of-flight neutron diffractometry. *J. Electroanal. Chem.*, 281:323–330.
- Benn1989** Bennington, S. M.; Sokhi, R. S.; Stonadge, P. R.; Ross, D. K.; Benham, M. J.; Beynon, T. D.; Whitney, P.; Harris, I. R.; Farr, J. P. G. (1989). A search for the emission of x-rays from electrolytically charged palladium-deuterium. *Electrochim. Acta*, 34:1323–1326.
- Berk1989** Berkem, A. R. (1989). Nuclear fusion. Hot fusion - cold fusion. *Kim. Sanayi*, 31:7–19. In Turkish.
- Bern1990** Bernabei, R.; Gannelli, G.; Cantelli, R.; Cordero d'Angelo, S.; Iucci, N.; Picozza, P. G.; Villoresi, G. (1990). Neutron monitoring during evolution of deuteride precipitation in Nb, Ta and Ti. *Solid State Commun.*, 76:815–819.
- Bert1993** Bertalot, L.; De Marco, F.; De Ninno, A.; La Barbera, A.; Scaramuzzi, F.; Violante, V.; Zeppa, P. (1993). Study of deuterium charging in palladium by the electrolysis of heavy water: heat excess production. *Nuovo Cimento D*, 15:1435–1443.
- Bert1996a** Bertin, A.; Bruschi, M.; Bystritsky, V. M.; Bystritsky, V. M.; Capponi, M.; De Castro, S.; Cereda, B.; Dugar-Zhabon, V. D.; Ferretti, A.; Galli, D.; Giacobbe, B.; Kirpal, V. I.; Knyazev, A. I.; Kravchenko, I. M.; Marconi, U.; Massa, I.; Merzlyakov, S. I.; Moroni, C.; Piccinini, M.; Poly, M.; Rivkis, L. A.; Samsonenko, N. V.; Semprini-Cesari, N.; Shvetsov, V. N.; Sidorov, V. T.; Smirnov, V. N.; Sorokin, S. I.; Spighi, R.; Starshin, E. P.; Stolupin, V. A.; Strelkov, A. V.; Vecchi, S.; Vezzani, A.; Villa, M.; Vitale, A.; Wozniak, J.; Zavattini, G.; Zhuravlev, N. I.; Zoccoli, A. (1996a). Negative result of an experiment aimed at verifying the hypothesis that cold and hot nuclear fusion occurs in Ti/(D-T) and ZrNbV/(D-T) systems. *Phys. Atomic Nucl.*, 59:744–751.
- Bert1996b** Bertin, A.; Bruschi, M.; Bystritsky, V. M.; Bystritsky, V. M.; Capponi, M.; De Castro, S.; Cereda, B.; Dugar-Zhabon, V. D.; Ferretti, A.; Galli, D.; Giacobbe, B.; Kirpal, V. I.; Knyazev, A. I.; Kravchenko, I. M.; Marconi, U.; Massa, I.; Merzlyakov, S. I.; Moroni, C.; Piccinini, M.; Poly, M.; Rivkis, L. A.; Samsonenko, N. V.; Semprini-Cesari, N.; Shvetsov, V. N.; Sidorov, V. T.; Smirnov, V. N.; Sorokin, S. I.; Spighi, R.; Starshin, E. P.; Stolupin, V. A.; Strelkov, A. V.; Vecchi, S.; Vezzani, A.; Villa, M.; Vitale, A.; Wozniak, J.; Zavattini, G.; Zhuravlev, N. I.; Zoccoli, A. (1996b). Negative result of an experiment aimed at verifying a report on cold nuclear fusion in systems of the Na<sub>x</sub>WO<sub>3</sub>/D;D-T) type. *Phys. Atomic Nucl.*, 59:752–756.
- Bert1996c** Bertin, A.; Bruschi, M.; Bystritsky, V. M.; Capponi, M.; De Castro, S.; Cereda, B.; Ferretti, A.; Florkowski, T.; Galli, D.; Giacobbe, B.; Gushchin, V. V.; Marconi, U.; Massa, I.; Moroni, C.; Piccinini, M.; Poly, M.; Rivkis, L. A.; Sakharov, V. I.; Semprini-Cesari, N.; Spighi, R.; Stolupin, V. A.; Tebus, V. N.; Vecchi, S.; Vezzani, A.; Villa, M.; Vitale, A.; Wozniak, J.; Zavattini, G.; Zhuravlev, N. I.; Zoccoli, A. (1996c). Absence of tritium yield in metal-deuterium systems. *Phys. At. Nucl.*, 59:934–937. Originally in *Yad. Fiz.* 59 (1996) 976, in Russian.
- Bert1990** Bertin, A.; Bruschi, M.; Capponi, M.; De Castro, S.; Marconi, U.; Moroni, C.; Piccinini, M.; Semprini-Cesari, N.; Trombini, A.; Vitale, A.; Zoccoli, A.; Czirr, J. B.; Jensen, G. L.; Jones, S. E.; Palmer, E. P. (1990). First experimental results at the Gran Sasso Laboratory on cold nuclear fusion in titanium electrodes. *I*

**Bert1989** Bertin, A.; Bruschi, M.; Cappomi, M.; De Castro, S.; Marconi, U.; Moroni, C.; Piccinini, M.; Semprini-Cesari, N.; Trombini, A.; Vitale, A.; Zoccoli, A.; Jones, S. E.; Czirr, J. B.; Jensen, G. L.; Palmer, E. P. (1989). Experimental evidence of cold nuclear fusion in a measurement under the Gran Sasso Massif. *Nuovo Cimento Soc. Ital. Fis. A*, 101:997–1004.

**Bese1990b** Besenbacher, F.; B. Nielsen. Bech; Nørskov, J. K.; Myers, S. M.; Nordlander, P. (1990a). Interaction of hydrogen isotopes with metals: deuterium trapped at lattice defects in palladium. *J. Fusion Energy*, 9:257–261.

**Bese1990a** Besenbacher, F.; Bech Nielsen, B.; Hornshøj, P.; Lægsgaard, E.; Rud, N. (1990b). Search for cold fusion in plasma-charged Pd-D and Ti-D systems. *J. Fusion Energy*, 9:315–317.

**Bhat1989** Bhattacharjee, J. K.; Satpathy, L.; Waghmare, Y. R. (1989). A possible mechanism of cold fusion. *Pramana*, 32:L841–L844.

**Bibe2004** Biberian, J.-P. (2004). Condensed matter nuclear science: cold fusion. *Ann. Fond. Louis de Broglie, Hors serie* 3, 29:1095–1108.

**Bibe2007** Biberian, J.-P. (2007). Condensed matter nuclear science (cold fusion): an update. *Int. J. Nucl. Energy Sci. Technol.*, 3(1):31–43.

**Bibe2010** Biberian, J.-P (2010). Low energy nuclear reactions in gas phase: a comprehensive review. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 9–34. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Bibe2015** Biberian, J.-P. (2015). Biological transmutations. *Curr. Sci.*, 108:633–635.

**Bibe2008** Biberian, J.-P.; Armamet, N. (2008). An update on condensed matter nuclear science (cold fusion). *Ann. Fond. Louis de Broglie*, 33(1):1–7.

**Birg1990** Birgul, O.; Celebi, S.; Ozdural, A.; Pekmez, K.; Yildiz, A.; Yurum, Y. (1990). Electrochemically induced fusion of deuterium using surface modified palladium electrodes. *Doga-Turk. J. Eng. Env. Sci.*, 14(3):373–380.

**Bitt1991b** Bittner, M.; Ludwig, G.; Meister, A.; Müller, J.; Ohms, D.; Paffrath, E.; Rahner, D.; Schwierz, R.; Seeliger, D.; Stiehl, P.; Wiesener, K.; Wüstner, P. (1991a). Evidence for the production of d-d fusion neutrons during electrolytic infusion of deuterons into a palladium cylinder. *Fusion Technol.*, 19:2119–2124.

**Bitt1991a** Bittner, M.; Meister, A.; Ohms, D.; Paffrath, E.; Rahner, D.; Schwierz, R.; Seeliger, D.; Wiesener, K.; Wuestner, P. (1991b). Indication for the temporary production of deuteron-deuteron fusion neutrons during electrolytic infusion of deuterons into a massive palladium slab. *Fusion Technol.*, 20:334–348.

**Bitt1990** Bittner, M.; Meister, A.; Ohms, D.; Paffrath, E.; Rahner, D.; Schwierz, R.; Seeliger, D.; Wiesener, K.; Wüstner, P. (1990). Method for investigation of fusion reactions in condensed matter. *Fusion Technol.*, 18:120–130.

**Bitt1991c** Bittner, M.; Meister, A.; Ohms, D.; Paffrath, E.; Rahner, D.; Schwierz, R.; Seeliger, D.; Wiesener, K.; Wüstner, P. (1991c). Emission of DD-fusion neutrons from a massive palladium cylinder during electrolytic infusion of deuterons into the metal. *Isotopenpraxis*, 27:274–280.

**Bitt1993** Bittner, M.; Meister, A.; Seeliger, D.; Schwierz, R.; Wüstner, P. (1993). Observation of d-d fusion neutrons during degassing of deuterium-loaded palladium. *Fusion Technol.*, 23:346–352.

**Blag1994** Blagus, S.; Bogovac, M.; Drasner, A.; Vukovic, M. (1994). Evidence for neutron production during heavy water electrolysis on palladium electrode. *Fusion Technol.*, 26:105–109.

**Blag1989** Blagus, S.; Bogovac, M.; Hodko, D.; Krcmar, M.; Miljanic, D.; Tomas, P.; Vajic, M.; Vukovic, M. (1989). Search for neutron production during heavy water electrolysis on palladium electrodes. *Z. Phys. A: At. Nucl.*, 333:321–322.

**Blas1989** Blaser, J. P.; Haas, O.; Ptijjean, C.; Barbero, C.; Bertl, W.; Lou, K.; Mathias, M.; Baumann, P.; Daniel, H.; Hartmann, J.; Hechtl, E.; Ackerbauer, P.; Kammel, P.; Scrinzi, A.; Zmeskal, H.; Kozlowski, T.; Kipfer, R.; Baur, H.; Signer, P.; Wieler, R. (1989). Experimental investigation of cold fusion phenomena in palladium. *Chimia*, 43:262–268.

**Blen1990** Blencoe, J. G.; Naney, M. T.; Wesolowski, D. J.; Perey, F. G. (1990). Tests for 'cold fusion' in the Pd-D2 and Ti-D2 systems at 40–380 MPa and -196–27 degC. *J. Fusion Energy*, 9:149–153.

**Bock1990c** Bockris, J.; Hodko, D. (1990). Is there evidence for cold fusion? *Chem. & Ind.*, 22:688–692.

**Bock1990b** Bockris, J. O'M. (1990). Addition to 'A review of the investigations of the Fleischmann-Pons phenomena'. *Fusion Technol.*, 18:523.

**Bock2000** Bockris, J. O'M. (2000). Accountability and academic freedom. The battle concerning research on cold fusion at Texas A&M University. *Accountability Res.*, 8:103–116.

**Bock1992a** Bockris, J. O'M.; Chien, C. C.; Hodko, D.; Minevski, Z. (1992a). Cold fusion as a consequence of high fugacity among hydrogen isotopes. *Int. J. Hydrogen Energy*, 17:445–450.

**Bock1992** Bockris, J. O'M.; Hodko, D.; Minevski, Z. (1992b). Fugacity of hydrogen isotopes in metals: degradation, cracking and cold fusion. *Electrochem. Soc. Proc.*, 92-5:223–247.

**Bock1996** Bockris, J. O'M.; Lin, G. H.; Bush, R. T. (1996). Do nuclear reactions take place under chemical stimulation?

- Bock1990a** Bockris, J. O'M.; Lin, G. H.; Packham, N. J. C. (1990). A review of the investigations of the Fleischmann-Pons phenomena. *Fusion Technol.*, 18:11–31.
- Bona1990** Bonazzola, G. C.; Bressani, T.; Calvo, D.; Feliciello, A.; Gianotti, P.; Marcello, S.; Agnello, M.; Iazzi, F. (1990). A large-area neutron detector based on double scattering. *Nucl. Instrum. Meth. Phys. Res. A*, 299:25–28.
- Bosc1990** Bosch, H. S.; Wurden, G. A.; Gernhardt, J.; Karger, F.; Perchermeier, J. (1990). Electrochemical cold fusion trials at IPP Garching. *J. Fusion Energy*, 9:165–186.
- Bott1999** Botta, E.; Bressani, T.; Calvo, D.; Fanara, C.; Iazzi, F. (1999). On the neutron emission from the Ti/D system. *Nuovo Cimento A*, 112:607–617.
- Bott1992a** Botta, E.; Bressani, T.; Calvo, D.; Feliciello, A.; Gianotti, P.; Lamberti, C.; Agnello, M.; Iazzi, F.; Minetti, B.; Zecchina, A. (1992). Measurement of 2.5 MeV neutron emission from Ti/D and Pd/D systems. *Il Nuovo Cimento A*, 105:1663–1671.
- Bott1992b** Botta, E.; Calvo, D. (1992). Results of cold fusion experiments on Ti/D2D and Pd/D2 systems with gas loading. In *Conf. Proc., Common Problems and Trends of Modern Physics, Folgara, Italy* (edited by T. Bressani; S. Marcello; A. Zenoni), pages 331–340. World Scientific, Singapore.
- Bott1989** Botter, F.; Bouchez, J.; Collot, J.; Kajfasz, E.; Lefevre, B.; Lesquoy, E.; Stutz, A.; Tistchenko, S.; Zyberajch, S. (1989). Search for emission of neutrons from a palladium-deuterium system. *Phys. Lett. B*, 232:536–538.
- Bouc1993** Boucher, G. R.; Collins, F. E.; Matlock, R. L. (1993). Separation factors for hydrogen isotopes on palladium. *Fusion Technol.*, 24:200–201.
- Bour2007** Bourgoin, R. C. (2007). Inverse quantum mechanics of the hydrogen atom: a general solution. *Adv. Studies Theor. Phys.*, 1:381–393.
- Boya1990** Boya, L. J. (1990). Possible mechanisms for cold fusion in deuterated palladium. *An. Fis. B*, 86:221–223.
- Brac1990** Bracci, L.; Fiorentini, G.; Mezzorani, G. (1990). Nuclear fusion in molecular systems. *J. Phys. G*, 16:83–98.
- Bres1991b** Bressani, T.; Calvo, D.; Feliciello, A.; Lamberti, C.; Iazzi, F.; Minetti, B.; Cherubini, R.; Haque, A. M. I.; Ricci, R. A. (1991a). ERRATA: Observation of 2.5 MeV neutrons emitted from titanium-deuterium system. *Il Nuovo Cimento Soc. Ital. Fis. A*, 104.
- Bres1991a** Bressani, T.; Calvo, D.; Feliciello, A.; Lamberti, C.; Iazzi, F.; Minetti, B.; Cherubini, R.; Haque, A. M. I.; Ricci, R. A. (1991b). Observation of 2.5 MeV neutrons emitted from a titanium-deuterium system. *Il Nuovo Cimento Soc. Ital. Fiz. A*, 104:1413–1416.
- Bres1989** Bressani, T.; Del Giudice, E.; Preparata, G. (1989). First steps toward an understanding of 'cold' nuclear fusion. *Nuovo Cimento Soc. Ital Fis. A*, 101:845–849.
- Bria1990a** Briand, J. P.; Ban, G.; Froment, M.; Keddam, M.; Abel, F. (1990). Cold fusion rates in titanium foils. *Phys. Lett. A*, 145:187–191.
- Bria1989** Briand, J.-P.; Dewynck, J.; Chevallier, P.; Bobin, J. L. (1989). Cold fusion: an alternative diagnostic. *Nucl. Instrum. Methods Phys. Res., Sect. A*, 285:547–548.
- Bria1990b** Briand, J.-P.; Froment, M. (1990). La fusion 'froide' dix-huit mois apres (Cold fusion, 18 months later). *Recherche*, 21:1282–1284. In French.
- Bric2015** Briceño, R. A.; Davoudi, Z.; Luu, T C. (2015). Nuclear reactions from lattice QCD. *J. Phys. G: Nucl. Part. Phys.*, pages 1–35.
- Brid1989** Bridge, M. E.; and J. M. D. Coey, D. R. Lloyd (1989). Cold fusion ideas. *Nature*, 340:105–106.
- Bril1992** Brillias, E.; Esteve, J.; Sardin, G.; Casado, J.; Domenech, X.; Sanchez-Cabeza, J. A. (1992). Product analysis from D2O electrolysis with Pd and Ti cathodes. *Electrochim. Acta*, 37:215–219.
- Brit1990** Britz, D. (1990). Cold fusion: an historical parallel. *Centaurus*, 33:368–372.
- Brit1991** Britz, D. (1991). Parameter correlations in cold fusion measurements. *J. Radioanal. Nucl. Chem. Lett.*, 155:377–382.
- Broe1989** Broer, M. M.; Feldman, L. C.; James, A. C. W. P.; Kraus, J. S.; Raghavan, R. S. (1989). Search for neutrons from deuterium-deuterium nuclear reactions in electrochemically charged Palladium. *Phys. Rev. C: Nucl. Phys.*, 40:R1559–R1562.
- Brud1990a** Brudanin, V. B.; Bystritskii, V. M.; Egorov, V. G.; Shamsutdinov, S. G.; Shyshkin, A. L.; Stolupin, V. A.; Yutlandov, I. A. (1990a). Does cold nuclear fusion exist? *Phys. Lett. A*, 146:347–350.
- Brud1990b** Brudanin, V. B.; Bystritskii, V. M.; Egorov, V. G.; Shamsutdinov, S. G.; Shyshkin, A. L.; Stolupin, V. A.; Yutlandov, I. A. (1990b). Once more about cold nuclear fusion. *Phys. Lett. A*, 146:351–356.
- Brud1990c** Brudanin, V. B.; Bystritsky, V. M.; Egorov, V. G.; Stetsenko, S. G.; Yutlandov, I. A. (1990c). Search for the cold fusion d(d,(4)He) in electrolysis of D2O. *Phys. Lett. A*, 151:543–546.
- Brus1989** Bruschi, L.; Santini, M.; Torzo, G.; Nardelli, G. (1989). Search for neutron emission from a deuterium-titanium

- Brus1994** Bruschi, M.; Marconi, U.; Zoccoli, A. (1994). The neutron spectrometer of the cold fusion experiment under the Gran Sasso Laboratory. In *Hadronic. Phys. and Course 8th 1993* (edited by M. Giblisco; G. Preparata; A. Zenoni), pages 332–354. World Scientific, Singapore.
- Brya1992** Bryan, S. R.; Gibson, J. H. (1992). Comments on 'Nuclear energy release in metals'. *Fusion Technol.*, 21:95.
- Buch1999b** Buchachenko, A. L. (1999). Chemistry on the border of two centuries - achievements and prospects. *Russ. Chem. Rev.*, 68(2):85–102. Orig. in: *Usp. Khim.* 68(2) (1999) 99, in Russian.
- Buch1999a** Buchachenko, A. L.; Chaikovskii, V. V. (1999). Contraction of electronic shells and a new strategy for cold fusion. *Russ. J. Phys. Chem.*, 73:1614–1618.
- Budn1990** Budnikov, A. T.; Danilov, P. A.; Kartamyshev, G. A.; Katrich, N. P.; Seminozhenko, V. P. (1990). Study of gases evolving from palladium, nickel and copper, bombarded with D<sup>+</sup> ions, from palladium saturated with gases by heavy water electrolysis and by heating in deuterium. *Vopr. At. Nauki Tekh., Ser. Fiz. Radiats. Povr. Radiats. Mat.*, 52(1):81–88. In Russian.
- Bull1990** Bullock IV, J. S.; Powell, G. L.; Hutchinson, D. P. (1990). Electrochemical factors in cold fusion experiments. *J. Fusion Energy*, 9:275–280.
- Bunc1991** Bunch, K. J.; Grow, R. W. (1991). Self-consistent field calculations on diatomic hydrogen in a potential well. *Fusion Technol.*, 19:2131–2134.
- Burr1989** Burrows, A. (1989). Enhancement of cold fusion in metal 'hydrides' by screening of proton and deuteron charges. *Phys. Rev. B: Condens. Matter*, 40:3405–3408.
- Bush2003** Bush, B.; Lagowski, J. J. (2003). Comments on 'Search for 3He and 4He in Arata-style palladium cathodes I: a negative result.' and 'Search for 3He and 4He in Arata-style palladium cathodes II: evidence for tritium production'. *Fusion Sci. Technol.*, 43:134–135.
- Bush1991a** Bush, B. F.; Lagowski, J. J.; Miles, M. H.; Ostrom, G. S. (1991). Helium production during the electrolysis of D<sub>2</sub>O in cold fusion experiments. *J. Electroanal. Chem.*, 304:271–278.
- Bush1991b** Bush, R. T. (1991). Cold 'fusion'. The transmission resonance model fits data on excess heat, predicts optimal trigger points, and suggests nuclear reaction scenarios. *Fusion Technol.*, 19:313–356.
- Bush1992a** Bush, R. T. (1992). A light water excess heat reaction suggests that 'cold fusion' may be 'alkali-hydrogen fusion'. *Fusion Technol.*, 22:301–322.
- Bush1990** Bush, R. T.; Eagleton, R. D. (1990). 'Cold nuclear fusion': A hypothetical model to probe an elusive phenomenon. *J. Fusion Energy*, 9:397–408.
- Bushu1996** Bushuev, V. S.; Genodman, V. B.; Jerikhina, L. N.; Kuznetsov, S. P.; Lapushkin, Yu. A.; Matviienko, I. P.; Nikitenko, A. I.; Perekrestenko, A. D.; Saposchnikov, N. P.; Tolokonnikov, S. M.; Tzkhovrebov, A. M. (1996). Experiments on detection of nuclear radiation at heavy water electrolysis. *J. Optics Res.*, 4:171–179.
- Bushu1990** Bushuev, V. S.; Ginodman, V. B.; Zherikhina, L. N.; Kuznetsov, S. P.; Lapushkin, Yu. A.; Matviienko, I. P.; Nikitenko, A. I.; Perekrestenko, A. D.; Saposchnikov, N. P.; Tolokonnikov, S. M.; Tzkhovrebov, A. M. (1990). Some results obtained by detecting nuclear radiation during heavy-water electrolysis. *Sov. Phys. Lebedev Inst. Rep.*, (5):57–61. Orig. in: *Kratk. Soobshch. Fiz.* (1990)(5) 41, in Russian.
- Bushu1992b** Bushuev, V. S.; Ginodman, V. B.; Zherikhina, L. N.; Kuznetsov, S. P.; Lapushkin, Yu. A.; Matviienko, I. P.; Nikitenko, A. I.; Perekrestenko, A. D.; Saposchnikov, N. P.; Tolokonnikov, S. M.; Tzkhovrebov, A. M. (1992). Experiments in the recording of nuclear emissions by electrolysis of heavy water. *Trud. Ord. Lenin. Ord. Oktyab. Revol. Fiz. Inst. im. P.N. Lebedeva, Ross. Akad. Nauk*, 220:89–95. In Russian.
- Buss1989** Bussard, R. W. (1989). Virtual-state internal nuclear fusion in metal lattices. *Fusion Technol.*, 16:231–236.
- Butl1989** Butler, M. A.; Ginley, D. S.; Schirber, J. E.; Ewing, R. I. (1989). High-sensitivity search for neutrons during electrochemical reactions. *Fusion Technol.*, 16:388–390.
- Byun1990** Byun, J. H. (1990). Cold nuclear fusion. *Hwahak Kwa Kongop Ui Chinbo*, 30:86–89. In Korean.
- Camp1989** Campbell, R. B.; Perkins, L. J. (1989). A study of 'cold fusion' in deuterated titanium subjected to high-current densities. *Fusion Technol.*, 16:383–387.
- Cann1992** Cannizzaro, F.; Greco, G.; Raneli, M.; Spitale, M. C.; Tomarchio, E. (1992). Search for neutrons as evidence of cold fusion. *Fusion Technol.*, 21:86–91.
- Cape1989** Capek, V. (1989). Tunnelling efficiency and the problem of cold fusion. *Czech. J. Phys. B*, 39:793–795.
- Card2009a** Cardone, F.; Mignani, R.; Petrucci, A. (2009a). Piezonuclear decay of thorium. *Phys. Lett. A*, 373(22):1956–1958.
- Card2009b** Cardone, F.; Mignani, R.; Petrucci, A. (2009b). Reply to "Comment on 'Piezonuclear decay of thorium' [Phys. Lett. A 373 (2009) 1956]" [Phys. Lett. A 373 (2009) 3795]. *Phys. Lett. A*, 373:3797–3800.

- Case1991** Case, L. C. (1991). The reality of 'cold fusion'. *Fusion Technol.*, 20:478–480.
- Case1990** Case, M.; Boehm, R. (1990). Assessment of thermal energy output from electrochemical cells - a critical review. *HDT (Am. Soc. Mech. Eng.) (Heat Transfer Adv. Energy Syst.)*, 151:55–62.
- Ceci1990** Cecil, F. E.; Ferg, D.; Furtak, T. E.; Mader, C.; McNeil, J. A.; Williamson, D. L. (1990). Study of energetic charged particles emitted from thin deuterated palladium foils subject to high current densities. *J. Fusion Energy*, 9:195–197.
- Ceci1993** Cecil, F. E.; Liu, H.; Yan, J. S. (1993). Measurements of branching ratios of low energy deuteron-induced nuclear reactions on  $^2\text{H}$ ,  $^6\text{Li}$ , and  $^{10}\text{B}$ . *Phys. Rev. C*, 47:1178–1183.
- Cedz1991** Cedzynska, K.; Barrowes, S. C.; Bergeson, H. E.; Knight, L. C.; Will, F. G. (1991). Tritium analysis in palladium with an open system analytical procedure. *Fusion Technol.*, 20:108–112.
- Cedz1992** Cedzynska, K.; Will, F. G. (1992). Closed-system analysis of tritium in palladium. *Fusion Technol.*, 22:156–159.
- Cela1992** Celani, F.; Spallone, A.; Croce, F.; Storelli, L.; Fortunati, S.; Tului, M.; Sparvieri, N. (1992). Search for enhancement of neutron emission from neutron-irradiated, deuterated, high-temperature superconductors in a very low background environment. *Fusion Technol.*, 22:181–186.
- Cela1990** Celani, F.; Spallone, A.; Pace, S.; Polichetti, B.; Saggese, A.; Liberatori, L.; Di Stefano, V.; Marini, P. (1990). Further measurements on electrolytic cold fusion with  $\text{D}_2\text{O}$  and palladium at Gran Sasso Laboratory. *Fusion Technol.*, 17:718–724.
- Cela1996a** Celani, F.; Spallone, A.; Tripodi, P.; Petrocchi, A.; Di Gioacchino, D.; Boutet, A.; Marini, P.; Di Stefano, V.; Diociaiuti, M.; Collis, W. (1996a). Reproducible  $\text{D}/\text{Pd}$  ratio  $> 1$  and excess heat correlation by 1-microsecond pulse, high-current electrolysis. *Fusion Technol.*, 29:398–404.
- Cela1996b** Celani, F.; Spallone, A.; Tripodi, P.; Petrocchi, A.; Di Gioacchino, D.; Marini, P.; Di Stefano, V.; Pace, S.; Mancini, A. (1996b). Deuterium overloading of palladium wires by means of high power microsecond pulsed electrolysis and electromigration: suggestions of a "phase transition" and related excess heat. *Phys. Lett. A*, 214:1–13.
- Cero1992** Cerofolini, C. F.; Para, A. F. (1992). Alternatives in low energy fusion? *Springer Proc. Phys. (Exot. At. Condens. Matter)*, 59:129–147.
- Cero1993** Cerofolini, G. F.; Foglio Para, A. (1993). Can binuclear atoms solve the cold fusion puzzle? *Fusion Technol.*, 23.
- Cerr1996** Cerron-Zeballos, E.; Crotty, I.; Hatzifotiadou, D.; Lamas Valverde, J.; Williams, M. C. S.; Zibichi, A. (1996). Investigation of anomalous heat production in Ni-H systems. *Nuovo Cimento A*, 109:1645–1654.
- Cham1991** Chambaud, G.; Levy, B.; Esteve, J. G. (1991). Estimate of Ti effects on D-D fusion. *Phys. Lett. A*, 156:395–398.
- Cham1990a** Chambers, G. P.; Eridon, J. E.; Grabowski, K. S.; Sartwell, B. D.; Chrisey, D. B. (1990a). Charged particle spectra of palladium thin films during low energy deuterium ion implantation. *J. Fusion Energy*, 9:281–285.
- Cham1990b** Chambers, G. P.; Eridon, J. M.; Grabowski, K. S. (1990b). Upper limit on cold fusion in thin palladium films. *Phys. Rev. B: Condens. Matter*, 41:5388–5391.
- Chan1991** Chang, C. P.; Wu, J. K.; Yao, Y. D.; Wang, C. W.; Lin, E. K. (1991). Hydrogen and deuterium in palladium. *Int. J. Hydrogen Energy*, 16:491–497.
- Chan2013** Chang, Y.-F. (2013). Potential exploration of cold fusion and its quantitative theory of physical-chemical-nuclear multistage chain reaction mechanism. *Int. J. Modern Chem.*, 5:29–43.
- Chap1990** Chapnik, I. M. (1990). Possibility of induced beta radioactivity in  $\text{PdD}$ . *J. Radioanal. Nucl. Chem. Lett.*, 146:273–282.
- Chap1991** Chapnik, I. M. (1991). Possibility of electrochemically induced transmutation in  $\text{PdD}$ . *Physics Lett. A*, 161:111–113.
- Chat1989** Chatterjee, L. (1989). More on cold fusion. *Nature*, 342:232.
- Chat1990** Chatterjee, L. (1990). Could spectator electrons legalize cold fusion? *Fusion Technol.*, 18:683–685.
- Chat1991c** Chatterjee, L. (1991a). On a weak flavor for cold fusion. *Fusion Technol.*, 20:358–360.
- Chat1991d** Chatterjee, L. (1991b). The two faces of the Coulomb barrier. *Fusion Technol.*, 20:365–366.
- Chat1991a** Chatterjee, L.; Chakraborty, A.; Das, G. (1991). Non-radiative exit channels in low energy d-d fusion. *Indian J. Pure Appl. Phys.*, 29:781–786.
- Chat1991b** Chatterjee, L.; Das, G. (1991). Sub-barrier nuclear fusion of amuonic and muonic flavour. *Phys. Lett. A*, 154:5–8.
- Chat1993** Chatterjee, L.; Mandal, S.; Chakrabarty, A. (1993). Electron accumulation and reproducibility of cold fusion. *Indian J. Pure Appl. Phys.*, 21:121–122.

**Chat1998** Chatterjee, L. G. (1998). Electrolysis in thin-film nickel coatings: mimicking supernova physics? *Fusion Technol.*, 34:147–150.

**Chec1994b** Chechin, V. A.; Tsarev, V. A. (1994). On the nonstationary quantum-mechanical origin of nuclear reactions in solids. *Fusion Technol.*, 25:469–474.

**Chec1994a** Chechin, V. A.; Tsarev, V. A.; Rabinowitz, M.; Kim, Y. E. (1994). Critical review of theoretical models for anomalous effects in deuterated metals. *Int. J. Theo. Phys.*, 33:617–670.

**Chee1990** Cheek, G. T.; O'Grady, W. E. (1990). Measurement of hydrogen uptake by palladium using a quartz crystal microbalance. *J. Electroanal. Chem.*, 277:341–346.

**Chee1994** Cheek, G. T.; O'Grady, W. E. (1994). Measurement of H/D uptake characteristics at palladium using a quartz crystal microbalance. *J. Electroanal. Chem.*, 368:133–138.

**Chem1989** Chemla, M.; Chevalet, J.; Bury, R. (1989). Heat evolution involved with the electrochemical discharge of hydrogen and deuterium on palladium. *C. R. Acad. Sci., Ser. 2*, 309:987–993. In French, Engl. summary.

**Chem1990** Chemla, M.; Chevalet, J.; Bury, R.; Perie, M. (1990). Experimental investigation of thermal and radiation effects induced by deuterium discharge at the palladium electrode. *J. Electroanal. Chem.*, 277:93–103.

**Chen1998** Chen, L.; Qiu, X.; Song, S. (1998). Experimental research of excess heat under high pulse current. *High Power Laser Part. Beams*, 10(2):312–314. In Chinese, Engl. abstr.

**Chen1990** Chen, M.; Steadman, S. G.; Gaudreau, M. P. J.; Luckhardt, S. C.; Parker, R. R.; Albagli, D.; Cammarata, V.; Schloh, M.; Wrighton, M. S.; Kwok, K.; Thieme, C.; Lowenstein, D. I.; Debbe, R.; Reilly, J. J. (1990). Measurements of neutron emission induced by muons stopped in metal deuteride targets. *J. Fusion Energy*, 9:155–159.

**Chen1995** Chen, S.; Wang, D.; Cui, G.; Wang, M.; Fu, Y.; Zhang, X.; Zhang, W. (1995). X-ray diagnostics in gas discharge. *Trends Nucl. Phys.*, 12(3):58–60.

**Chen1996** Chen, S. K.; Wan, C. M.; Chu, S. B. (1996). The microstructure of electrocatalytically deuterium-loaded palladium rods. *Fusion Technol.*, 29:302–305.

**Chen1993** Chen, X.; Yang, J. (1993). Studies on dineutron model of cold fusion (I). *Hunan Shifan Daxue Ziran Kexue Xuebao*, 16(1):42–45.

**Chen1994** Chen, Y. P.; Cai, S. D. (1994). Dynamic screening effect from acoustic plasmons. *Science in China A*, 37(1):62–69.

**Chene1990** Chene, J.; Brass, A. M. (1990). Tritium production during the cathodic discharge of deuterium on palladium. *J. Electroanal. Chem.*, 280:199–205.

**Cher1998** Chernov, I. P.; Mel'nikova, T. N.; Cherdantsev, Yu. P.; Kreining, M.; Baumbakh, Kh. (1998). Yield of nuclear reaction products from deuterium-saturated composite materials and layered structures. *Russ. Phys. J.*, 41:642–646. Orig. in: *Izv. Vyssh. Ucheb. Zaved. Fiz.* (1998) (7) 36.

**Chib1995** Chiba, M.; Shirakawa, T.; Fujii, M.; Ikebe, T.; Yamaoka, S.; Sueki, K.; Nakahara, H.; Hirose, T. (1995). Measurement of neutron emission from LiNbO<sub>3</sub> fracture process in D<sub>2</sub> and H<sub>2</sub> atmosphere. *Nuovo Cimento A*, 108:1277–1280.

**Chic2001** Chicea, D.; Lupu, D. (2001). Low-intensity neutron emission from TiDx samples under nonequilibrium conditions. *Fusion Technol.*, 39:108–113.

**Chic1998** Chicea, D.; Lupu, D.; Cheregi, I. (1998). Experimental evidence of neutron emission from TiDx samples. *Hadronic J.*, 21:567–582.

**Chid1989** Chidambaram, R.; Sahni, V. C. (1989). Materials issues in the so-called 'cold fusion' experiments. *Curr. Sci.*, 58:597–598.

**Chie1992a** Chien, C. C.; Hodko, D.; Minevski, Z.; Bockris, J. O. M. (1992). On an electrode producing massive quantities of tritium and helium. *J. Electroanal. Chem.*, 338:189–212.

**Chie1992b** Chien, C. C.; Huang, T. C. (1992). Tritium production by electrolysis of heavy water. *Fusion Technology*, 22:391–394.

**Choi1993** Choi, E.; Ejiri, H.; Ohsumi, H. (1993). Application of a Ge detector to search for fast neutrons from DD fusion in deuterized Pd. *Jpn. J. Appl. Phys. A*, 32:3964–3967.

**Choi1996** Choi, E.; Ejiri, H.; Ohsumi, H.; Kishimoto, T. (1996). Search for time-correlated fast neutrons from DD fusion at room temperature. *Jpn. J. Appl. Phys.*, 35:2793–2796.

**Chri1989** Christensen, O. B.; Ditlevsen, P. D.; Jacobsen, K. W.; Stoltze, P.; Nielsen, O. H.; Nørskov, J. K. (1989). H-H interactions in Pd. *Phys. Rev. B*, 40:1993–1996.

**Chri1990** Christman, D. R. (1990). Cold fusion. *C&EN September*, 17:78.

**Chu1989** Chu, C. W.; Xue, Y. Y.; Meng, R. L.; Hor, P. H.; Huang, Z. J.; Gao, L. (1989). Search for the proposed cold

**Chu1992** Chu, L.; Wang, S. (1992). Coulomb screening of deuterium in metal crystal. *Yuanzineng Kexue Jishu*, 26(6):80–81,88. In Chinese, Engl. abstr.

**Chu1990** Chu, L. Y.; Lu, D. H. (1990). The estimation of nuclear fusion rate in crystal. *Commun. Theor. Phys.*, 13:33–40.

**Chu1991** Chu, S. Y.; Shen, B. (1991). Can the color force be used to achieve fusion? *Mod. Phys. Lett. A*, 6:237–244.

**Chub2000** Chubb, S. R. (2000). Introduction to the special series of papers in Accountability in Research dealing with ‘cold fusion’. *Accountability Res.*, 8:1–12.

**Chub2008** Chubb, S. R. (2008). Resonant electromagnetic interaction in low-energy nuclear reactions. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 99–123. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Chub2009** Chubb, S. R. (2009). Overcoming the Coulomb barrier and related effects through resonant electrodynamics and quantum mechanics in the Fleischmann-Pons effect. *J. Sci. Explor.*, 23(4):448–452.

**Chub2010** Chubb, S. R. (2010). Overcoming the Coulomb barrier and related effects through resonant electrodynamics and quantum mechanics in the Fleischmann-Pons excess heat effect. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 177–192. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Chub2011** Chubb, S. R. (2011). Conventional physics can explain cold fusion excess heat. *Phys. Procedia*, 20:404–419.

**Chub1993** Chubb, S. R.; Chubb, T. A. (1993). Ion band state fusion: reactions, power density, and the quantum reality question. *Fusion Technol.*, 24:403–416.

**Chub2002** Chubb, T. (2002). Comments on ‘Search for 3He and 4He in Arata-style palladium cathodes I: a negative result’ and ‘Search for 3He and 4He in Arata-style palladium cathodes II: evidence for tritium production’. (Letter to the Editor). *Fusion Sci. Technol.*, 41:151.

**Chub1990** Chubb, T. A.; Chubb, S. R. (1990). Bloch-symmmetric fusion in PdD(x). *Fusion Technol.*, 17:710–712.

**Chub1991** Chubb, T. A.; Chubb, S. R. (1991). Cold fusion as an interaction between ion band states. *Fusion Technol.*, 20:93–99.

**Ciri2012** Cirillo, D.; Del Giudice, E.; Germano, R.; Sivasubramanian, S.; Srivastava, Y. N.; Tontodonato, V.; Vitiello, G.; Widom, A. (2012a). Water plasma modes and nuclear transmutations on the metallic cathode of a plasma discharge electrolytic cell. *Key Engineering Mater.*, 495:124–128.

**Ciri2012b** Cirillo, D.; Del Giudice, E.; Germano, R.; Sivasubramanian, S.; Srivastava, Y. N.; Tontodonato, V.; Vitiello, G.; Widom, A. (2012b). Water plasma modes and nuclear transmutations on the metallic cathode of a plasma discharge electrolytic cell. *Key Eng. Mater.*, 495:124–128. The name Sivasubramanian is normally written as Sivasubramanian.

**Ciri2012a** Cirillo, D.; Germano, R.; Tontodonato, V.; Widom, A.; Srivastava, Y. N.; Del Giudice, E.; Vitiello, G. (2012c). Experimental evidence oof a neutron flux generation in a plasma discharge electrolytic cell. *Key Eng. Mater.*, 495:104–107.

**Cisb2001** Cisbani, E.; Urciuoli, G. M.; Frullani, S.; Garibaldi, F.; Giuliani, F.; Gozzi, D.; Gricia, M.; Iodice, M.; Lucentini, M.; Santavenere, F. (2001). A neutron detector for cold fusion experiments. *Nucl. Instrum. Meth. Phys. Res. A*, 459:247–255.

**Ciuc2012** Ciuchi, S.; Maiani, L.; Polosa, A. D.; Riquer, V.; Ruocco, G.; Vignati, M. (2012). Low energy neutron production by inverse  $\beta$  decay in metallic hydride surfaces. *Eur. Phys. J. C*, 72:1–3.

**Clar1991** Clark, R. W. (1991). What ever happened to cold fusion? *J. Chem. Ed.*, 68:277–279.

**Clar2001a** Clarke, B. (2001). Search for 3He and 4He in Arata-style palladium cathodes I: a negtive result. *Fusion Sci. Technol.*, 40:147–151.

**Clar2001b** Clarke, B.; Oliver, B. M.; McKubre, M. C. H.; Tanzella, F. L.; Tripodi, P. (2001). Search for 3He and 4He in Arata-style palladium cathodes II: Evidence for tritium production. *Fusion Sci. Technol.*, 40:152–167. 15.

**Clar1992** Clarke, B. W.; Clarke, R. M. (1992). Search for (3)H, (3)He, and (4)He in D2-loaded titanium. *Fusion Technol.*, 21:170–175.

**Clar2002a** Clarke, W. B. (2002). Response to ‘Comments on ‘Search for 3He and 4He in Arata-style palladium cathodes I: a negative result’. (Letter to the Editor). *Fusion Sci. Technol.*, 41:152.

**Clar2003b** Clarke, W. B. (2003). Production of 4He in D2-loaded palladium-carbon catalyst I. *Fusion Sci. Technol.*, 43:122–127.

**Clar2002b** Clarke, W. B.; Oliver, B. M. (2002). Response to ‘Comments on ‘Search for 3He and 4He in Arata-style palladium cathodes II: evidence for tritium production’. (Letter to the Editor). *Fusion Sci. Technol.*, 41:153–154.

**Clar2003a** Clarke, W. B.; Oliver, B. M. (2003). Reponse to ‘Comments on ‘Search for 3He and 4He in Arata-style palladium cathodes I: a negative result ’ and ‘Search for 3He and 4He in Arata-style palladium cathodes II: evidence

- Cohe1989b** Cohen, J. S.; Davies, J. D. (1989a). The cold fusion family. *Nature*, 338:705–707.
- Cohe1989a** Cohen, J. S.; Davies, J. D. (1989b). Is cold fusion hot? *Nature*, 342:487–488.
- Coll1990a** Collins, G. S.; McGhee, G.; Shropshire, S. L.; Jang, H. J.; Fan, J.; Schuhmann, R. B. (1990a). Electrolytic loading of hydrogen in metals studied by PAC. *Hyperfine Interactions*, 60:663–666.
- Coll1990b** Collins, G. S.; Walker, J. S.; Norbury, J. W. (1990b). Deuteron tunnelling at electron-volt energies. *J. Fusion Energy*, 9:409–411.
- Coll1993** Collins, H.; Pinch, T. (1993). The sun in a test tube: the story of cold fusion. In *The Golem. What Everyone Should Know about Science* (edited by H. Collins; T. Pinch), pages 57–78. Cambridge University Press. ISBN 0 521 35601.
- Cont1995** Conte, E. (1995). A generalization of Schroedinger's equation using biquaternions: the possibility of fusion for particles. *Phys. Essays*, 8:52–59.
- Corr1990** Corrigan, D. A.; Schneider, E. W. (1990). Tritium separation effects during heavy water electrolysis: implications for reported observations of cold fusion. *J. Electroanal. Chem.*, 281:305–312.
- Corr1991** Corrigan, D. A.; Schwemmin, B. K.; Schneider, E. W. (1991). Radiochemical measurements of tritium during heavy water electrolysis at palladium cathodes in closed cells. *J. Electroanal. Chem.*, 312:175–184.
- Cott1989** Cottingham, W. N.; Greenwood, D. A. (1989). The fusion rate of a confined deuteron pair. *J. Phys. G: Nucl. Part Phys.*, 15:L157–L161.
- Cran1989** Cranberg, L. (1989). Cold fusion doubts and controls (title given by section editor). *Nature*, 309:515.
- Crav2015** Cravens, D.; Swartz, M. R.; Ahern, B. (2015). Condensed matter nuclear reactions with metal particles in gases. *Curr. Sci.*, 108:582–584.
- Craw1992** Crawford, O. H. (1992). Examination of a proposed phonon-coupling mechanism for cold fusion. *Fusion Technol.*, 21:161–162.
- Cres1998b** Crespo, C. L.; Carvalhal, R. F. C.; Sequeira, C. A. C. (1998a). Electrochemically induced cold fusion and environment. In *Chemistry, Energy and the Environment* (edited by C. A. C. Sequeira; J. B. Moffat), pages 363–376. Royal Society of Chemistry, Cambridge, UK. Proceedings 3rd European Workshop on Chemistry, Energy and the Environment, Estoril, Portugal, 1997.
- Cres1998a** Crespo, C. L.; Carvalhal, R. F. C.; Sequeira, C. A. C. (1998b). Anomalous effects during electrolysis of aqueous solutions. *Ciencia & Tecnol. Materiais*, 10(1/2):43–50. In Portuguese.
- Crib1989** Cribier, M.; Spiro, M.; Favier, J. (1989). Conventional sources of fast neutrons in cold fusion experiments. *Phys. Lett. B*, 228:163–166.
- Crow1989** Crowley, B. J. B. (1989). Nuclear fusion in high density matter. *Nucl. Fusion*, 29:2199–2216.
- Cuev1997** Cuevas, F.; Fernandez, J. F.; Sanchez, C. (1997). A search for nuclear reactions in deuterated fresh iodide-titanium films. *Fusion Technol.*, 32:644–654.
- Cunn1989** Cunnane, V. J.; Scannell, R. A.; Schiffrian, D. J. (1989). H<sub>2</sub> + O<sub>2</sub> recombination in non-isothermal, non-adiabatic electrochemical calorimetry of water electrolysis in an undivided cell. *J. Electroanal. Chem.*, 269:163–179.
- Czer2004** Czerski, K.; Huke, A.; Heide, P.; Ruprecht, G. (2004). The <sup>2</sup>H(d,p)<sup>3</sup>H reaction in metallic media at very low energies. *Europhys. Lett.*, 68:363–369.
- Czer2006** Czerski, K.; Huke, A.; Heide, P.; Ruprecht, G. (2006). Experimental and theoretical screening energies for the <sup>2</sup>H(d,p)<sup>3</sup>H reaction in metallic environments. *Eur. Phys. J. A*, 27:83–88.
- Czer1994** Czerwinski, A. (1994). Influence of lithium cations on hydrogen and deuterium electrosorption in palladium. *Electrochim. Acta*, 39:431–436.
- Czer1992** Czerwinski, A.; Marassi, R. (1992). The absorption of hydrogen and deuterium in thin palladium electrodes. Part II: Basic solutions. *J. Electroanal. Chem.*, 322:373–381.
- Czer1991** Czerwinski, A.; Marassi, R.; Zamponi, S. (1991). The absorption of hydrogen and deuterium in thin palladium electrodes. Part I. Acidic solutions. *J. Electroanal. Chem.*, 316:211–221.
- Dadd2001** Daddi, L. (2001). Proton-electron reactions as precursors of anomalous nuclear events. *Fusion Technol.*, 39:249–252.
- Dala1989** Dalard, F.; Ulman, M.; Augustynski, J.; Selvam, P. (1989). Electrochemical incorporation of lithium into palladium from aprotic electrolytes. *J. Electroanal. Chem.*, 270:445–450.
- Dano1990b** Danos, M. (1990a). Coulomb-assisted cold fusion. *J. Fusion Energy*, 9:413–416.
- Dano1990a** Danos, M. (1990b). Coulomb-assisted cold fusion in solids. *Fusion Technol.*, 17:484–489.
- Dano1991** Danos, M.; Dolan, J. K. D. (1991). Evidence of anomalous nuclear fusion in fusion energy. *Fusion Technol.*, 28:254–257.

**Daró1995** Daróczy, S.; Bolyós, A.; Dezsö, Z.; Scharbert, T.; Papp, Z.; Kónya, J.; Bertók, B. (1995). Search for neutrons from electrochemically deuterated palladium sheets. *Acta Univ. Debr. Ludov. Kossuth Nom. Ser. Phys. Chim.*, 30(1):49–61.

**Das1993** Das, D.; Ray, M. K. S. (1993). Fusion in condensed matter - a likely scenario. *Fusion Technol.*, 24:115–121.

**Dash2009** Dash, J.; Wang, Q.; Mallove, E. F. (2009). Composition of particles in heavy water electrolyte after electrolysis. *J. Sci. Explor.*, 23(4):462–465.

**Dash2010** Dash, J.; Wang, Q.; Silver, D. S. (2010). Excess heat and anomalous isotopes and isotopic ratios from the interaction of palladium with hydrogen isotopes. In *Low-Energy Nuclear Reactions Sourcebook* (Vol. 2) (edited by J. Marwan; S. Krivit), volume 2, pages 61–80. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Daut1991** Dautovich, D. P. (1991). What do we know? What do we think? *J. Fusion Energy*, 10:117–119.

**Davi1994** David, F. (1994). Hypothèse de la diafluidité. *Fusion*, 1994(49):58–62. In French, English translation appended to the pdf file.

**Davi2006** David, F. (2006). A propos des quasicristaux. *Fusion (Paris)*, (112):56–58.

**Davi1990** Davidonis, R.; Duskesas, G.; Kalinauskas, R.; Makarinunas, K.; Petrauskas, J.; Remeiskis, V.; Ruzele, B. (1990). An experimental evaluation of the probability of cold fusion. *Litovskii Fiz. Sbornik*, 30(6):65–68.

**Davi2014** Davidson, M. (2014). Theories of variable mass particles and low energy nuclear phenomena. *Found. Phys.*, 44:144–174.

**Davi1990b** Davies, J. D.; Cohen, J. S. (1990). More on the cold fusion family. *Ettore Majorana Int. Sci. Ser.: Phys. Sci. (Electromag. Cascade Chem. Exot. At.)*, pages 269–275.

**Davi1990a** Davies, J. D.; Pyle, G. J.; Squier, G. T. A.; Bertin, A.; Bruschi, M.; Piccinini, M.; Vitale, A.; Zoccoli, A.; Jones, S. E. (1990). Search for 2.5 MeV neutrons from D<sub>2</sub>O (heavy water) electrolytic cells stimulated by high-intensity muons and pions. *Nuovo Cimento Soc. Ital. Fis. A*, 103:155–162.

**Davi1989** Davis, L. (1989). Cold fusion: a learning curve? *Australian Physicist*, 26:219–220.

**Davy1989** Davydov, A. S. (1989). Possible interpretation of cold nuclear fusion. *Ukr. Fiz. Zh.*, 34:1295–1297. In Russian.

**Davy1990** Davydov, A. S. (1990). Possible explanation of the cold fusion experiments. *Sov. Phys. Dokl.*, 35(9):811–812. Orig. in: *Dokl. Akad. Nauk SSSR* 314 (1990) 339 (in Russian).

**DeNi2009b** De Ninno, A. (2009a). From the proof of principle to the working prototype. *J. Sci. Explor.*, 23(4):456–458.

**DeNi2009a** De Ninno, A. (2009b). Understanding low energy nuclear reactions. *J. Sci. Explor.*, 23(4):442–445.

**DeNi2008** De Ninno, A.; Del Giudice, E.; Fratolillo, A. (2008). Excess heat and calorimetric calculation: evidence of coherent nuclear reactions in condensed matter. In *Low-Energy Nuclear Reactions Sourcebook* (Vol. 1) (edited by J. Marwan), volume 1, pages 127–152. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Deni1989a** De Ninno, A.; Frattolillo, A.; Lollobattista, G.; Martinis, L.; Martone, M.; Mori, L.; Podda, S.; Scaramuzzi, F. (1989a). Emission of neutrons as a consequence of titanium-deuterium interaction. *Nuovo Cimento Soc. Ital. Fis. A*, 101:841–843.

**Deni1989c** De Ninno, A.; Frattolillo, A.; Lollobattista, G.; Martinis, L.; Martone, M.; Mori, L.; Podda, S.; Scaramuzzi, F. (1989b). Emission of neutrons from a deuterium-titanium system. *Energ. Nucl. (Rome)*, 6:9–11.

**Deni1989b** De Ninno, A.; Frattolillo, A.; Lollobattista, G.; Martinis, L.; Martone, M.; Mori, L.; Podda, S.; Scaramuzzi, F. (1989c). Evidence of emission of neutrons from a titanium-deuterium system. *Europhys. Lett.*, 9:221–224.

**Deni1994** De Ninno, A.; Violante, V. (1994). Study of deuterium charging in palladium by electrolysis of heavy water. *Fusion Technol.*, 26:1304–1310.

**Deak1989** Deakin, M. R.; Fox, J. D.; Kemper, K. W.; Myers, E. G.; Shelton, W. N.; Skofronick, J. G. (1989). Search for cold fusion using x-ray detection. *Phys. Rev. C: Nucl. Phys.*, 40:R1851–R1853.

**Degw1990** Degweker, S. B.; Srinivasan, M. (1990). A simple dead time method for measuring the fraction of bunched neutronic emission in cold fusion experiments. *Ann. Nucl. Energy*, 17:583–585.

**Dell1989** Delley, B. (1989). Effect of electronic screening on cold-nuclear-fusion rates. *Europhys. Lett.*, 10:347–352.

**Dema1989** Demanins, F.; Graziani, M.; Kaspar, J.; Modesti, S.; Raicich, F.; Rosei, R.; Tommasini, F.; Trovarelli, A. (1989). Search for the neutron production in niobium deuteride. *Solid State Commun.*, 71:559–561.

**Demi1993** Demidenko, V. S.; Simakov, V. I. (1993). The state of deuterium and probability of cold nuclear fusion in solids. *Izv. Vysch. Uchebn. Zaved. Fiz.*, 36(10):20–30. In Russian.

**Derj1990** Derjaguin, B. V.; Kluev, V. A.; Lipson, A. G.; Toporov, Yu. P. (1990). Excitation of nuclear reaction under

**Derj1989** Derjaguin, B. V.; Lipson, A. G.; Kluev, V. A.; Sakov, D. M.; Toporov, Yu. P. (1989). Titanium fracture yields neutrons? *Nature*, 341:492.

**Dery1994b** Deryagin, B. V.; Andriankin, E. I.; Kutikov, A. A.; Lipson, A. G.; Sakov, D. M.; Fedorovich, G. V. (1994a). On the initiation of the nuclear fusion reaction in deuterated ferroelectric at its polarisation reversal induced by an electric field. *Dokl. Akad. Nauk*, 336:753–756. In Russian.

**Dery1994a** Deryagin, B. V.; Andriankin, E. I.; Lipson, A. G.; Metelkin, E. V.; Sakov, D. M.; Fedorovich, G. V. (1994b). On the possibility of initiation of nuclear fusion in deuterated ferroelectrics by polarisation reversal waves at  $T < T_c$ . *Dokl. Akad. Nauk. Fiz.*, 334(3):291–295.

**Dery1986** Deryagin, B. V.; Klyuev, V. A.; Lipson, A. G.; Toporov, Yu. P. (1986). Possibility of nuclear reactions during the fracture of solids. *Colloid J. USSR*, 48:8–10.

**Dick1990** Dickinson, J. T.; Jensen, L. C.; Langford, S. C.; Ryan, R. R.; Garcia, E. (1990). Fracto-emission from deuterated titanium: Supporting evidence for a fracto-fusion mechanism. *J. Mater. Res.*, 5:109–122.

**Dien1991** Dienes, J. K. (1991). On nuclear reactions in defects. *Fusion Technol.*, 19:543–546.

**Digi2002** DiGiulio, M.; Filippo, E.; Manno, D.; Nassisi, V. (2002). Analysis of nuclear transmutations observed in D- and H-loaded films. *Int. J. Hydrogen Energy*, 27:527–531.

**Dign1990** Dignan, T. G.; Bruington, M. C.; Johnson, R. T.; Bland, R. W. (1990). A search for neutrons from fusion in a highly deuterated cooled palladium thin film. *J. Fusion Energy*, 9:469–472.

**Dill1993a** Dillon, C. T.; Kennedy, B. J. (1993). The electrochemically formed palladium-deuterium system. I. Surface composition and morphology. *Australian J. Chem.*, 46:663–679.

**Dill1993b** Dillon, C. T.; Kennedy, B. J.; Elcombe, M. M. (1993). The electrochemically formed palladium-deuterium system. II. In situ neutron diffraction studies. *Australian J. Chem.*, 46:681–692.

**Divi1989** Divisek, J.; Fürst, L.; Balej, J. (1989). Energy balance of D<sub>2</sub>O electrolysis with a palladium cathode. Part II. Experimental results. *J. Electroanal. Chem.*, 278:99–117.

**Dmit1991** Dmitrenko, V. N.; Dryapachenko, I. P.; Sokolov, M. V. (1991). On the possibility of the study of electron screening in three-particle nuclear reactions. *Ukr. Fiz. Zh. (Russ. Ed.)*, 36:993–999. In Russian.

**Dmit2012** Dmitriyeva, O.; Cantwell, R.; McConnel, M.; Moddel, G. (2012). Origin of excess heat generated during loading Pd-impregnated alumina powder with deuterium and hydrogen. *Thermochim. Acta*, 543:260–266.

**Dong1992** Dong, Q.; Qiu, W.; Gan, F.; Cai, N. (1992). Studies on behavior of deuterium and hydrogen in palladium. *Chem. J. Chin. Univ.*, 13(6):847–849.

**Dong1991** Dong, S. Y.; Wang, K. L.; Feng, Y. Y.; Chang, L.; Luo, C. M.; Hu, R. Y.; Zhou, P. L.; Mo, D. W.; Zhu, Y. F.; Song, C. L.; Chen, Y. T.; Yao, M. Y.; Ren, C.; Chen, Q. K.; Li, X. Z. (1991). Precursors to 'cold fusion' phenomenon and the detection of energetic charged particles in deuterium/solid systems. *Fusion Technol.*, 20:330–333.

**Dong2015** Dong, Z. M.; Liang, C. L.; Li, X. Z. (2015). Condensed matter nuclear science research status in China. *Curr. Sci.*, 108:594.

**Donn1990** Donne, A. J. H.; Oomens, A. A. M. (1990). Zon op Aarde. *Natuur en Technik*, 58(2):118–129. In Dutch.

**Dono1991** Donohue, D. L.; Petek, M. (1991). Isotopic measurements of palladium metal containing protium and deuterium by glow discharge mass spectrometry. *Anal. Chem.*, 63:740–744.

**Drag1991** Dragan, G. (1991). Topoenergetic evidence of cold fusion phenomena. *Fusion Technol.*, 20:361–364.

**Drag1997** Dragic, A.; Maric, Z. (1997). Comment on 'On the Barut-Vigier model of the hydrogen atom' by Samsonenko et al. *Phys. Lett. A*, 229:130–132.

**Drag2000** Dragic, A.; Maric, Z.; Vigier, J. P. (2000). New quantum mechanical tight bound states and 'cold fusion'. *Phys. Lett. A*, 265:163–167.

**Dudu1989** Dudu, D.; Molea, M.; Pascalau, I.; Piticu, I.; Vata, I. (1989). Nuclear effects in the electrolysis of heavy water. *Rev. Roum. Phys.*, 34:229–232.

**Dufo1993** Dufour, J. (1993). Cold fusion by sparking in hydrogen isotopes. *Fusion Technol.*, 24:205–228.

**Dufo1998** Dufour, J. (1998). Response to 'Comments on 'Interaction of palladium/hydrogen and palladium/deuterium to measure the excess energy per atom for each isotope''. *Fusion Technol.*, 33:385.

**Dufo1997** Dufour, J.; Foos, J.; Millot, J. P.; Dufour, X. (1997). Interaction of palladium/hydrogen and palladium/deuterium to measure the excess energy per atom for each isotope. *Fusion Technol.*, 31:198–209.

**Dufo2001** Dufour, J.; Murat, D.; Dufour, X.; Foos, J. (2001). Experimental observation of nuclear reactions in palladium and uranium - possible explanation by hydrex mode. *Fusion Sci. Technol.*, 40:91–106.

**Dunl1990** Dunlap, B. I.; Brenner, D. W.; Mowrey, R. C.; Mintmire, J. W.; White, C. T. (1990). Linear combination of Gaussian-type orbitals - local-density-functional cluster studies of D-D interactions in titanium and

- Duro1989** Durocher, J. J. G.; Gallop, D. M.; Kwok, C. B.; Mathur, M. S.; Mayer, J. K.; McKee, J. S. C.; Mirzai, A.; Smith, G. R.; Yeo, Y. H. (1989). A search for evidence of cold fusion in the direct implantation of palladium and indium with deuterium. *Can. J. Phys.*, 67:624–631.
- Duru1990** Durup, J. (1990). Comment on: "Deuterium nuclear fusion at room temperature: a pertinent inequality on barrier penetration". *J. Chem. Phys.*, 93:6120.
- Eagl1990** Eagleton, R. D.; Bush, R. T. (1990). Design considerations for palladium electrodes as suggested by a deuteron cluster model for cold nuclear fusion. *J. Fusion Energy*, 9:359–362.
- Eagl1991** Eagleton, R. D.; Bush, R. T. (1991). Calorimetric experiments supporting the transmission resonance model for cold fusion. *Fusion Technol.*, 20:239–245.
- Eber1989** Eberhard, V.; Heeringa, W.; Klages, H. O.; Maschuw, R.; Völker, G.; Zeitnitz, B. (1989). Neutron limits from gas-loaded titanium-deuterium systems. *Z. Phys. A: At. Nucl.*, 334:357–358.
- Ebert1989** Ebert, K. (1989). Elektrochemisch induzierte Fusion von Deuterium. *Nachr. Chem. Tech. Lab.*, 37:470. In German.
- Ehr11989** Ehrlich, A. C.; Gillespie, D. J.; Kamm, G. N. (1989). A search for neutrons in single-phase palladium-deuterium. *Fusion Technol.*, 16:529–531.
- Elbe1989** Elbek, B. (1989). Kold fusion? *Gamma (Copenhagen)*, 76:19–21. In Danish.
- Ell1i1996** Ellison, C. H.; Mahaffey, J. A. (1996). An investigation of reports of fusion reactions occurring at the cathode in glow discharges. *Fusion Technol.*, 29:178–187.
- Engv1998** Engvild, K. C. (1998). Nuclear reaction by three-body recombination between deuterons and the nuclei of lattice-trapped D<sub>2</sub> molecules. *Fusion Technol.*, 34:253–255.
- Enyo1991** Enyo, M. (1991). Is the cold fusion reaction possible? *Kagaku to Kogyo, Tokyo*, 44:47.
- Enyo1993b** Enyo, M. (1993). Key points in the evaluation of experimental results (the excess heat). *Oyo Buturi*, 62:716. In Japanese.
- Enyo1992** Enyo, M.; Biswas, P. C. (1992). Hydrogen absorption in palladium electrodes in alkaline solutions. *J. Electroanal. Chem.*, 335:309–319.
- Enyo1993a** Enyo, M.; Biswas, P. C. (1993). Hydrogen pressure equivalent to overpotential on Pd + Ag alloy electrodes in acidic solutions in the presence of thiourea. *J. Electroanal. Chem.*, 357:67–76.
- Eric2009** Ericsson, G.; Pomp, S.; Sjöstrand, H.; Traneus, E. (2009). Comment on 'Piezonuclear decay of thorium' [Phys. Lett. A 373 (2009) 1956]. *Phys. Lett. A*, 373:3795–3796.
- Eric2010** Ericsson, G.; Pomp, S.; Sjöstrand, H.; Traneus, E. (2010). Piezonuclear reactions - do they really exist? *Phys. Lett. A*, 374:750–753.
- Ewin1990b** Ewing, R. I. (1990). High-sensitivity neutron detectors used at Sandia National Laboratories to monitor and diagnose 'cold fusion' experiments: negative results. *J. Fusion Energy*, 9:473.
- Ewin1990a** Ewing, R. I.; Butler, M. A.; Ginley, D. S.; Schirber, J. E. (1990). A sensitive multi-detector neutron counter used to monitor 'cold fusion' experiments in an underground laboratory: negative results and positive artifacts. *IEEE Trans. Nucl. Sci.*, 37:1165–1170.
- Ewin1989** Ewing, R. I.; Butler, M. A.; Schirber, J. E.; Ginley, D. S. (1989). Negative results and positive artifacts observed in a comprehensive search for neutrons from 'cold fusion'. *Fusion Technol.*, 16:404–407.
- Facc2014** Faccini, R.; Pilloni, A.; Polosa, A. D.; Angelone, M.; Castagna, E.; Lecci, S.; Pietropaolo, A.; Pillon, M.; Sansovini, M.; Sarto, F.; Violante, V.; Bedogni, R.; Esposito, A. (2014). Search for neutron flux generation in a plasma discharge electrolytic cell. *Eur. Phys. J. C*, 74:2894:1–5.
- Fall1989** Faller, S. H.; Holloway, R. W.; Lee, S. C. (1989). Investigation of cold fusion in heavy water. *J. Radioanal. Nucl. Chem.*, 137:9–16.
- Fang1991** Fang, P. H. (1991). Deuterium fusion through nonequilibrium induction. *Fusion Technol.*, 19:369–370.
- Farl1991** Farley, F. J. M. (1991). Cold fusion. *New Scientist*, 129(1756):3.
- Fate1995** Fateev, E. G. (1995). Possibilities for establishing the mechanism of neutron generation in deuterated materials under mechanical loading. *Tech. Phys. Lett.*, 21(5):373–374.
- Fedo1990** Fedorovich, G. F. (1990). Coulomb interaction in a radiation defect of a hydride crystal. *Sov. Tech. Phys. Lett.*, 16(12):911–912. Orig. in: Pis'ma Zh. Tekh. Fiz. 16 (1990) 63).
- Fedo1991b** Fedorovich, G. V. (1991a). Coulomb interaction in an E-cell. *Sov. Phys. Tech. Phys.*, 36:847–850. Orig. in: Zh. Tekh. Fiz. 61 (1991) 1.
- Fedo1991a** Fedorovich, G. V. (1991b). The Coulomb interaction in the E-cell. *Physica B*, 172:491–498.

- Fedo1993a** Fedorovich, G. V. (1993a). Nuclear fusion in crystal hydrides of light elements. *Fusion Technol.*, 23:442–464.
- Fedo1993c** Fedorovich, G. V. (1993b). Parametric excitation of crystalline structures as a possible cause of high-energy emissions. *Tech. Phys.*, 38(10):866–870. Orig. in: *Zh. Tekh. Fiz.* 63(10) (1993) 65.
- Fedo1993b** Fedorovich, G. V. (1993c). A possible way to nuclear fusion in solids. *Fusion Technology*, 24:288–291.
- Fedo1994** Fedorovich, G. V. (1994). Screening of the Coulomb potential in a nondegenerate hydrogen isotope gas. *Fusion Technol.*, 25:120–123.
- Fedo1995** Fedorovich, G. V. (1995). The possible nature of cold fusion in the Earth's mantle. *Fusion Technol.*, 28:1749–1762.
- Fehn1989** Fehn, T.; Schiller, C. A. (1989). Cold nuclear fusion and electrochemical measuring techniques. *Chem.-Tech. (Heidelberg)*, 18:72, 75, 77–78.
- Feng1989** Feng, S. (1989). Enhancement of cold fusion rate by electron polarization in palladium deuterium solid. *Solid State Commun.*, 72:205–209.
- Fern1997** Fernandez, J. F.; Cuevas, F.; Alguero, M. (1997). Experimental investigation of neutron emissions during thermal cycling of TiDx ( $x = \text{ca. } 2.00$ ). *Fusion Technol.*, 31:237–247.
- Fern1994** Fernandez, J. F.; Cuevas, F.; Sanchez, C. (1994). Deuterium concentration profiles in electrochemically deuterated titanium and their evolution after electrolysis. *J. Alloys Comp.*, 205:303–309.
- Ferr1996** Ferrari, C.; Papucci, F.; Salvetti, G.; Tognoni, E.; Tombari, E. (1996). A calorimeter for the electrolytic cell and other open systems. *Il Nuovo Cimento D*, 18:1333–1346.
- Feug2001** Feugeas, J. (2001). Comments on "Evidence of micrometre-sized plasmoid emission during electrolysis cold fusion". *Fusion Sci. Technol.*, 40:109–110.
- Fili1990a** Filimonov, V. A. (1990a). Mechanism of cold nuclear fusion. *Pis'ma Zh. Tekh. Fiz.*, 16(20):29–34. In Russian.
- Fili1990b** Filimonov, V. A. (1990b). On the probability of cold nuclear fusion. *Pis'ma Zh. Teor. Fiz.*, 16(19):42–46. In Russian.
- Fili1992a** Filimonov, V. A. (1992a). Cold nuclear fusion: Its possibility in principle and means of realization. *Sov. Phys. Tech. Phys.*, 37(6):689–690.
- Fili1992b** Filimonov, V. A. (1992b). On the probability of cold nuclear fusion implementation: Synergetic hypothesis. *J. Radioanal. Nucl. Chem.*, 162:99–109.
- Fimi1996** Fimin, N. N. (1996). Quantum-interference effects and the mechanism of cold nuclear fusion. *Pis'ma Zh. Teor. Fiz.*, 22(5):17–19. In Russian.
- Fish1992** Fisher, J. C. (1992). Polyneutrons as agents for cold nuclear reactions. *Fusion Technol.*, 22:511–517.
- Fish1998** Fisher, J. C. (1998). Liquid-drop model for extremely neutron rich nuclei. *Fusion Technol.*, 34:66–75.
- Fish1989** Fishman, R. S.; Mahan, G. D. (1989). Binding of charged particles in lattice defects. *Phys. Rev. B* 40, pages 11493–11495.
- Flan1991** Flanagan, T. B.; Luo, W.; Clewley, J. D. (1991). Calorimetric enthalpies of absorption and desorption of protium and deuterium by palladium. *J. Less Common Met.*, 172–174:42–55.
- Flei2000** Fleischmann, M. (2000). Reflections on the sociology of science and social responsibility in science, in relationship to cold fusion. *Accountability in Res.*, 8:19–54.
- Flei2008** Fleischmann, M. (2008). Background to cold fusion: the genesis of a concept. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 19–36. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.
- Flei1992** Fleischmann, M.; Pons, S. (1992). Some comments on the paper Analysis of experiments on the calorimetry of LiOD-D<sub>2</sub>O electrochemical cells, R.H. Wilson et al., *J. Electroanal. Chem.* 332 (1992) 1. *J. Electroanal. Chem.*, 332:33–53.
- Flei1993** Fleischmann, M.; Pons, S. (1993). Calorimetry of the Pd-D<sub>2</sub>O system: from simplicity via complications to simplicity. *Phys. Lett. A*, 176:118–129.
- Flei1994b** Fleischmann, M.; Pons, S. (1994). Reply to the critique by Morrison entitled 'Comments on claims of excess enthalpy by Fleischmann and Pons using simple cells made to boil'. *Phys. Lett. A*, 187:276–280.
- Flei1990** Fleischmann, M.; Pons, S.; Anderson, M. W.; Li, L. J.; Hawkins, M. (1990). Calorimetry of the palladium-deuterium-heavy water system. *J. Electroanal. Chem.*, 287:293–348.
- Flei1989a** Fleischmann, M.; Pons, S.; Hawkins, M. (1989a). Electrochemically induced nuclear fusion of deuterium. *J. Electroanal. Chem.*, 261:301–308. See Erratum in *ibid* 263 (1989) 187.

**Flei1989b** Fleischmann, M.; Pons, S.; Hawkins, M.; Hoffman, R. J. (1989b). Measurements of gamma-rays from cold fusion. *Nature*, 339:667.

**Flei1994a** Fleischmann, M.; Pons, S.; Preparata, G. (1994). Possible theories of cold fusion. *Nuovo Cimento A*, 107:143–156.

**Flem1990** Fleming, J. W.; Law, H. H.; Sapjeta, J.; Gallagher, P. K.; Marohn, W. F. (1990). Calorimetric studies of electrochemical incorporation of hydrogen isotopes into palladium. *J. Fusion Energy*, 9:517–524.

**Foca1998** Focardi, S.; Gabbani, V.; Montalbano, V.; Piantelli, F.; Veronesi, S. (1998). Large excess heat production in Ni-H systems. *Nuovo Cimento A*, 111:1233–1242.

**Foca1994** Focardi, S.; Habel, R.; Piantelli, F. (1994). Anomalous heat production in Ni-H systems. *Nuovo Cimento*, 107A:163–167.

**Fogl1990** Foglio Para, A.; Sangiust, V.; Cavallotti, P. L.; Ducati, U.; Bortignon, P. F. (1990). Neutron monitoring and related measurements during electrolysis of heavy water with palladium and titanium cathodes: activity report. *Fusion Technol.*, 18:131–135.

**Fond1990** Fonda, L.; Shaw, G. L. (1990). Deuteron cold fusion by anti-diquark catalysis. *Fizika (Zagreb)*, 22:371–376.

**Fors2013** Forsley, L. P.; Mosier-Boss, P. A.; McDaniel, P. J.; Gordon, F. E. (2013). Charged particle detection in the Pd/D system: CR-39 SSNTD vs. real-time measurement of charged particle stimulated Pd K shell X-rays. *Electrochim. Acta*, 88:373–383.

**Fowl1989** Fowler, W. A. (1989). Cold fusion results still unexplained. *Nature*, 339:345.

**Fox1993** Fox, H. (1993). Comments on 'Experiments of one-point cold fusion'. *Fusion Technol.*, 24:347–348.

**Fred1993** Frederico, T.; de JJ, Groote.; Hornos, J. E.; Hussein, M. S. (1993). Microscopic calculation of the molecular-nuclear  $d + d \rightarrow 3He + n \oplus 3H + p$  reactions at close to zero energies. *Braz. J. Phys.*, 23(1):96–99.

**Free1990** Freedman, S.; Krakauer, D. (1990). Biases in cold fusion data. *Nature*, 343:703.

**Frie1990** Friedmann, H.; Hundegger, P.; Kirchmayr, H. R.; Pavlik, A.; Vonach, H.; Wiesinger, G.; Winkler, G. (1990). Search for 'cold fusion'. *Kerntechnik*, 55:161–164.

**Fris1996** Frisone, F. (1996). Study of the probability of interaction between the plasmons of metal and deuterons. *Nuovo Cimento D*, 18:1279–1285.

**Fris1998** Frisone, F. (1998). Can variations in temperature influence deuteron interaction within crystalline lattices? *Il Nuovo Cimento D*, 20:1567–1580.

**Fris2000** Frisone, F. (2000). Fusion reaction within a microcrack in a crystalline lattice at room temperature. *AIP Conf. Proc (Nuclear and Condensed Matter Physics)*, 513:282–285.

**Fris2001a** Frisone, F. (2001a). Deuteron interaction within a microcrack in a lattice at room temperature. *Fusion Technol.*, 39:260–265.

**Fris2001b** Frisone, F. (2001b). Theoretical model of the probability of fusion between deuterons within deformed crystalline lattices with microcracks at room temperature. *Fusion Sci. Technol.*, 40:139–146.

**Frod1990** Frodl, P.; Roessler, O. E.; Hoffmann, M.; Wahl, F. (1990). Possible participation of lithium in Fleischmann-Pons reaction is testable. *Z. Naturforsch. A*, 45:757–758.

**Frol1994** Frolov, A. M.; Jr, V. H. Smith (1994). On stimulated nuclear fusion in the cold generalized DT hydrides of fissionable elements. *Phys. Lett. A*, 196:217–222.

**Fuji1989** Fujita, S. (1989). On the feasibility of nuclear fusion in fcc metals. *Phys. Status Solidi B*, 156:K17–K21.

**Fuka1990** Fukada, S.; Furuya, S.; Matsumoto, Y.; Ishibashi, K.; Mitsuishi, N. (1990). Neutron emission from some metal deuterides. *Technol. Rep. Kyushu Univ.*, 63(5):475–480. In Japanese, English abstr.

**Fuka1994** Fukada, S.; Furuya, S.; Sakae, T.; Mitsuishi, N. (1994). Measurement of exoelectrons from palladium and palladium deuteride with gas proportional counter. *J. Alloys Compds*, 204:223–229.

**Fuka1993** Fukai, Y. (1993). Present status on cold fusion. *Nippon Butsuri Gakkaishi*, 48(5):354–360. In Japanese.

**Fuku1998** Fukuhara, M. (1998). Possible dynamic interaction of deuterons between tetrahedral and octahedral interstices of palladium lattice at cryogenic temperatures. *Fusion Technol.*, 34:151–155.

**Fuku2003** Fukuhara, M. (2003). Neutral pion-catalyzed fusion in palladium lattice. *Fusion Sci. Technol.*, 43:128–133.

**Gabo1997** Gabovich, A. M. (1997). Possibility of cold fusion in palladium deuterides: screening effects and connection to superconducting properties. *Phil. Mag. B*, 76:107–118.

**Gai1989** Gai, M.; Rugari, S. L.; France, R. H.; Lund, B. J.; Zhao, Z.; Davenport, A. J.; Isaacs, H. S.; Lynn, K. G. (1989). Upper limits on neutron and gamma-ray emission from cold fusion. *Nature*, 340:29–34.

- Gai1990** Gai, M.; Rugari, S. L.; France, R. H.; Lund, B. J.; Zhao, Z.; Davenport, A. J.; Isaacs, H. S.; Lynn, K. G. (1990). Upper limits on emission rates of neutrons and gamma-rays from 'cold fusion' in deuterated metals. *J. Fusion Energy*, 9:217.
- Gajd1991** Gajda, M.; Rafelski, J. (1991). Jovian limits on conventional fusion. *J. Phys. G*, 17:653–661.
- Gaje1991** Gajewski, R. (1991). Fuzja, nadzieja czy iluzja? (Nuclear fusion, hope or illusion?). *Postepy Fiz.*, 42:85–95. In Polish.
- Gamm1993** Gammon, B. E. (1993). Cathode cooling by expansion of hydrogen in calorimetric tests for cold fusion. *Fusion Technol.*, 23:342–345.
- Gann1990** Gann, V. V.; Pokhodyashchii, V. I. (1990). Metastable bound states of deuterium in palladium and its role in cold nuclear fusion. *Vopr. At. Nauki Tekh. Ser. Fiz. Radiats. Povrezhdenii Radiats. Materialoved.*, 1990(1):89–90. In Russian.
- Garf1992** Garfinkle, M. (1992). Ion implantation as a definitive means of investigating any possibility of intracrystalline nuclear fusion. *Fusion Technol.*, 22:160–163.
- Gent1991** Gentsch, H. (1991). DD-fusion reactions at a PdAg(D) target in a minireactor. *Ber. Bunsenges. Phys. Chem.*, 95:1283–1286. In German.
- Gent1992** Gentsch, H. (1992). Reply to: R. Behrisch, Ber. Bunsenges. Phys. Chem. 96, 733 (1992). *Ber. Bunsenges. Phys. Chem.*, 96:734. In German.
- Ger1992** Gerlovin, I. L.; Baranova, R. Kh.; Baranov, P. S. (1992). New approach to low-temperature nuclear fusion. *Zh. Obshch. Khim.*, 62:230–232. In Russian.
- Ghos1989** Ghosh, S. K.; Sadhukhan, H. K.; Dhara, A. K. (1989). A theory of cold nuclear fusion in deuterium-loaded palladium. *Pramana*, 33:L339–L342.
- Gier1992** Gieryn, T. F. (1992). The ballad of Pons and Fleischmann: Experiment and narrative in the (un)making of cold fusion. In *The Social Dimensions of Science* (edited by E. McMullin), pages 214–243. U. Notre Dame Press, Notre Dame, USA.
- Gill1989** Gillespie, D. J.; Kamm, G. N.; Ehrlich, A. C.; Mart, P. L. (1989). A search for anomalies in the palladium-deuterium system. *Fusion Technol.*, 16:526–528.
- Gior1991** Giordano, N.; Arico, A. S.; Antonucci, V. (1991). Thermal effects during the electrolytic charging of deuterium in the palladium lattice. *Fusion Technol.*, 20:105–107.
- Gitt1989** Gittus, J.; Bockris, J. (1989). Explanations of cold fusion. *Nature*, 339:105.
- Glue1993** Glück, P. (1993). The surfidyne concept: an attempt to solve (or to rename) the puzzles of cold nuclear fusion. *Fusion Technol.*, 24:122–126.
- Glue2001** Glück, P. (2001). A new definition for 'chemical element'? *Chem. Innov.*, 31(10):44–45.
- Gods1990** Godshall, N. A.; Roth, E. P.; Kelly, M. J.; Guilinger, T. R.; Ewing, R. I. (1990). Calorimetric and thermodynamic analysis of palladium-deuterium electrochemical cells. *J. Fusion Energy*, 9:229–237.
- Goed1989** Goedkoop, J. A. (1989). Koude kernfusie in de vaste stof? (Cold nuclear fusion in solids?). *Energiespektrum*, 13:156–162. In Dutch.
- Gold1989** Goldanskii, V. I.; Dalidchik, F. I. (1989). Mechanism of solid-state fusion. *Nature*, 342:231.
- Gold1990** Goldanskii, V. I.; Dalidchik, F. I. (1990). On the possibilities of 'cold enhancement' of nuclear fusion. *Phys. Lett. B*, 234:465–468.
- Golu1990a** Golubnichii, P. I.; Filoneko, A. D.; Tsarev, V. A.; Tsarik, A. A.; Chechin, V. A. (1990a). Verification of the accelerator model for low-temperature nuclear fusion. *Sov. Phys. - Lebedev Inst. Rep.*, pages 16–18. Orig. in Sb. Kratk. Soobshch. Fiz. AN SSSR 1990(9) 15 (in Russian).
- Golu1991a** Golubnichii, P. I.; Kayumov, F. F.; Merzon, G. I.; Petrii, O. A.; Tsarev, V. A.; Tsirlina, G. A. (1991a). Proton emission in low-temperature nuclear fusion. *Sov. Phys. - Lebedev Inst. Rep.*, (12):6–9. Orig. in Sb. Kratk. Soobshch. Fiz. AN SSSR 1991(12) 41 (in Russian).
- Golu1990b** Golubnichii, P. I.; Koval'chuk, E. P.; Merzon, G. I.; Filonenko, A. D.; Tsarev, V. A.; Tsarik, A. A. (1990b). Detection of neutrons and tritium from solid palladium targets by electrolytic deuterium charging. *Sov. Tech. Phys. Lett.*, 16(11):826–827. Orig. in: Pis'ma Zh. Tekh. Fiz. 16(21) (1990) 46–51, in Russian.
- Golu1989b** Golubnichii, P. I.; Kurakin, V. A.; Filonenko, A. D.; Tsarev, V. A.; Tsarik, A. A. (1989a). A possible mechanism for cold nuclear fusion. *Sov. Phys. - Lebedev Inst.*, (6):72–74. Orig. in Kratk. Soobshch. Fiz. (1989)(6) 56. (In Russian).
- Golu1989a** Golubnichii, P. I.; Kurakin, V. A.; Filonenko, A. D.; Tsarev, V. A.; Tsarik, A. A. (1989b). Possible mechanism of cold nuclear fusion. *Dokl. Akad. Nauk SSSR*, 307:99–101. In Russian.

**Golu1991b** Golubnichii, P. I.; Kuz'minov, V. V.; Merzon, G. I.; Pritychenko, B. V.; Filonenko, A. D.; Tsarev, V. A.; Tsarik, A. A. (1991b). Correlated neutron and acoustic emission from a deuterium-saturated palladium target. *JETP Lett.*, 53:122–125.

**Golu1990c** Golubnichii, P. I.; Merzon, G. I.; Filonenko, A. D.; Tsarev, V. A.; Tsarik, A. S. (1990c). Correlation between nuclear, acoustic, and electromagnetic emissions during the electrolytic saturation of palladium with deuterium. *Sov. Phys. - Lebedev Inst. Rep.*, (8):31–35. Orig. in Kratk. Soobshch. Fiz. (1990) (8) 26, in Russian.

**Good1996** Good II, W. R. (1996). Comments on 'Calorimetry, excess heat, and Faraday efficiency in Ni-H<sub>2</sub>O electrolytic cells'. *Fusion Technol.*, 30:132–133.

**Good2000** Goodstein, D. (2000). Whatever happened to cold fusion? *Accountability Res.*, 8:59–71.

**Goro1991** Gorodetskii, V. G.; Polosukhin, B. G.; Sulimov, E. M.; Novikov, P. I.; Bychin, V. P. (1991). Emission of neutrons and gamma quanta from palladium upon its saturation with deuterium in the gas phase. *Fiz. Metal. Metalloved.*, (7):176–178. In Russian.

**Gott1990** Gottesfeld, S.; Anderson, R. E.; Baker, D. A.; Bolton, R. D.; Butterfield, K. B.; Garzon, F. H.; Goulding, C. A.; Johnson, M. W.; Leonard, E. M.; Springer, T. E.; Zawodzinski, T. (1990). Experiments and nuclear measurements in search of cold fusion processes. *J. Fusion Energy*, 9:287–297.

**Gou1998** Gou, Q. (1998). Further discussion on the mechanism of cold fusion and cold fusion materials. *Chin. J. Atomic Molec. Phys.*, 15(1):7–12. In Chinese, Eng. abstr.

**Gou1990** Gou, Q.; Zhu, Z.; Zhang, Q. (1990). Possible mechanism of cold fusion and experimental research. *Yuanzi Yu Fenzi Wuli Xuebao*, 7:1491–1496. In Chinese.

**Govo1990** Govorov, B. V.; Gryaznov, V. M.; Yeremin, N. B.; Karavanov, A. N.; Roshan, N. R.; Tulinov, A. F.; Tyapkin, I. V. (1990). Study of neutron emission from palladium alloy deuterides. *Zh. Fiz. Khim.*, 64:539–540. In Russian.

**Gozz1995a** Gozzi, D.; Caputo, R.; Cignini, P. L.; Tomellini, M.; Gigli, G.; Balducci, G.; Cisbani, E.; Frullani, S.; Garibaldi, F.; Jodice, M.; Urciuoli, G. M. (1995a). Calorimetric and nuclear byproduct measurements in electrochemical confinement of deuterium in palladium. *J. Electroanal. Chem.*, 380:91–107.

**Gozz1995b** Gozzi, D.; Caputo, R.; Cignini, P. L.; Tomellini, M.; Gigli, G.; Balducci, G.; Cisbani, E.; Frullani, S.; Garibaldi, F.; Jodice, M.; Urciuoli, G. M. (1995b). Quantitative measurements of helium-4 in the gas phase of Pd + D<sub>2</sub>O electrolysis. *J. Electroanal. Chem.*, 380:109–116.

**Gozz1997** Gozzi, D.; Cellucci, F.; Cignini, P. L.; Gigli, G.; Tomellini, M.; Cisbani, E.; Frullani, S.; Urciuoli, G. M. (1997). X-ray, heat excess and 4He in the D/Pd system. *J. Electroanal. Chem.*, 435:113–136.

**Gozz1998** Gozzi, D.; Cellucci, F.; Cignini, P. L.; Gigli, G.; Tomellini, M.; Cisbani, E.; Frullani, S.; Urciuoli, G. M. (1998). X-ray, heat excess and 4He in the D/Pd system. *J. Electroanal. Chem.*, 452:251–271.

**Gozz1990b** Gozzi, D.; Cignini, P. L.; Petrucci, L.; Tomellini, M.; De Maria, G.; Frullani, S.; Garibaldi, F.; Ghio, F.; Jodice, M.; Tabet, E. (1990a). Nuclear and thermal effects during electrolytic reduction of deuterium at palladium cathode. *J. Fusion Energy*, 9:241–247.

**Gozz1990a** Gozzi, D.; Cignini, P. L.; Petrucci, L.; Tomellini, M.; G. Maria. De; Frullani, S.; Garibaldi, F.; Ghio, F.; Jodice, M. (1990b). Evidences for associated heat generation and nuclear products release in palladium heavy-water electrolysis. *Nuovo Cimento Soc. Ital. Fis. A*, 103:143–154.

**Gozz1992** Gozzi, D.; Cignini, P. L.; Tomellini, M.; Frullani, S.; Garibaldi, F.; Ghio, F.; Jodice, M.; Urciuoli, G. M. (1992). Neutron and tritium evidence in the electrolytic reduction of deuterium on palladium electrodes. *Fusion Technol.*, 21:60–74.

**Gran1990b** Granada, J. R.; Mayer, R. E.; Florido, P. C.; Gillette, V. H.; Gomez, S. E. (1990a). Neutron measurements on electrolytic cells (Pd-D<sub>2</sub>O) performed under very low background conditions. *J. Nucl. Sci. Technol.*, 27:379–381.

**Gran1990a** Granada, J. R.; Mayer, R. E.; Guido, G.; Florido, P. C.; Larreteguy, A.; Gillette, V. H.; Patino, N. E.; Converti, J.; Gomez, S. E. (1990b). Thermal neutron measurements on electrolytic cells with deuterated palladium cathodes subjected to a pulsed current. *J. Nucl. Sci. Technol.*, 27:222–229.

**Gran1992** Graneau, P.; Graneau, N. (1992). The role of Ampere forces in nuclear fusion. *Phys. Lett. A*, 165:1–13.

**Gran1993** Graneau, P.; Graneau, N. (1993). Ampere force calculation for filament fusion experiments. *Phys. Lett. A*, 174:421–427.

**Gran1991** Granite, E.; Jorne, J. (1991). A novel method for studying electrochemically induced cold fusion using a deuterium-conducting solid electrolyte. *J. Electroanal. Chem.*, 317:285–290.

**Gran1995a** Grant, P. (1995). Author response. *Chem. Health Saf.*, 2(2):4–5. Response to the polemic by E.S. Shanley, ibid, same page.

**Gran1998** Grant, P.; Chambers, D.; Grace, L.; Phinney, D.; Hutcheon, I. (1998). Advanced techniques in physical forensic

**Gran1995c** Grant, P. M.; Whipple, .; Bazan, F.; Brunk, J. L.; Wong, K. M.; Russo, R. E.; Andresen, B. D. (1995a). Search for evidence of nuclear involvement in the fatal explosion of a "cold fusion" experiment. *J. Radioanal. Nucl. Chem.*, 193:165–169.

**Gran1994** Grant, P. M.; Whipple, R. E.; Alcaraz, A.; Haas, J. S.; Andresen, B. D. (1994). Hydrocarbon oil found in the interior of a 'cold fusion' electrolysis cell after fatal explosion. *Fusion Technol.*, 25:207–208.

**Gran1995b** Grant, P. M.; Whipple, R. E.; Andresen, B. D. (1995b). Comprehensive forensic analyses of debris from the fatal explosion of a 'cold fusion' electrochemical cell. *J. Forensic Sci.*, 40:18–26.

**Grae1990** Gräsjo, L.; Seo, M. (1990). Measurement of absorption of hydrogen and deuterium into palladium during electrolysis by a quartz crystal microbalance. *J. Electroanal. Chem.*, 296:233–239.

**Gree1994** Green, T. A.; Quickenden, T. I. (1994). Electrolytic preparation of highly loaded deuterides of palladium. *J. Electroanal. Chem.*, 368:121–131.

**Gree1995** Green, T. G.; Quickenden, T. I. (1995). Calorimetric studies of highly loaded deuterides and hydrides of palladium. *J. Electroanal. Chem.*, 389:91–103.

**Gree1989** Greenland, T. (1989). Numbers off an envelope. *Physics World*, 2:16–17.

**Gree1990** Greenland, T. (1990). Issues connected with cold fusion: a room temperature mechanism for the production of x-rays. *J. Phys. B*, 23:1679–1690.

**Groe1992** Grønlund, F. (1992). Electrolysis in calorimetry. *J. Thermal Anal.*, 38:229–238.

**Gryz1989** Gryzinski, M. (1989). Cold fusion: what's going on? *Nature*, 338:712.

**Gu1990** Gu, A. G.; Teng, R. K. F.; Miller, M. S.; Sprouse, J. (1990). Experimental study on cold fusion using deuterium gas and deuterium ion beam with palladium. *J. Fusion Energy*, 9:329–331.

**Gu1989** Gu, A. G.; Teng, R. K. F.; Miller, M. S.; Sprouse, W. J. (1989). Preliminary experimental study on cold fusion using deuterium gas and deuterium plasma in the presence of palladium. *Fusion Technol.*, 16:248–250.

**Guil1990** Guilinger, T. R.; Kelly, M. J.; Scully, J. R.; Christensen, T. M.; Ingersoll, D.; Knapp, J. A.; Ewing, R. I.; Casey, W. H.; Tsao, S. S. (1990). Investigation of fusion reactions in palladium and titanium tritide using galvanostatic, coulometric, and hydrogen permeation techniques. *J. Fusion Energy*, 9:299–304.

**Guer1994** Gür, T. M.; Schreiber, M.; Lucier, G.; Ferrante, J. A.; Chao, J.; Huggins, R. A. (1994). An isoperibolic calorimeter to study electrochemical insertion of deuterium into palladium. *Fusion Technol.*, 25:487–501.

**Hage2010** Hagelstein, P. (2010). Constraints on energetic particles in the Fleischmann-Pons experiment. *Naturwiss.*, 97:345–352.

**Hage2015b** Hagelstein, P. (2015). Directional X-ray and gamma emission in experiments in condensed matter nuclear science. *Curr. Sci.*, 108:601–607.

**Hage1990** Hagelstein, P. L. (1990). Coherent fusion theory. *J. Fusion Energy*, 9:451–464.

**Hage1992** Hagelstein, P. L. (1992). Coherent and semicoherent neutron transfer reactions I: The interaction Hamiltonian. *Fusion Technol.*, 22:172–180.

**Hage1993** Hagelstein, P. L. (1993). Coherent and semicoherent neutron transfer reactions III: Phonon frequency shifts. *Fusion Technol.*, 23:353–361.

**Hage2008** Hagelstein, P. L.; Chaudhary, I. U. (2008). Models relevant to excess heat production in Fleischmann-Pons experiments. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 249–267. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Hage2015a** Hagelstein, P. L.; Chaudhary, I. U. (2015). Phonon models for anomalies in condensed matter nuclear science. *Curr. Sci.*, 108:507–513.

**Hajd1989** Hajdas, W.; Kistryn, S.; Lang, J.; Sromicki, J.; Jenny, B.; Wachter, P. (1989). Search for cold fusion events. *Solid State Commun.*, 72:309–313.

**Hale1990** Hale, G. M.; Smith, R. D.; Talley, T. L. (1990). Nuclear reactions and screened-Coulomb fusion rates. *J. Fusion Energy*, 9:187–193.

**Hall1990** Halley, J. W.; Valles, J. L. (1990). Estimate of nuclear fusion rates arising from a molecular-dynamics model of palladium deuteride. *Phys. Rev. B: Condens. Matter*, 41:6072–6075.

**Hand1990** Handel, P. (1990). Intermittency, irreproducibility, and the main physical effects in cold fusion. *Fusion Technol.*, 18:512–517.

**Hand1994** Handel, P. H. (1994). Thermoelectric excess heat effect in electrolytic cells. *Z. Phys. B*, 95:489–492.

**Hans1998** Hansen, L. D.; Jones, S. E.; Shelton, D. S. (1998). A response to hydrogen + oxygen recombination and related heat generation in undivided electrolysis cells. *J. Electroanal. Chem.*, 447:225–226.

**Harb1990** Harb, I. N.; Pitt, W. G.; Tolley, H. D. (1990). Statistical analysis of neutron burst size and rate during

**Harg1989** Hargitai, C. (1989). Considerations on cold nuclear fusion in palladium. *J. Radioanal. Nucl. Chem.*, 137:17–22.

**Hari1990** Harith, M. A.; Palleschi, V.; Salvetti, A.; Salvetti, G.; Singh, D. P.; Vaselli, M. (1990). Theoretical and experimental studies on the cold nuclear fusion phenomena. *Fusion Technol.*, 17:704–709.

**Hass1989** Hassam, A. B.; Dharamsi, A. N. (1989). Deuterium molecule in the presence of electronic charge concentrations: implications for cold fusion. *Phys. Rev. A*, 40:6689–6691.

**Hawk1991** Hawkins, N. (1991). Possible natural cold fusion in the atmosphere. *Fusion Technol.*, 19:2112–2113.

**Hayd1990** Hayden, M. E.; Naerger, U.; Booth, J. L.; Whitehead, L. A.; Hardy, W. N.; Carolan, J. F.; Wishnow, E. H.; Balzarini, D. A.; Brewer, J. H.; Blake, C. C. (1990). High precision calorimetric search for evidence of cold fusion using in situ catalytic recombination of evolved gases. *J. Fusion Energy*, 9:161–164.

**He1993** He, J.; Zhang, Y.; Ren, G.; Zhu, G.; Qian, Z.; Dong, X.; Dai, C.; Hu, S.; Wang, L.; Yi, S. (1993). Study of anomalous nuclear fusion reaction by using HV pulse discharge. *Chin. Phys. Lett.*, 10(11):652–655.

**He2007** He, J.-T. (2007). Nuclear fusion inside condense matters. *Front. Phys. China*, 1:96–102.

**Hend1990** Henderson, R. A.; Czerwinski, K. R.; Hall, H. L.; Lesko, K. T.; Norman, E. B.; Sur, B.; Hoffman, D. C. (1990). More searches for cold fusion. *J. Fusion Energy*, 9:475–477.

**Heni1989** Henis, Z.; Eliezer, S.; Zigler, A. (1989). Cold nuclear fusion rates in condensed matter: a phenomenological analysis. *J. Phys. G: Nucl. Part. Phys.*, 15:L219–L223.

**Herb1926** Herbst, H. (1926). Ist der Aufbau des Heliums aus Wasserstoff gelungen? (Was the production of helium from hydrogen succesful?). *Chemiker-Zeitung*, 50:905. In German.

**Hiet1989** Hietschold, M. (1989). Electric field control for cold nuclear fusion? - a suggestion. *Wiss. Z. TU Karl-Marx-Stadt*, 31:635–636.

**Hill1990** Hill, J. C.; Stassis, C.; Shinar, J.; Goldman, A. I.; Folkerts, R.; Schwellenbach, D. D.; Peterson, D. T.; Widrig, C.; Porter, M.; Benesh, C. J.; Vary, J. P. (1990). Search for cold fusion using Pd-D<sub>2</sub>O cells and Ti-D mixtures. *J. Fusion Energy*, 9:305–308.

**Hira1991** Hirabayashi, T.; Yoshida, Y.; Aradono, Y. (1991). Verification of room temperature nuclear fusion. 2. *Gen-shiryoku Kogyo*, 37(4):31–39. In Japanese.

**Hodk1993** Hodko, D.; Bockris, J. O. M. (1993). Possible excess tritium production on Pd codeposited with deuterium. *J. Electroanal. Chem.*, 353:33–41.

**Hols1995** Holst-Hansen, P.; Britz, D. (1995). Can current fluctuations account for the excess heat claims of Fleischmann and Pons? *J. Electroanal. Chem.*, 388:11–16.

**Hora1998a** Hora, H. (1998). Magic numbers and low energy nuclear transmutation by protons in host metals. *Czech. J. Phys.*, 48:321–328.

**Hora1990** Hora, H.; Cicchitelli, L.; Miley, G. H.; Ragheb, M.; Scharmann, A.; Scheid, W. (1990). Plasma and surface tension model for explaining the surface effect of tritium generation at cold fusion. *Nuovo Cimento Soc. Ital. Fis. D*, 12:393–399.

**Hora2010** Hora, H.; Ghahramani, N.; Miley, G. H.; Ghanaatian, M.; Hooshmand, M.; Philberth, K.; Osman, F. (2010). Quark-gluon model for magic numbers related to low energy nuclear reactions. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 219–234. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Hora1993** Hora, H.; Kelly, J. C.; Patel, J. U.; Prelas, M. A.; Miley, G. H.; Tompkins, J. W. (1993). Screening in cold fusion derived from D-D reactions. *Phys. Lett. A*, 175:138–143.

**Hora1998b** Hora, H.; Miley, G. H. (1998). New magic numbers from low energy nuclear transmutations predict element (306)X(126) for compound reactions. *Czech. J. Phys.*, 48:1111–1116.

**Hora2000** Hora, H.; Miley, G. H. (2000). Heavy nuclide synthesis by neutrons in astrophysics and by screened protons in host metals. *Czech. J. Phys.*, 50:433–439.

**Hora2007** Hora, H.; Miley, G. H. (2007). Maruhn-Greiner maximum of uranium fission for confirmation of low energy nuclear reactions LENR via a compound nucleus with double magic numbers. *J. Fusion Energy*, 26:349–355.

**Hora1999** Hora, H.; Miley, G. H.; Kelly, J. C.; Salvaggi, G.; Tate, A.; Osman, F.; Castillo, R. (1999). Proton-metal reactions in thin films with Boltzmann distribution similar to nuclear astrophysics. *Fusion Technology*, 36:331–336.

**Hora1996** Hora, H.; Patterson, J. A. (1996). The d and p reactions in low-energy nuclear fusion, transmutation, and fission. *Trans. Am. Nucl. Soc.*, 76:144–145.

**Horan1989a** Horanyi, G. (1989a). Open questions concerning the Fleischmann-Pons experiment. *Magy. Kem. Fol.*, 95:140–143. In Hungarian.

**Horan1989c** Horanyi, G. (1989b). Some basic electrochemistry and the cold nuclear fusion of deuterium. *J. Radioanal. Nucl.*

**Horan1989b** Horanyi, G. (1989c). Some doubts about the occurrence of electrochemically induced nuclear fusion of deuterium. *Electrochim. Acta*, 34:889–890.

**Horo2005** Horoi, M. (2005). Can one measure the temperature dependence of the fusion reaction rates? *Nucl. Phys. A*, 758:138–141.

**Horo1989** Horowitz, C. J. (1989). Cold nuclear fusion in metallic hydrogen and normal metals. *Phys. Rev. C: Nucl. Phys.*, 40:R1555–R1558.

**Horo1991** Horowitz, C. J. (1991). Cold nuclear fusion in dense metallic hydrogen. *Astrophys. J.*, 367:288–295.

**Howal1990** Howald, R. A. (1990). Calculation on the palladium-lithium system for cold fusion. *CALPHAD*, 14:1–10.

**Huan1989** Huang, Z. (1989). A possible explanation of the room temperature nuclear fusion. *J. Beijing Normal Univ.*, 2(2):43–44.

**Hubl2007** Hubler, G. K. (2007). Anomalous effects in hydrogen-charged palladium - a review. *Surf. Coat. Technol.*, 201:8568–8573.

**Hubl2015** Hubler, G. K.; El-Boher, A.; Azizi, O.; He, D. Pease J. H.; Isaacson, W.; Gangopadhyay, S.; Violante, V. (2015). Sidney Kimmel Institute for Nuclear Renaissance. *Curr. Sci.*, 108:562–564.

**Hugg1991** Huggins, R. A. (1991). Fundamental considerations relating to the insertion of hydrogen isotopes into mixed conductors at high activities. *Mater. Res. Soc. Symp. Proc.*, 210:317–322.

**Huke2006** Huke, A.; Czerski, K.; Dorsch, T.; Biller, A.; Heide, A.; Ruprecht, G. (2006). Evidence for a host-material dependence of the n/p branching ratio of low-energy d+d reactions within metallic environments. *Eur. Phys. J. A*, 27-s01:187–192.

**Ichi1991** Ichimaru, S. (1991). Cold nuclear fusion in pressurized liquid metals. *J. Phys. Soc. Japan*, 60:1437–1440.

**Ichi1993** Ichimaru, S. (1993). Nuclear fusion in dense plasmas. *Rev. Mod. Phys.*, 65:255–299.

**Ichi1990a** Ichimaru, S.; Nakano, A.; Ogata, S.; Tanaka, S.; Iyetomi, H.; Tajima, T. (1990a). Statistical-mechanical theory of cold nuclear fusion in metal hydrides. *J. Phys. Soc. Jpn*, 59:1333–1340.

**Ichi1990b** Ichimaru, S.; Ogata, S.; Nakano, A. (1990b). Rates of nuclear fusion in metal hydrides. *J. Phys. Soc. Japan*, 59:3904–3915.

**Iguc1990** Iguchi, T. (1990). Measurement of a very small yield of neutron using a moderating-type (3)He gas counter. *Ionizing Radiation (Hoshasen)*, 16(3):22–28. In Japanese.

**Iida1995** Iida, T. (1995). Deuteron fusion experiments with some foils implanted with deuteron beams. *Genshikaku Kenkyu*, 40(5):77–83.

**Ikeg1991** Ikegami, H. (1991). Present and future of cold fusion. Nuclear products from cold fusion. *Oyo Buturi*, 60:212–219. In Japanese.

**Ikeg1993** Ikegami, H. (1993). Next step to promote cold fusion research. *Oyo Buturi*, 62:717. In Japanese.

**Ikey1989** Ikeya, M.; Miyamaru, H. (1989). Chemical heat production of palladium electrode electrolytically charged with deuterium and hydrogen. *Chem. Express.*, 4:563–566.

**Ilic1991** Ilic, R.; Rant, J. (1991). The search for cold nuclear fusion with track-etch and bubble damage detectors. *Int. J. Radiat. Appl. Instrum. Part D: Nucl. Tracks Radiat. Meas.*, 19:619–625.

**Ilic1990a** Ilic, R.; Rant, J.; Sutej, T.; Dobersek, M.; Kristov, E.; Skvarc, J.; Kozelj, M. (1990a). Investigation of the deuterium-deuterium fusion reaction in cast, annealed, and cold-rolled palladium. *Fusion Technol.*, 18:505–511.

**Ilic1990b** Ilic, R.; Rant, J.; Sutej, T.; Kristof, E.; Skvarc, J.; Kozelj, M.; Najzer, M.; Humar, M.; Cersek, M.; Glumac, B.; Cvirk, B.; Fajgelj, A.; Gyergyek, T.; Trkov, A.; Loose, A.; Peterrelj, J.; Remec, I.; Ravnik, M. (1990b). A search for neutrons, protons, tritons, (3)He ions, gamma- and x-rays from deuterium-deuterium nuclear reaction in electrochemically charged palladium. *Int. J. Radiat. Appl. Instrum. Part D: Nucl. Tracks Radiat. Meas.*, 17:483–490.

**Irvi1989** Irvine, J. M.; Riley, S. (1989). Cold fusion doubts and controls. *Nature*, 339:515.

**Isag1996** Isagawa, S. (1996). Mass spectroscopic means for determining 4He in the presence of large amounts of D2. *Vacuum*, 47:497–499.

**Isag1998** Isagawa, S.; Kanda, Y.; Suzuki, T. (1998). Present status of cold fusion experiment at KEK. *Int. J. Soc. Mat. Eng. Resources*, 6(1):60–67.

**Isob2002** Isobe, Y.; Uneme, S.; Yabuta, K.; Katayama, Y.; Mori, H.; Omote, T.; Ueda, S.; Ochiai, K.; Miyamaru, H.; Takahashi, A. (2002). Search for multibody nuclear reactions in metal deuteride induced with ion beam and electrolysis methods. *Jpn. J. Appl. Phys.*, 41 Part 1:1546–1456.

**Ito1994** Ito, T.; Kurasawa, T.; Yaguchi, T. (1994). Concerning 'cold fusion'. *Meiji Daigaku Nogakubu Hokoku*, 100:1–12

**Iwam1998** Iwamura, Y.; Itoh, T.; Gotoh, N.; Toyoda, I. (1998). Detection of anomalous elements, x-ray, and excess heat in a D2-Pd system and its interpretation by the electron-induced nuclear reaction model. *Fusion Technol.*, 33:476–492.

**Iwam2005** Iwamura, Y.; Itoh, T.; Sakano, M.; Kuribayashi, S. (2005). Observation of nuclear transmutation induced by deuterium permeation through Pd complex. *Mitsubishi Juko Goho*, 42(1):50–51. In Japanese.

**Iwam2015** Iwamura, Y.; Itoh, T.; Tsuruga, S. (2015). Transmutation reactions induced by deuterium permeation through nano-structured palladium multilayer thin film. *Curr. Sci.*, 108:628–632.

**Iwam2002** Iwamura, Y.; Sakano, M.; Itoh, T. (2002). Elemental analysis of Pd complexes: effects of D2 gas permeation. *Jpn. J. Appl. Phys.*, 41 Part 1:4642–4650.

**Iyen1990** Iyengar, P. K.; Srinivasan, M.; Sikka, S. K.; Shyam, A.; Chitra, V.; Kulkarni, L. V.; Rout, R. K.; Krishnan, M. S.; Malhotra, S. K.; Gaonkar, D. G.; Sadhukhan, H. K.; Nagvenkar, V. B.; Nayar, M. G.; Mitra, S. K.; Raghunathan, P.; Degwekar, S. B.; Radhakrishnan, T. P.; Sundaresan, R.; Arunachalam, J.; Raju, V. S.; Kalyanaraman, R.; Gangadharan, S.; Venkateswaran, G.; Moorthy, P. N.; Venkateswarlu, K. S.; Yuvaraju, B.; Kishore, K.; Guha, S. N.; Panajkar, M. S.; Rao, K. A.; Raj, P.; Suryanarayana, P.; Sathyamoorthy, A.; Datta, T.; Bose, H.; Prabhu, L. H.; Sankaranarayanan, S.; Shetiya, R. S.; Veeraghavan, N.; Murthy, T. S.; Sen, B. K.; Joshi, P. V.; Sharma, K. G. B.; Joseph, T. B.; Iyengar, T. S.; Shrikhande, V. K.; Mittal, K. C.; Misra, S. C.; Lal, M.; Rao, P. S. (1990). Bhabha Atomic Research Centre studies on cold fusion. *Fusion Technol.*, 18:32–94.

**Izum1990** Izumida, T.; Ozawa, Y.; Ozawa, K.; Izumi, S.; Uchida, S.; Miyamoto, T.; Yamashita, H.; Miyadera, H. (1990). A search for neutron emission from cold nuclear fusion in a titanium-deuterium system. *Fusion Technol.*, 18:641–646.

**Jabo1997** Jabon, V. D. D.; Fedorovich, G. V.; Samsonenko, N. V. (1997). Catalitically induced d-d fusion in ferroelectrics. *Braz. J. Phys.*, 27:515–521.

**Jack1989** Jackson, J. C. (1989). Cold fusion results still unexplained. *Nature*, 339:345.

**Jaen1990** Jaendel, M. (1990). Cold fusion in a confining phase of quantum electrodynamics. *Fusion Technol.*, 17:493–499.

**Jaen1992** Jaendel, M. (1992). The fusion rate in the transmission resonance model. *Fusion Technol.*, 21:176–178.

**Jami2001** Jaminon, M. (2001). La fusion froide. *Bull. Soc. Roy. Sci. Liege*, 70(3):119–135. In French.

**Jens1990** Jensen, L. C.; Mortensen, K. S. (1990). Beyond fusion, annihilation reactions of confined hydrogen. *J. Fusion Energy*, 9:417–422.

**Jian2010** Jiang, S.; Liu, J.; He, M. (2010). A possible in situ  $^3\text{H}$  and  $^3\text{He}$  source in Earth's interior: an alternative explanation of origin of  $^3\text{He}$  in deep Earth. *Naturwiss.*, 97:655–662.

**Jian1993** Jiang, S.; Yang, G.; Wang, S. (1993). Coulomb screening effect of deuterium-ion in metal - numerical solution of nonlinear Poisson equation. *Lanzhou Daxue Xuebao, Ziran Kexueban, J. Lanzhou Univ. Nat. Sci.*, 29(2):70–73. In Chinese, Engl. Abstr.

**Jian1997** Jiang, X.; Han, L. (1997). Non-equilibrium conditions of electrolysis and abnormal nuclear phenomena. *Nucl. Phys. Rev. (China)*, 14:111–113. In Chinese, Engl. Abstr.

**Jian2001** Jiang, X.; Wen, X. (2001). Localised nuclear reactions and dynamic Casimir effect in electrochemical process. *J. Beijing Univ. Aeronaut. Astronaut.*, 27(6):729–732. In Chinese, Engl. Abstr.

**Jin1990** Jin, S.; Ding, Y.; Liu, Y.; Wu, B.; Yao, D. (1990). The possibilities of cold nuclear fusion of deuterium. *Chin. Phys. Lett.*, 7:28–31.

**Jin1991a** Jin, S.; Zhang, F.; Yao, D.; Wang, Q.; Wu, B.; Feng, Y.; Chen, M. (1991a). Anomalous nuclear effects in palladium-deuterium systems during the gas discharge process. *Gaojishu Tongxun*, 1(5):25–27. In Chinese; English abstr.

**Jin1991b** Jin, S.-X.; Ding, Y.-B.; Wu, B.-L.; Liu, Y.-Z.; Yao, D.-C. (1991b). The possibilities of electrochemically induced nuclear fusion of deuterium. *Science in China A*, 34:697–707.

**Jin1994** Jin, S.-X.; Zhang, F.-X.; Liu, Y.-Z.; Shi, W.-Q.; Ou, W.; Liu, S.-X.; Liu, X.-J. (1994). Deuterium absorbability and anomalous nuclear effect of YBCO high temperature superconductors. *Chinese Sci. Bull.*, 39(2):101–103.

**John1989** Johnson, K. H.; Clougherty, D. P. (1989). Hydrogen-hydrogen/deuterium-deuterium bonding in palladium and the superconducting/electrochemical properties of PdHx/PdDx. *Mod. Phys. Lett. B*, 3:795–803.

**Jone1995b** Jones, J. E.; Hansen, L. D.; Jones, S. E.; Shelton, D. S.; Thorne, J. M. (1995). Faradaic efficiencies less than 100% during electrolysis of water can account for reports of excess heat in 'cold fusion' cells. *J. Phys. Chem.*, 99:6973–6979.

**Jone1991** Jones, S. E. (1991). Nuclear reactions in deuterated solids versus excess heat claims. *Fusion Technol.*, 20:915–923.

**Jone1992** Jones, S. E. (1992). Current issues in cold fusion research: heat, helium, tritium, and energetic particles. *Surf. Coatings Technol.*, 51:283–289.

**Jone2000** Jones, S. E. (2000). Chasing anomalous signals: the cold fusion question. *Accountability Res.*, 8:55–58.

**Jone1990a** Jones, S. E.; Decker, D. L.; Tolley, H. D. (1990a). Scientific correspondence. *Nature*, 343:703–704.

**Jone1995a** Jones, S. E.; Hansen, L. D. (1995). Examination of claims of Miles et al in Pons-Fleischmann-Type cold fusion experiments. *J. Phys. Chem.*, 99:6966–6972.

**Jone1998** Jones, S. E.; Hansen, L. D.; Shelton, D. S. (1998). An assessment of claims of excess heat in cold fusion calorimetry. *J. Phys. Chem. B*, 102:3647.

**Jone1989** Jones, S. E.; Palmer, E. P.; Czirr, J. B.; Decker, D. L.; Jensen, G. L.; Thorne, J. M.; Taylor, S. F.; Rafelski, J. (1989). Observation of cold nuclear fusion in condensed matter. *Nature*, 338:737–740.

**Jone1990b** Jones, S. E.; Palmer, E. P.; Czirr, J. B.; Decker, D. L.; Jensen, G. L.; Thorne, J. M.; Taylor, S. F.; Rafelski, J. (1990b). Anomalous nuclear reactions in condensed matter: recent results and open questions. *J. Fusion Energy*, 9:199–208.

**Jorg1989** Jørgensen, C. K. (1989). Scenarios for nuclear fusion in palladium-deuterium alloys at ambient temperatures. *Chimia*, 43:142–143.

**Jorn1990a** Jorne, J. (1990a). Electrochemically induced nuclear fusion of deuterium: the existence of negatively charged deuteride ions. *Fusion Technol.*, 18:519–522.

**Jorn1990b** Jorne, J. (1990b). Unsteady diffusion reaction of electrochemically produced deuterium in palladium rod. *J. Electrochem. Soc.*, 137:369–370.

**Jorn1991** Jorne, J. (1991). Neutron and gamma-ray emission from palladium deuteride under supercritical conditions. *Fusion Technol.*, 19:371–374.

**Jorn1994** Jorne, J. (1994). Neutron emission studies during the electrolysis of deuterium by using BaCeO<sub>3</sub> solid electrolyte and palladium electrodes. *Fusion Technol.*, 26:244–247.

**Jorn1996** Jorne, J. (1996). Ultrasonic irradiation of deuterium-loaded palladium particles suspended in heavy water. *Fusion Technol.*, 29:83–89.

**Jow1990** Jow, T. R.; Plichta, E.; Walker, C.; Slane, S.; Gilman, S. (1990). Calorimetric studies of deuterated Pd electrodes. *J. Electrochem. Soc.*, 137:2473–2478.

**Jul1991** Julin, P.; Bursill, L. A. (1991). Dendritic surface morphology of palladium hydride produced by electrolytic deposition. *J. Solid State Chem.*, 93:403–417.

**Kain1989b** Kainthla, R. C.; Szklarczyk, M.; Kaba, L.; Lin, G. H.; Velev, O.; Packham, N. J. C.; Wass, J. C.; Bockris, J. O. M. (1989a). Eight chemical explanations of the Fleischmann-Pons effect. *J. Hydrogen Energy*, 14:771–775.

**Kain1989a** Kainthla, R. C.; Velev, O.; Kaba, L.; Lin, G. H.; Packham, N. J. C.; Szklarczyk, M.; Wass, J.; Bockris, J. O. M. (1989b). Sporadic observation of the Fleischmann-Pons heat effect. *Electrochim. Acta*, 34:1315–1318.

**Kali1993b** Kaliev, K. A.; Baraboshkin, A. N.; Samgin, A. L.; Golikov, E. G.; Shalyapin, A. L.; Andreev, V. S.; Golubnichii, P. I. (1993a). Reproducible nuclear reactions by interaction of deuterium with tungsten oxide bronze. *Dokl. Akad. Nauk*, 330(2):214–216. In Russian.

**Kali1993a** Kaliev, K. A.; Baraboshkin, A. N.; Samgin, A. L.; Golikov, E. G.; Shalyapin, A. L.; Andreev, V. S.; Golubnichiy, P. I. (1993b). Reproducible nuclear reactions during interaction of deuterium with oxide tungsten bronze. *Phys. Lett. A*, 172:199–202.

**Kali1993c** Kalinin, V. B. (1993). On the question of the possibility of cold nuclear fusion at the point of ferroelectric phase transition in K<sub>2</sub>DPO<sub>4</sub>. *Neorg. Mater.*, 29(5):656–658. In Russian.

**Kali1995** Kalinin, V. B. (1995). Dipole ordering, ionic conductivity, and cold nuclear fusion: three types of cation mobility in the orthophosphates KTiOPO<sub>4</sub>, Na<sub>3</sub>M<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> (M = Sc, Fe, Cr), NaTh<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, KD<sub>2</sub>PO<sub>4</sub>, and related compounds. *Inorg. Mater.*, 31:558–566.

**Kalm2004** Kálman, P.; Keszthelyi, T. (2004). Solid state internal conversion. *Phys. Rev. C*, 69:031606–1–031606–3.

**Kalm2008** Kálman, P.; Keszthelyi, T.; Kis, D. (2008). Solid state modified nuclear processes. *Eur. Phys. J. Appl. Phys.*, 44:297–302.

**Kalm2010** Kálman, P.; Keszthelyi, T.; Kis, D. (2010). Boson induced nuclear fusion in crystalline solids. *Euro. Phys. J. Appl. Phys.*, 50:31101–p1–31101–p8.

**Kama1992** Kamada, K. (1992). Electron impact H-H and D-D fusions in molecules embedded in Al. 1. Experimental results. *Jpn. J. Appl. Phys.*, 31 Part 2:L1287–L1290.

**Kama2001** Kamada, K. (2001). Heating of deuteron implanted Al on electron bombardment and its possible relation to 'cold fusion' experiment. *Fusion Eng. Design*, 55:541–548.

- Kama2002** Kamada, K. (2002). Heating of deuterium implanted Al on electron bombardment and its possible relation to 'cold fusion' experiment. *Fusion Eng. Design*, 60:219–226.
- Kama1996** Kamada, K.; Kinoshita, H.; Takahashi, H. (1996). Anomalous heat evolution of deuterium-implanted Al upon electron bombardment. *Jpn. J. Appl. Phys.*, 35:738–747.
- Kamm1989** Kamm, G. N.; Ehrlich, A. C.; Gillespie, D. J.; Powers, W. J. (1989). Search for neutrons from a titanium-deuterium system. *Fusion Technol.*, 16:401–403.
- Kapa1994** Kapali, V.; Ganesan, M.; Kulandainathan, M. A.; Mideen, A. S.; Sarangapani, K. B.; Balaramachandran, V.; Iyer, S. V.; Muthuramalingam, B. (1994). Comparison of electrochemical behaviour of the Pd-NaOD and Pd-NaOH systems. *J. Electroanal. Chem.*, 364:95–102.
- Karab1990** Karabut, A. B.; Kucherov, Ya. R.; Savvatimova, I. B. (1990). Nuclear reactions at the cathode in a gas discharge. *Sov. Tech. Phys. Lett.*, 16(6):463–464.
- Karab1991** Karabut, A. B.; Kucherov, Ya. R.; Savvatimova, I. B. (1991). The investigation of deuterium nuclei fusion at glow discharge cathode. *Fusion Technol.*, 20:924–928.
- Karab1992** Karabut, A. B.; Kucherov, Ya. R.; Savvatimova, I. B. (1992). Nuclear product ratio for glow discharge in deuterium. *Phys. Lett. A* 170, pages 265–272.
- Karam1991** Karamdoust, N. A.; Majeed, A.; Durrani, S. A. (1991). Cold fusion: Radon contribution to neutron production ? *Int. J. Radiat. Appl. Instrum. Part D: Nucl. Tracks Radiat. Meas.*, 19:627–628.
- Karas1989** Karasevskii, A. I.; Matyushov, D. V.; Gorodetskii, A. V. (1989). Possibility of the nuclear reaction between deuterium nuclei in electron shells of metal ions. *Ukr. Khim. Zh. (Russ. Ed.)*, 55:1036–1039. In Russian.
- Karp1990** Karpov, S. Yu.; Koval'chuk, Yu. V.; Myachin, V. E.; Pogorelskii, Yu. V. (1990). On the possibility of a mechanism of cold nuclear fusion. *Sov. Tech. Phys. Lett.*, 35(3):203–204.
- Kasa1999** Kasagi, J. (1999). Medium effects: nuclear reactions in solids and nucleon resonances in nuclei. *Front. Sci. Ser.*, 28 (Nuclear Responses and Medium Effects):229–236.
- Kash1989** Kashy, E.; Bauer, W.; Chen, Y.; Galonsky, A.; Gaudiello, J.; Maier, M.; Morrissey, D. J.; Pelak, R. A.; Tsang, M. B.; Yurkon, J. (1989). Search for neutron emission from deuterium-loaded palladium. *Phys. Rev. C: Nucl. Phys.*, 40:1–2.
- Kaus1997** Kaushik, T. C.; Kulkarni, L. V.; Shyam, A.; Srinivasan, M. (1997). Experimental investigations on neutron emission from projectile-impacted deuterated solids. *Physics Lett. A*, 232:384–390.
- Kaus1990** Kaushik, T. C.; Shyam, A.; Srinivasan, M.; Rout, R. K.; Kulkarni, L. V.; Krishnan, M. S.; Malhotra, S. K.; Nagvenkar, V. B. (1990). Preliminary report on direct measurement of tritium in liquid nitrogen treated TiDx chips. *Indian J. Technol.*, 28:667–673.
- Kawa1990** Kawai, H. (1990). Profile of the cold nuclear fever. *Kinki Daigaku Genshiryoku Kenkyusho Nenpo*, 27:19.
- Kawa1992** Kawarabayashi, J.; Takahashi, H.; Iguchi, T.; Nakazawa, M. (1992). Low level neutron detection system for cold-fusion. *J. Facul. Eng., Univ. Tokyo B*, 41:595–602.
- Kay1990** Kay, B. D.; Lykke, K. R.; Buss, R. J. (1990). Problems with the mass spectrometric determination of tritium from cold fusion. *J. Fusion Energy*, 9:491–493.
- Kaza1996** Kazachkovskii, O. D. (1996). A possible mechanism for cold fusion. *At. Energy*, 81:749–750.
- Kaza1991** Kazarinov, V. E.; Astakhov, I. I.; Teplitskaya, G. L.; Kiseleva, I. G.; Davydov, A. D.; Nekrasova, N. V.; Kudryavtsev, D. Yu.; Zhukova, T. B. (1991). Cathodic behaviour of palladium in electrolytic solutions containing alkali metal ions. *Sov. Electrochem.*, 27:6–10.
- Kedd1989** Keddam, M. (1989). Some comments on the calorimetric aspects of the electrochemical 'cold fusion' by M. Fleischmann and S. Pons. *Electrochim. Acta*, 34:995–997.
- Kees1993** Keesing, R. G.; Gadd, A. J. (1993). Thermoelectric heat pumping and the 'cold fusion' effect. *J. Phys.: Condens. Matter*, 5:L537–L540.
- Kees1991** Keesing, R. G.; Greenhow, R. C.; Cohler, M. D.; McQuillan, A. J. (1991). Thermal, thermoelectric, and cathode poisoning effects in cold fusion experiments. *Fusion Technol.*, 19:375–379.
- Kendl1999** Kendl, A. (1999). Zehn Jahre danach: Was blieb von der 'kalten Kernfusion'? (Ten years after: what has become of 'cold fusion'? *Skeptiker*, 12(1/2):32–39. In German.
- Kenn1991** Kenny, J. P. (1991). Electropionics and fusion. *Fusion Technol.*, 19:547.
- Khramtsov1996** Khramtsov, P. P.; Martynenko, O. G. (1996). Peculiar processes of cathodic scattering by electrical discharge through the saturated heavy water - vapour interface. *Inzh.-Fiz. Zh.*, 69(5):721–725. In Russian.
- Kidw2015** Kidwell, D. A.; Dominguez, D. D.; Grabowski, K. S.; DeChiaro Jr, L. F. (2015). Observation of radio frequency emissions from electrochemical loading experiments. *Curr. Sci.*, 108:578–581.

- Kiku1991** Kikuchi, E.; Nomura, K.; Nogawa, N.; Saito, H.; Itoh, K.; Niikura, H.; Murabayashi, M. (1991). Effect of charging current density on release characteristics of tritium from palladium. *Denki Kagaku Oyobi Kogyo Butsuri Kagaku*, 59:880–884. In Japanese.
- Kim1990a** Kim, M. S.; Park, M. Y. (1990). Comment on room temperature nuclear fusion. *Anal. Sci. Technol.*, 3:265–267. In Korean.
- Kim1990d** Kim, Y. E. (1990a). Cross section for cold deuterium-deuterium fusion. *Fusion Technol.*, 17:507–508.
- Kim1990b** Kim, Y. E. (1990b). Neutron burst from a high-voltage discharge between palladium electrodes in D2 gas. *Fusion Technol.*, 18:680–682.
- Kim1990c** Kim, Y. E. (1990c). New cold nuclear fusion theory and experimental tests. *J. Fusion Energy*, 9:423–427.
- Kim1991e** Kim, Y. E. (1991a). Fission-induced inertial confinement hot fusion and cold fusion with electrolysis. In *Laser Interaction and Related Plasma Phenomena* (edited by Miley Hora), volume 9, pages 583–591. Plenum Press.
- Kim1991a** Kim, Y. E. (1991b). Surface reaction mechanism for deuterium-deuterium fusion with a gas/solid-state fusion device. *Fusion Technol.*, 19:558–566.
- Kim1991d** Kim, Y. E. (1991c). Time-delayed apparent excess heat generation in electrolysis fusion experiments. *Mod. Phys. Lett. A*, 6:1053–1060.
- Kim2010** Kim, Y. E. (2010). Theoretical interpretation of anomalous tritium and neutron productions during Pd/D co-deposition experiments. *Eur. Phys. J. Appl. Phys.*, 52:31101.p1–31101–p9.
- Kim1991c** Kim, Y. E.; Rice, R. A.; Chulik, G. S. (1991a). The effect of coulomb screening and velocity distribution on fusion cross-sections and rates in physical processes. *Modern Phys. Lett. A*, 6:929–938.
- Kim1991b** Kim, Y. E.; Rice, R. A.; Chulik, G. S. (1991b). The role of the low-energy proton-deuteron fusion cross section in physical processes. *Fusion Technol.*, 19:174–177.
- Kim2000** Kim, Y. E.; Zubarev, A. L. (2000). Nuclear fusion for Bose nuclei confined in ion traps. *Fusion Technol.*, 37:151–155.
- Kimu1990** Kimura, T. (1990). Quantitative evaluation of multiple production of neutrons induced by cosmic rays in materials. *J. Nucl. Sci. Technol.*, 27:1147–1150.
- Kimu1991** Kimura, T. (1991). Current problems and future of room temperature nuclear fusion. *Genshiryoku Kogyo*, 37(4):49–57. In Japanese.
- Kirk2002** Kirkinskii, V. A.; Drebushchak, V. A.; Khmelnikov, A. I. (2002). Excess heat release during deuterium sorption-desorption by finely powdered palladium deuteride. *Europhys. Lett.*, 58:462–467.
- Kirk1999** Kirkinskii, V. A.; Novikov, Yu. A. (1999). A new approach to theoretical modelling of nuclear fusion in palladium deuteride. *Europhys. Lett.*, 46:448–453.
- Kita1990** Kitajima, M.; Nakamura, K.; Fujiitsuka, M. (1990). Electrical resistivity of high pressure D2-loaded Pd and Ti at low temperatures. *Solid State Commun.*, 75:159–161.
- Kita2015b** Kitamura, A. (2015). Status of cold fusion research in Japan. *Curr. Sci.*, 108:655.
- Kita2009** Kitamura, A.; Nohmi, T.; Sasaki, Y.; Taniike, A.; Takahashi, A.; Seto, R.; Fujita, Y. (2009). Anomalous effects in charging of Pd powders with high density hydrogen isotopes. *Physics Lett. A*, 373(35):3109–3112.
- Kita1996a** Kitamura, A.; Saitoh, T.; Itoh, H. (1996). In situ elastic recoil detection analysis of hydrogen isotopes during deuterium implantation into metals. *Fusion Technol.*, 29:372–378.
- Kita2015a** Kitamura, A.; Takahashi, A.; Seto, R.; Fujita, Y.; Taniike, A.; Furuyama, Y. (2015). Brief summary of latest experimental results with a mass-flow calorimetry system for anomalous heat effect of nano-composite metals under D(H)-gas charging. *Curr. Sci.*, 108:589–593.
- Kita1996b** Kitamura, H.; Ichimaru, S. (1996). Dynamic evolution of fusion processes in ultrahigh-pressure liquid-metallic hydrogen: Effects of self-heating and radiative cooling. *J. Phys. Soc. Japan*, 65:1250–1255.
- Kitc1992** Kitcher, P. (1992). Authority, deference, and the role of individual reason. In *The Social Dimensions of Science* (edited by E. McMullin), pages 244–271. U. Notre Dame Press, Notre Dame, USA.
- Klem1996** Klema, E. D.; Iseler, G. W. (1996). Spark-induced radiation from hydrogen or deuterium-loaded palladium. *Fusion Technol.*, 30:114–115.
- Klot1991** Klotz, I. M.; Katz, J. J. (1991). Two extraordinary electrical experiments. *Amer. Scholar*, 60:247–249.
- Klyu1986** Klyuev, V. A.; Lipson, A. G.; Toporov, Yu. P.; Deryagin, B. V.; Lushchikov, V. I.; Strelkov, A. V.; Shabalin, E. P. (1986). High-energy processes accompanying the fracture of solids. *Sov. Tech. Phys. Lett.*, 12:551–552. Orig. in: Pis'ma Zh. Tekh. Fiz. 12 (1986) 1333. (In Russian).

**Knap1990** Knapp, J. A.; Guilinger, T. R.; Kelly, M. J.; Doyle, B. L.; Walsh, D.; Tsao, S. S. (1990). Thin-foil electrochemical cells: high-sensitivity fusion tests and in-situ beam measurements of deuterium loading. *J. Fusion Energy*, 9:371–375.

**Koba1993** Kobayashi, M. (1993). Present of 'cold fusion'. *Kagaku Kogaku*, 57(10):715–717. In Japanese.

**Koch1991** Kochubey, D. I.; Babenko, V. P.; Vargaftik, M. N.; Moiseev, I. I. (1991). Enrichment of deuterium with tritium in the presence of a palladium-561 giant cluster. *J. Molec. Catal.*, 66:99–104.

**Kocs1990** Kocsis, M.; Nyikos, L.; Szentpetery, I.; Horvath, D.; Kecskemeti, J.; Lovas, A.; Pajkossy, T.; Pocs, L. (1990). Search for neutrons from cold nuclear fusion. *J. Radioanal. Nucl. Chem. Lett.*, 145:327–337.

**Kogo1990** Kogoshi, S. (1990). Present status of cold fusion research. *J. Inst. Electron. Inf. Commun. Eng. (Japan)*, 73:1311–1317. In Japanese.

**Koma1990** Komarov, V. V.; Melsheimer, O.; Popova, A. (1990). Does cold fusion exist and is it measurable? *Z. Naturforsch. A*, 45:759–761.

**Kona1996** Konashi, K.; Kayano, H.; Teshigawara, M. (1996). Analysis of heavy-ion-induced deuteron-deuteron fusion in solids. *Fusion Technol.*, 29:379–384.

**Kond1989** Kondo, J. (1989). Cold fusion in metals. *J. Phys. Soc. Japan*, 58:1869–1870.

**Kone1991** Konenkov, N. V.; Silakov, S. S.; Mogil'chenko, G. A. (1991). Quadrupole mass-spectrometric analysis of hydrogen isotopes during deuterium implantation in titanium. *Sov. Tech. Phys. Lett.*, 17(1):8–9. Orig. in: Pis'ma Zh. Tekh. Fiz. 17(1) (1991) 21, in Russian.

**Kont1989** Kontturi, D. K.; Pajari, H.; Sundholm, G.; M.Lindström (1989). Sähkökemiallisesti indusoitu fuusio (Electrochemically induced fusion). *Kem.-Kemi*, 16:610–612. In Finnish.

**Koon1990** Koonin, S. E.; Mukerjee, M. (1990). Branching ratios in low-energy deuteron-induced reactions. *Phys. Rev. C*, 42:1639–1645.

**Koon1989** Koonin, S. E.; Nauenberg, M. (1989). Calculated fusion rates in isotopic hydrogen molecules. *Nature*, 339:690–691.

**Kosy1990a** Kosyakhov, A. A.; Cherepin, V. T.; Kolotyi, V. V.; Kisurin, K. K. (1990a). Neutron yield in the deuterium ion implantation into titanium. *Fiz. Tverd. Tela*, 32:3672–3672. In Russian.

**Kosy1990b** Kosyakhov, A. A.; Triletskii, S. S.; Cherepin, V. T.; Chichkan, S. M. (1990b). Mass-spectrometric study of the products of nuclear reactions occurring due to deuterium ion-plasma saturation of titanium. *Sov. Phys. Dokl.*, 35(5):470–471. Orig. in Dokl. Akad. Nauk. (Tekh. Fiz.) 312(1) (1990) 96, in Russian.

**Kosy1989** Kosyakhov, A. A.; Triletskii, V. S.; Cherepin, V. T.; Chichkan, S. M. (1989). Detection helium-3 and tritium formed during ion-plasma saturation of titanium with deuterium. *Soviet JETP*, 49:744–747.

**Kova1989** Koval'chuk, E. P.; Romaniv, O. N.; Pazderskii, Yu. A.; Aksiment'eva, E. M.; Babei, Yu. I.; Koval'chuk, A. E. (1989). Electrochemically stimulated radiation by metals. *Fiz.-Khim. Mekh. Mater.*, 25:119–120. In Russian.

**Kova1994** Koval'chuk, E. P.; Yanchuk, O. M.; Reshetnyak, O. V. (1994). Electromagnetic radiation during electrolysis of heavy water. *Phys. Lett. A*, 189:15–18.

**Kowa2008** Kowalski, L. (2008). Comment on 'The use of CR-39 in Pd/D co-deposition experiments' by P.A. Mosier-Boss, S. Szpak, F.E. Gordon and L.P.G. Forsley. *Eur. Phys. J. Appl. Phys.*, 44:287–290.

**Kozi1990a** Kozima, H. (1990). On a mechanism of the electrochemically induced nuclear fusion. *Rept. Fac. Sci., Shizuoka Univ.*, 24:19–21.

**Kozi1994b** Kozima, H. (1994a). How the cold fusion occurs? *Rept. Fac. Sci., Shizuoka Univ.*, 28:31–52.

**Kozi1994a** Kozima, H. (1994b). Neutron Moessbauer effect and the cold fusion in inhomogeneous materials. *Il Nuovo Cimento A*, 107:1781–1783.

**Kozi1998c** Kozima, H. (1998a). The cold fusion phenomenon. *Int. J. Soc. Mat. Eng. Resources*, 6(1):68–77.

**Kozi1998b** Kozima, H. (1998b). How the cold fusion occurs (2). *Rept. Fac. Sci. Shizuoka Univ.*, 32:1–43.

**Kozi1999c** Kozima, H. (1999a). Present status of cold fusion research. 1. *Hoshasen Kagaku (Tokyo)*, 42(10):310–315. In Japanese.

**Kozi1999d** Kozima, H. (1999b). Present status of cold fusion research. 2. *Hoshasen Kagaku (Tokyo)*, 42(11):351–358. In Japanese.

**Kozi2000f** Kozima, H. (2000). Neutron drop: condensation of neutrons in metal hydrides and deuterides. *Fusion Technol.*, 37:253–258.

**Kozi2000d** Kozima, H.; Arai, K. (2000a). Local coherence, condensation and nuclear reaction of neutrons at crystal boundaries of metal hydrides and deuterides. *Int. J. Hydrogen Energy*, 25:845–851.

**Kozi2000c** Kozima, H.; Arai, K. (2000b). Localized nuclear transmutation in PdHx observed by Bockris and Minevski revealed a characteristic of CF phenomenon. *Int. J. Hydrogen Energy*, 25:513–516.

**Kozi1999a** Kozima, H.; Arai, K.; Fujii, M.; Kudoh, H.; Yoshimoto, K.; Kaki, K. (1999a). Nuclear reactions in surface layers of deuterium-loaded solids. *Fusion Technol.*, 36:337–345.

**Kozi2000b** Kozima, H.; Arai, K.; Yoshimoto, K. (2000a). Tritium and  $4\text{He}$  data by Chien et al. confirmed the cold fusion phenomenon. *Int. J. Hydrogen Energy*, 25:509–511.

**Kozi1990b** Kozima, H.; Hasegawa, K.; Suganuma, H.; Oe, S.; Sekido, K.; Fujii, M.; Yasuda, M.; Onojima, T. (1990a). On a mechanism of the electrochemically induced nuclear fusion II. *Rept. Fac. Sci., Shizuoka Univ.*, 24:23–28.

**Kozi2000e** Kozima, H.; Kaki, K. (2000). Anomalous nuclear reactions in solids revealed by CF experiments. *Rep. Fac. Sci., Shizuoka Univ.*, 34:1–35.

**Kozi1998a** Kozima, H.; Kaki, K.; Ohta, M. (1998). Anomalous phenomenon in solids described by the TCNF model. *Fusion Technol.*, 33:52–62.

**Kozi1997a** Kozima, H.; Kaki, K.; Yoneyama, T.; Watanabe, S.; Koike, M. (1997a). Theoretical verification of the trapped neutron catalyzed model of deuteron fusion in Pd/D and Ti/D systems. *Repts Fac. Sci. Shizuoka Univ.*, 31:1–12.

**Kozi1990c** Kozima, H.; Oe, S.; Hasegawa, K.; Suganuma, H.; Fujii, M.; Onojima, T.; Sekido, K.; Yasuda, M. (1990b). Experimental investigation of the electrochemically induced nuclear fusion. *Rept. Fac. Sci., Shizuoka Univ.*, 24:29–34.

**Kozi2001** Kozima, H.; Ohta, M.; Fujii, M.; Arai, K.; Kudoh, H. (2001). Possible explanation of  $4\text{He}$  production in a Pd/D<sub>2</sub> system by the TNCF model. *Fusion Sci. Technol.*, 40:86–90.

**Kozi1999b** Kozima, H.; Ohta, M.; Fujii, M.; Arai, K.; Kudoh, H.; Kaki, K. (1999b). Analysis of energy spectrum of neutrons in cold-fusion experiments by the TCNF model. *Nuovo Cimento A*, 112:1431–1438.

**Kozi1997b** Kozima, H.; Watanabe, S.; Hiroe, K.; Nomura, M.; Kaki, K. (1997b). Analysis of cold fusion experiments generating excess heat, tritium and helium. *J. Electroanal. Chem.*, 425:173–178.

**Kozi2000a** Kozima, H.; Yoshimoto, K.; Arai, K. (2000b). First reliable tritium data by Packham et al. analyzed by TCNF model. *Int. J. Hydrogen Energy*, 25:505–507.

**Kras1991** Krasnoshchekov, Yu. I.; Larionov, L. V.; Makovei, V. A.; Muryshev, E. Yu.; Syrenkov, G. I. (1991). Possibility of nuclear reaction during phase transitions. *Sov. Phys. Dokl.*, 36:705–706. Orig. in: Dokl. Akad. Nauk. SSSR 320 (1991) 1358, in Russian.

**Krey1989** Kreysa, G.; Marx, G.; Plieth, W. (1989). A critical analysis of electrochemical nuclear fusion experiments. *J. Electroanal. Chem.*, 266:437–450.

**Kriv2008** Krivit, S. (2008a). Low energy nuclear reaction research - global scenario. *Curr. Sci.*, 94:854–857.

**Kriv2009b** Krivit, S. B. (2008b). Cold fusion - precursor to low-energy nuclear reactions. In *Encyclopaedia of Electrochemical Power Sources (Vol. 1)* (edited by J. Garche; C. Dyer; P. Moseley; Z. Ogumi; D. Rand; B. Scrosati), volume 2, pages 255–270. Elsevier, Amsterdam.

**Kriv2008c** Krivit, S. B. (2008c). Low energy nuclear reactions: the emergence of condensed matter nuclear science. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 3–16. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Kriv2009a** Krivit, S. B. (2009a). Cold fusion - history. In *Encyclopaedia of Electrochemical Power Sources (vol. 2)* (edited by J. Garche; C. Dyer; P. Moseley; Z. Ogumi; D. Rand; B. Scrosati), volume 2, pages 271–276. Elsevier, Amsterdam.

**Kriv2009d** Krivit, S. B. (2009b). Low-energy nuclear reactions research: 2008 ACS update. *J. Sci. Explor.*, 23(4):439–441.

**Kriv2013b** Krivit, S. B. (2013a). ENERGY Review of Low-Energy Nuclear Reactions. *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering*, pages 255–270.

**Kriv2013a** Krivit, S. B. (2013b). Nuclear phenomena in low-energy nuclear reaction research. *Naturwiss.*, 100:899–900.

**Kriv2009c** Krivit, S. B.; Marwan, J. (2009). A new look at low-energy nuclear reaction research. *J. Environ. Monit.*, 11(10):1731–1746.

**Krug2003** Kruglyakov, E. P.; Khriplovich, I. B. (2003). On the experiments in the field of 'low-energy nuclear transformations'. *Dokl. Phys. Chem.*, 392:249.

**Krym2002** Krymskii, V. V.; Balakirev, V. F. (2002). Effect of nanosecond electromagnetic pulses on the properties of matter. *Dokl. Phys. Chem.*, 385:197–198.

**Kuch2004** Kucherov, M. Yu.; Altshuler, B. L.; Flambaum, V. V. (2004). Exponential enhancement of nuclear reactions in a condensed matter environment. *Phys. Rev. C*, 70:047601–047601–4. See Erratum, ibid. C 71 (2005) 099901(E)-1.

- Kueh1991b** Kühne, R. W. (1991a). Cold fusion: pros and cons. *Phys. Lett. A*, 155:467–472.
- Kueh1991a** Kühne, R. W. (1991b). Possible explanations for failures to detect cold fusion. *Phys. Lett. A*, 159:208–212.
- Kueh1994** Kühne, R. W. (1994). The possible hot nature of cold fusion. *Fusion Technol.*, 25:198–202.
- Kueh2000** Kühne, R. W. (2000). Response to 'Strange behavior of tritiated natural water'. *Fusion Technol.*, 37:265–266.
- Kueh1995** Kühne, R. W.; Sioda, R. E. (1995). An extended micro hot fusion model for burst activity in deuterated solids. *Fusion Technol.*, 27:187–189.
- Kula1990** Kulakov, A. V.; Orlenko, E. V.; Rumyantsev, A. A. (1990). Problem of physical mechanism of so-called cold fusion. *Power Eng. (USSR Acad. Sci)*, 28(1):141–143.
- Kumag1991** Kumagai, H.; Nakabayashi, S.; Yamagata, S.; Isomura, S.; Ichihara, T.; Yoshida, K.; Suzuki, T.; Takahashi, K.; Kira, A.; Tanahata, I. (1991). Attempts in detection of neutrons on so-called cold nuclear fusion. *J. Phys. Soc. Japan*, 60:2594–2601.
- Kumar1991** Kumar, K.; Hwang, I. S.; Ballinger, R. G.; Dauwalter, C. R.; Stecyk, A. (1991). Analyses of palladium cathodes used for heavy water electrolysis. *Fusion Technol.*, 19:178–187.
- Kumar1989** Kumar, N. (1989). Cold fusion: is there a solid state effect? *Curr. Sci.*, 58:833–835.
- Kuni1994** Kunimatsu, K. (1994). Current status of room-temperature nuclear fusion. Excess heat measurement. *Petrotech. (Tokyo)*, 17(12):998–1003. In Japanese.
- Kuni1996** Kunimatsu, K. (1996). Surface modification of the cathode in the study of cold fusion. *Hyomen Gijutsu*, 47(3):218–222. In Japanese.
- Kuro1997** Kuroiwa, K.; Ohtsu, Y.; Tochitani, G.; Fujita, H. (1997). Experimental investigation on loading ratio D/Pd using high pressure and deuterium glow discharge methods. *Rept. Fac. Sci. Eng., Saga Univ.*, 26:33–38.
- Kuss1989** Kuß, H. M. (1989). Die elektrochemische Kernfusion bleibt unbewiesen! (Electrochemical nuclear fusion still unproven!). *Chem. Labor Betr.*, 40:353–358. In German.
- Kuzm1989** Kuzmann, E.; Varsanyi, M.; Korecz, L.; Vertes, A.; Masumoto, T.; Deak, F.; Kiss, A.; Kiss, L. (1989). Investigation on the possibility of cold nuclear fusion in Fe-Zr amorphous alloy. *J. Radioanal. Nucl. Chem.*, 137:243–250.
- Kuzm1992** Kuzmann, E.; Varsanyi, M.; Korecz, L.; Vertes, A.; Masumoto, T.; Ujihira, Y.; Kiss, A.; Kiss, L. (1992). Moessbauer study of cold nuclear fusion in Fe-Zr alloy. *Hyperfine Interactions*, 71:1417–1420.
- Kyot1990** Kyoto University CNF Test Group (1990). Search for cold nuclear fusion at the research reactor institute. *Kyoto Daigaku Genshiro Jikkensho Gakujutsu Koen Koen Yoshishu*, 24:45–52. In Japanese.
- Labi2005** Labinger, J. A.; Weininger, S. J. (2005). Controversy in chemistry: how do you prove a negative? The cases of phlogiston and cold fusion. *Angew. Chem. Int. Ed.*, 44:1916–1922.
- Lam1989** Lam, P. K.; Yu, R. (1989). Comment on 'Cold fusion: How close can deuterium atoms get inside palladium?'. *Phys. Rev. Lett.*, 63:1895.
- Lang1989b** Langanke, K. (1989). Potential of a deuterium molecule trapped in an external field of screened point charges with fcc-symmetry. *Mod. Phys. Lett. B*, 3:1031–1038.
- Lang1989a** Langanke, K.; Assenbaum, H. J.; Rolfs, C. (1989). Screening corrections in cold deuterium fusion rates. *Z. Phys. A: At. Nucl.*, 333:317–318.
- Laso1992** Lason, L.; Przytula, M.; Wojtkiewicz, R.; Baczyński, J.; Bauer, J. (1992). Search for neutrons from cold fusion of deuterium absorbed in palladium. *Acta Univ. Lodz., Fol. Phys.*, 16:3–12.
- Laws1991** Lawson, D. R.; Tierney, M. J.; Cheng, I. F.; van Dyke, L. S.; Espenscheid, M. W.; Martin, C. R. (1991). Use of a coulometric assay technique to study the variables affecting deuterium loading levels within palladium electrodes. *Electrochim. Acta*, 36:1515–1522.
- Lee1989** Lee, A. R.; Kalotas, T. M. (1989). On the feasibility of cold fusion. *Nuovo Cimento Soc. Ital. Fis. A*, 102:1177–1180.
- Lee1991** Lee, K. P.; Kim, S. W.; Choi, K. U.; Hwang, S. T. (1991). Cold Fusion. *Anal. Sci. Technol.*, 4(1):103–107. In Korean.
- Legg1989b** Leggett, A. J.; Baym, G. (1989a). Can solid-state effects enhance the cold-fusion rate? *Nature*, 340:45–46.
- Legg1989a** Leggett, A. J.; Baym, G. (1989b). Exact upper bounds on barrier penetration probabilities in many-body systems: application to 'cold fusion'. *Phys. Rev. Lett.*, 63:191–194.
- Lett2015** Letts, D. (2015). Highly reproducible LENR experiments using dual laser stimulation. *Curr. Sci.*, 108:559–561.
- Lett2008** Letts, D.; Cravens, D.; Hagelstein, P. L. (2008). Thermal changes in palladium deuteride induced by laser beat frequencies. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages

**Lett2009** Letts, D.; Cravens, D.; Hagelstein, P. L. (2009). Dual laser stimulation of optical phonons in palladium deuteride. *J. Sci. Explor.*, 23(4):459–461.

**Lett2010** Letts, D.; Cravens, D.; Hagelstein, P. L. (2010). Dual laser stimulation and optical phonons in palladium deuteride. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 81–93. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Lewe1992a** Lewenstein, B. (1992a). Cold fusion saga: Lesson in science. *Forum Appl. Res. Public Policy*, 7(4):67–77.

**Lewe1994** Lewenstein, B. (1994). La saga de la fusion froide (The cold fusion saga). *Recherche*, 25:636–641. In French.

**Lewe1995a** Lewenstein, B. (1995a). From facts to fax: communication in the cold fusion saga. *Soc. Stud. Sci.*, 25:403–436.

**Lewe1991b** Lewenstein, B. V. (1991). Preserving data about the knowledge creation process. Developing an archive on the cold fusion controversy. *Knowledge: Creation, Diffusion, Utilization*, 13:79–86.

**Lewe1992b** Lewenstein, B. V. (1992b). Cold fusion and hot history. *Osiris*, 7:135–163.

**Lewe1995b** Lewenstein, B. V. (1995b). Do public electronic bulletin boards help create scientific knowledge? The cold fusion case. *Science, Technol. & Human Values*, 20:123–149.

**Lewe1991a** Lewenstein, B. V.; Baur, W. (1991). A cold fusion chronology. *J. Radioanal. Nucl. Chem.*, 152:273–298.

**Lewin1989** Lewins, J. D. (1989). The fusion trail goes cold. *Nucl. Eng. (Inst. Nucl. Eng.)*, 30:181–182.

**Lewis1991** Lewis, D. (1991). Some regularities and coincidences in thermal, electrochemical and radiation phenomena observed in experiments at Studsvik on the Fleischmann-Pons effect. *J. Electroanal. Chem.*, 316:353–360.

**Lewis1990a** Lewis, D.; Sköld, K. (1990). A phenomenological study of the Fleischmann-Pons effect. *J. Electroanal. Chem.*, 294:275–288.

**Lewis1999** Lewis, E. (1999). Comments on 'Transmutation in a gold-light water electrolysis system'. *Fusion Technol.*, 36:242–243.

**Lewis2000** Lewis, E. (2000). Reply to "Comments on 'Transmutation in a gold-light water electrolysis system'". *Fusion Technol.*, 37:266.

**Lewis2001** Lewis, E. (2001). Evidence of micrometre-sized plasmoid emission during electrolysis cold fusion. *Fusion Sci. Technol.*, 40:107–108.

**Lewis1993** Lewis, F. A.; McGee, S. G.; McNicholl, R. A. (1993). Limits of hydrogen contents introduced by electrolysis into palladium and palladium-rich alloys. *Z. phys. Chem.*, 179:63–68.

**Lewis1990b** Lewis, L. N.; Kosky, P. G.; Lewis, N. (1990). On the search for non-electrochemical cold fusion: production of D2 off of high surface area Pd colloid. *J. Radioanal. Nucl. Chem. Lett.*, 145:81–91.

**Lewi1989** Lewis, N. S.; Barnes, C. A.; Heben, M. J.; Kumar, A.; Lunt, S. R.; McManis, G. E.; Miskelly, G. M.; Penner, R. M.; Sailor, M. J.; Santangelo, P. G.; Shreve, G. A.; Tufts, B. J.; Youngquist, M. G.; Kavanagh, R. W.; Kellogg, S. E.; Vogelaar, R. B.; Wang, T. R.; Kondrat, R.; New, R. (1989). Searches for low-temperature nuclear fusion of deuterium in palladium. *Nature*, 340:525–530.

**Li1996b** Li, D. (1996a). The measuring principle and the experimental method of the cold fusion - reaction cross section. *Jishou Daxue Xuebao, Ziran Kexueban*, 17(3):65–68. In Chinese, Engl. abstract. Title as given in the English abstract; a librarian hand-corrected the title in my copy to "Principle and experimental method for the measurement of the cold fusion - reaction cross section".

**Li2002** Li, J. Q.; Shen, L. R.; Li, G. S. (2002). Study on physical basis of cold fusion. *Plasma Sci. Technol.*, 4:1585–1589.

**Li1996a** Li, X. (1996b). A new approach towards nuclear fusion without strong nuclear radiation. *Nucl. Fusion Plasma Phys.*, 16(2):1–8.

**Li2006** Li, X.; Wei, Q.; Liu, B.; Zheng, S.; Cao, D. (2006). Progress in condensed matter nuclear science. *J. Fusion Energy*, 25:175–180.

**Li1999b** Li, X. Z. (1999). Overcoming of the Gamow tunneling insufficiencies by maximizing the damp-matching resonant tunneling. *Czech. J. Phys.*, 49:985–992.

**Li1999a** Li, X. Z.; Li, C. X.; Huang, H. F. (1999). Maximum value of the resonant tunneling current through the Coulomb barrier. *Fusion Technol.*, 36:324–330.

**Li2004** Li, X. Z.; Liu, B.; Wei, Q. M.; Zheng, S. X.; Cao, D. X. (2004). A Chinese view on summary of condensed matter nuclear science. *J. Fusion Energy*, 23:217–221.

**Li1993** Li, X. Z.; Mo, D. W.; Zhang, L.; Wang, S. C.; Kang, T. S.; Liu, S. J.; Wang, J. (1993). Anomalous nuclear phenomena and solid state nuclear track detector. *Nucl. Tracks Radiat. Meas.*, 22:599–604.

**Li2008** Li, X. Z.; Wei, Q. M.; Liu, B. (2008). An approach to nuclear energy without strong nuclear radiation. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 39–56. Oxford

**Lian2015** Liang, C. L.; Dong, Z. M.; Li, X. Z. (2015). Selective resonant tunnelling - turning hydrogen-storage material into energetic material. *Curr. Sci.*, 108:519–523.

**Liaw1992** Liaw, B. Y.; Tao, P.; Liebert, B. E. (1992). On charging palladium in an Al|LiCl-KCl eutectic, excess LiH(D)|Pd cell. *Proc. Electrochem. Soc. (Proc. 8th Int. Symp. Molten Salts)*, 16:1–13.

**Liaw1993** Liaw, B. Y.; Tao, P. L.; Liebert, B. E. (1993). Helium analysis of palladium electrodes after molten salt electrolysis. *Fusion Technol.*, 23:92–97.

**Liaw1991** Liaw, B. Y.; Tao, P. L.; Turner, P.; Liebert, B. E. (1991). Elevated-temperature excess heat production in a Pd + D system. *J. Electroanal. Chem.*, 319:161–175.

**Liboff1979** Liboff, R. L. (1979). Fusion via metallic deuterium. *Phys. Lett. A*, 71:361–362.

**Liboff1993** Liboff, R. L. (1993). Feasibility of fusion of an aggregate of deuterons in the ground state. *Phys. Lett. A*, 174:317–319.

**Liev1990** Lievrouw, L. A. (1990). Communication and the social representation of scientific knowledge. *Crit. Stud. Mass Commun.*, 7:1–10.

**Lihn1993** Lihn, C. J.; Wan, C. C.; Wan, C. M.; Perng, T. P. (1993). The influence of deposits on palladium cathodes in D<sub>2</sub>O electrolysis. *Fusion Technol.*, 24:324–331.

**Lin1995** Lin, G. H.; Bhardwaj, R.; Bockris, J. O. M. (1995). Response to Noninski et al: Observation of beta radiation decay in low energy nuclear reaction. *J. Sci. Exploration*, 9:207–208.

**Lin1990a** Lin, G. H.; Kainthla, R. C.; Packham, N. J. C.; Bockris, J. O. M. (1990a). Electrochemical fusion: a mechanism speculation. *J. Electroanal. Chem.*, 280:207–211.

**Lin1990b** Lin, G. H.; Kainthla, R. C.; Packham, N. J. C.; Velev, O.; Bockris, J. O. M. (1990b). On electrochemical tritium production. *Int. J. Hydrogen Energy*, 15:537–550.

**Lin1990c** Lin, T. L.; Liu, C. C. (1990). Cold fusion experiment at Department of Nuclear Engineering, National Tsing-Hua University. *J. Fusion Energy*, 9:487–490.

**Lind1989** Lindley, D. (1989). Does commercial pressure make for bad science? *The World & I*, (November issue):513–525.

**Linf1991** Linford, R. K. (1991). What do we know? What do we think? *J. Fusion Energy*, 10:121–122.

**Lips2010** Lipson, A.; Chernov, I.; Roussetski, A.; ChDýrdantsev, Yu.; Tsivadze, A.; Lyakhov, B.; Saunin, E.; Melich, M. (2010). Hot deuteron generation and charged particle emissions on excitation of deuterium subsystem in metal deuterides. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 95–117. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Lips1994b** Lipson, A. G.; Bardyshev, I. I.; Sakov, D. M. (1994). Generation of hard gamma-radiation in KD<sub>2</sub>PO<sub>4</sub> single crystals during the ferroelectric phase transition. *Tech. Phys. Lett.*, 20:957–959. Orig. in: Pis'ma Zh. Tekh. Fiz. 20 (1994) 53, in Russian.

**Lips1992a** Lipson, A. G.; Deryagin, B. V.; Klyuev, V. A.; Toporov, Yu. P.; Sirotyuk, M. G.; Khavroshkin, O. B.; Sakov, D. M. (1992a). Initiation of nuclear fusion by cavitation action on deuterium-containing media. *Zh. Tekh. Fiz.*, 62(12):121–130. In Russian.

**Lips1992b** Lipson, A. G.; Kluev, V. A.; Mordovin, V. N.; Sakov, D. M.; Derjaguin, B. V.; Toporov, Yu. P. (1992b). On the initiation of DD reactions in the zirconium-deuterium system. *Phys. Lett. A*, 166:43–46.

**Lips1989a** Lipson, A. G.; Klyuev, V. A.; Deryagin, B. V.; Toporov, Yu. P.; Sakov, D. M. (1989a). Anomalous beta activity of products of mechanical working of a titanium-deuterated material. *Sov. Tech. Phys. Lett.*, 15(10):783–784. Orig. in: Pis'ma Zh. Tekh. Fiz. 15 (1989) 88, in Russian.

**Lips1990a** Lipson, A. G.; Klyuev, V. A.; Deryagin, B. V.; Toporov, Yu. P.; Sirotyuk, M. G.; Khavroshkin, O. B.; Sakov, D. M. (1990a). Observation of neutrons from cavitation action on substances containing deuterium. *Pis'ma Zh. Teo. Fiz.*, 16(9):89–93. In Russian.

**Lips1990b** Lipson, A. G.; Klyuev, V. A.; Toporov, Yu. P.; Deryagin, B. V. (1990b). Neutron generation by mechanical activation of metal surfaces. *Pis'ma Zh. Tekh. Fiz.*, 16(17):54–57. In Russian.

**Lips1989b** Lipson, A. G.; Klyuev, V. A.; Toporov, Yu. P.; Deryagin, B. V.; Sakov, D. M. (1989b). Deuterium-deuterium fusion initiation by friction in the system titanium-deuterated polymer. *Pis'ma Zh. Tekh. Fiz.*, 15(17):26–29. In Russian.

**Lips1992c** Lipson, A. G.; Kutsnetsov, V. A.; Sakov, D. M.; Deryagin, B. V. (1992c). Yield of nuclear fusion products from absorption of elastic energy in deuterated metals. *Dokl. Akad. Nauk*, 323(6):1097–1101. In Russian.

**Lips1991b** Lipson, A. G.; Kuznetsov, V. A.; Deryagin, B. V. (1991a). Scenarios of 'cold nuclear fusion' by concentration of elastic energy in crystals. *Dokl. Akad. Nauk. Fiz. Khim.*, 318(3):636–639. In Russian.

**Lips1997** Lipson, A. G.; Kuznetsov, V. A.; Ivanova, T. S.; Saunin, E. I.; Ushakov, S. I. (1997). Possibility of mechanically stimulated transmutation of carbon nuclei in ultradisperse deuterium-containing media. *Tech. Phys.*

**Lips1991a** Lipson, A. G.; Lyakhov, B. F.; Deryagin, B. V.; Kudryavtsev, V. N.; Toporov, Yu. P.; Klyuev, V. A.; Kolobov, M. A.; Sakov, D. M. (1991b). Reproducible neutron emission by the combined effect of cavitation and electrolysis at the surface of a titanium cathode in electrolyte based on heavy water. *Pis'ma Zh. Teor. Fiz.*, 17(21):33–37. In Russian.

**Lips1992d** Lipson, A. G.; Lyakhov, B. F.; Deryagin, B. V.; Sakov, D. M. (1992d). Parallel recording of pulsed thermal effects and neutron bursts in heterostructural Au/Pd/PdO, saturated with deuterium by electrochemical means. *Pis'ma Zh. Tekh. Fiz.*, 18(20):58–63. In Russian.

**Lips1993b** Lipson, A. G.; Lyakhov, B. F.; Deryagin, B. V.; Sakov, D. M. (1993a). Is 'cold nuclear fusion' necessary to understand the anomalous thermal effects in the Pd-D(H) system? *Phys. Dokl.*, 38:286–288. Orig. in: Dokl. Akad. Nauk 331 (1993) 39, in Russian.

**Lips1995a** Lipson, A. G.; Lyakhov, B. F.; Kuznetsov, V. A.; Ivanova, T. S.; Deryagin, B. V. (1995a). The nature of excess energy liberated in a Pd/PdO heterostructure electrochemically saturated with hydrogen (deuterium). *Russ. J. Phys. Chem.*, 69:1810–1813.

**Lips2000** Lipson, A. G.; Lyakhov, B. F.; Roussetski, A. S.; Akimoto, T.; Mizuno, T.; Asami, N.; Shimada, R.; Miyashita, S.; Takahashi, A. (2000). Evidence for low-intensity D-D reaction as a result of exothermic deuterium desorption from Au/Pd/PdO:D heterostructure. *Fusion Technol.*, 38:238–252.

**Lips1993a** Lipson, A. G.; Lyakhov, B. F.; Saunin, E. I.; Deryagin, B. V.; Toporov, Yu. P.; Klyuev, V. A.; Sakov, D. M. (1993b). The generation of nuclear fusion products by a combination of cavitation action and electrolysis at the titanium surface in deuterated electrolyte. *Zh. Tekh. Fiz.*, 63(7):187–196. In Russian.

**Lips1989c** Lipson, A. G.; Sakov, A. G.; Klyuev, V. A.; Deryagin, B. V.; Toporov, Yu. P. (1989c). Neutron emission during the mechanical treatment of titanium in the presence of deuterated substances. *JETP*, 49:675–678. Orig. in: Pis'ma Zh. Eksp. Teor. Fiz. 49 (1989) 588, in Russian.

**Lips1994a** Lipson, A. G.; Sakov, D. M. (1994). Increase in the intensity of the external neutron flux in the irradiation of a KD<sub>2</sub>PO<sub>4</sub> crystal at the point of the ferroelectric transition. *Tech. Phys. Lett.*, 20:954–956. Orig. in: Pis'ma Zh. Tekh. Fiz. 20 (1994) 46, in Russian.

**Lips1992e** Lipson, A. G.; Sakov, D. M.; Kalinin, V. B.; Deryagin, B. V. (1992e). Neutron emission in monocrystals of KD<sub>2</sub>PO<sub>4</sub>, stimulated by ferroelectric phase transition. *Pis'ma Zh. Tekh. Fiz.*, 18(16):90–95. In Russian.

**Lips1995b** Lipson, A. G.; Sakov, D. M.; Lyakhov, B. F.; Saunin, E. I.; Deryagin, B. V. (1995b). Generation of the products of DD nuclear fusion in high-temperature superconductors YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>-deltaDy near the superconducting phase transition. *Tech. Phys.*, 40:839–845. Orig. in: Zh. Tekh. Fiz. 65 (1995) 166, in Russian.

**Lips1995c** Lipson, A. G.; Sakov, D. M.; Saunin, E. I. (1995c). Interaction of weak neutron flux with triglycine sulphate (D<sub>0.6</sub>H<sub>0.4</sub>) at the paraelectric-ferroelectric phase transition. *Pis'ma Zh. Tekh. Fiz.*, 21(24):25–31. In Russian.

**Lips1993c** Lipson, A. G.; Sakov, D. M.; Saunin, E. I.; Deryagin, B. V. (1993c). Possibilities for increasing the neutron emission in KD<sub>2</sub>PO<sub>4</sub> crystals at the phase transition through the Curie point. *Tech. Phys. Lett.*, 19(11):729–730. Orig. in: Pis'ma Zh. Tekh. Fiz. 19(11) (1993) 74, in Russian.

**Lips1993d** Lipson, A. G.; Sakov, D. M.; Saunin, E. I.; Kalinin, V. B.; Kolovov, M. A.; Deryagin, B. V.; Khodyakov, A. A. (1993d). Cold nuclear fusion induced in KD<sub>2</sub>PO<sub>4</sub> single crystals by a ferroelectric phase transition. *JETP*, 76(6):1070–1076. Orig. in: Zh. Eksp. Teor. Fiz. 103 (1993) 2142, in Russian.

**Lips1991c** Lipson, A. G.; Sakov, D. M.; Toporov, Yu. P.; Gromov, V. V.; Deryagin, B. V. (1991c). The possibility of 'cold nuclear fusion' in deuterated ceramic YBa<sub>2</sub>Cu<sub>3</sub>O<sub>(7-x)</sub> in the superconducting state. *Sov. Dokl.*, 36:849–851. Orig. in: Dokl. Akad. Nauk SSSR 321(5) (1991) 958, in Russian.

**Litt2009a** Little, M. E.; Little, S. R. (2009a). Cold fusion: fact or fantasy? *J. Sci. Explor.*, 23(4):407–409.

**Litt2009b** Little, M. E.; Little, S. R. (2009b). "Extraordinary evidence" replication effort. *J. Sci. Explor.*, 23(4):411–417.

**Liu1989** Liu, F.; Rao, B. K.; Khanna, S. N.; Jena, P. (1989). Nature of short range interaction between deuterium atoms in palladium. *Solid State Commun.*, 72:891–894.

**Liu1996** Liu, F. S. (1996). The phonon mechanism of the cold fusion. *Mod. Phys. Lett. B*, 10:1129–1132.

**Liu1994** Liu, R.; Wang, D.; Chen, S.; Li, Y.; Fu, Y.; Zhang, X.; Zhang, W. (1994). Measurement of neutron energy spectra from the gas discharge facility. *Yuanzi Yu Fenzi Wuli Xuebao*, 11(2):115–118. In Chinese.

**Liu1990a** Liu, S.; Qiu, F.; Sun, Y. (1990a). Mass spectra analysis of the products of the so-called 'cold fusion'. *Fenxi Huaxue*, 18(4):400–401. In Chinese.

**Liu1990b** Liu, Z.; Xie, K.; Qi, S.; Cao, J.; Li, N.; Yu, X.; Lin, Z. (1990b). Photoemission studies of Pd/D system with high deuterium content. *Chin. Phys. Lett.*, 7:125–128.

**Liu1989** Lo, S. Y. (1989). Enhancement of nuclear fusion in a strongly coupled cold plasma. *Mod. Phys. Lett. B*,

**Loba1991** Lobanov, V. V.; Zetkin, A. S.; Kagan, G. E.; Demin, V. E.; Mil'man, I. I.; Syurdo, A. I. (1991). Studies of neutron emission from TiFe alloy loaded with deuterium at room temperature. *Soc. Tekh. Phys. Lett.*, 17:832–833. Orig. in: Pis'ma Zh. Teor. Fiz. 17(23) (1991) 22, in Russian.

**Lohr1989** Lohr, L. L. (1989). Electronic structure of palladium clusters: implications for cold fusion. *J. Phys. Chem.*, 93:4697–4698.

**Loma2015** Lomax, A. R. (2015). Replicable cold fusion experiment: heat/helium ratio. *Curr. Sci.*, 108:574–577.

**Lomo1989** Lomovskii, O. I.; Eremin, A. F.; Boldyrev, V. V. (1989). Isotope heat effect in reactions with libration of hydrogen on palladium catalytic particles. *Russ. Doklady*, 309:957–959. Orig. in: Dokl. Akad. Nauk SSSR Fiz. Khim. 309 (1989) 879, in Russian.

**Lomo1990** Lomovsky, O. I.; Eremin, A. F.; Boldyrev, V. V. (1990). Isotope heat effect in reactions involving hydrogen evolution on palladium catalyst particles. *Proc. Indian Acad. Sci. Chem. Sci.*, 102(2):173–176.

**Long1990** Longhurst, G. R.; Dolan, T. J.; Henriksen, G. L. (1990). An investigation of energy balances in palladium cathode electrolysis experiments. *J. Fusion Energy*, 9:337–343.

**Lope1992** Lopez Garcia, A. R.; Vucetich, H.; Bolzan, A. E.; Arvia, A. J. (1992). Gamma-radiation detection limits for electrochemically induced deuterium cold-fusion rates. *Il Nuovo Cimento A*, 105:987–992.

**Lore1990** Lorenzini, E.; Tartarini, P.; Trentin, M. (1990). Cold fusion: status of the research. *Tec. Ital.*, 55(1):1–9. In Italian.

**Loui1990** Louis, E.; Moscardo, F.; San-Fabian, E.; Perez-Jorda, J. M. (1990). Calculation of hydrogen-hydrogen potential energies and fusion rates in palladium hydride (PdxH<sub>2</sub>) clusters (x=2,4). *Phys. Rev. B*, 42:4996–4999.

**Lowt1991** Lowther, J. E. (1991). Hot spots in palladium hydride and cold fusion. *Suid-Afrik. Tydskr. Wetenskap*, 87:17–18.

**Lu1995** Lu, R. (1995). X-ray emission and cold nuclear fusion in glow discharge process of a kind of gas. *Trends Nucl. Phys.*, 12(1):44–46.

**Lu1997b** Lu, R. (1997a). Analysis of x-rays and gamma-ray production mechanism under condition of discharge with D<sub>2</sub> gas. *Nucl. Phys. Rev. China*, 14:114–117. In Chinese, Engl. Abstr.

**Lu1997a** Lu, R. (1997b). The (d,d) fusion in solar flares. *J. Qingdao Univ.*, 1997(6):70–75. In Chinese, Engl. abstr.

**Lu1998** Lu, R. (1998). Electron-ion bound state and it initiating a little nuclear fusion. *High Power Laser Part. Beams*, 10(2):315–320.

**Lyak1993** Lyakhov, B. F.; Lipson, A. G.; Sakov, D. M.; Yavich, A. A. (1993). Anomalous heat release in the Pd/PdO system electrolytically saturated with hydrogen. *Russ. J. Phys. Chem.*, 67:491–495. Orig. in: Zh. Fiz. Khimii 67 (1993) 545, in Russian.

**Ma1992** Ma, Y.; Yang, H.; Dai, X. (1992). A theoretical study of the possibility of cold nuclear fusion in condensed matter. *Nucl. Fusion Plasma Phys.*, 12:171–177. In Chinese.

**Ma1993** Ma, Y. L.; Yang, H. X.; Dai, X. X. (1993). Nuclear-fusion enhancement in condensed matter with impacting and screening. *Europhys. Lett.*, 24:305–310.

**Maly1993** Maly, J. A.; Vavra, J. (1993). Electron transitions on deep Dirac levels I. *Fusion Technol.*, 24:307–318.

**Maly1994** Maly, J. A.; Vavra, J. (1994). Response to 'Comments on 'Electron transitions on deep Dirac levels I''. *Fusion Technol.*, 26:111–112.

**Maly1996** Maly, J. A.; Vavra, J. (1996). Reply to 'Letter to the Editor' *Fusion Technol.* 27, 348 (1995). *Fusion Technol.*, 30:386–387.

**Mand1995** Manduchi, C.; Salviato, S.; Ciricillo, C.; Milli, E.; Zannoni, G.; Mengoli, G.; Fabrizio, M. (1995). Electric-field effects on the neutron emission from Pd deuteride samples. *Nuovo Cimento A*, 108:1187–1205.

**Mand1994** Manduchi, C.; Zannoni, G.; Milli, E.; Riccardi, L.; Mengoli, G.; Fabrizio, M.; Buffa, A. (1994). Anomalous effects during the interaction of subatmospheric D<sub>2</sub>(H<sub>2</sub>) with Pd from 900C to room temperature. *Nuovo Cimento A*, 107:171–183.

**Marc1993** Marcus, M. (1993). Cold fusion research is alive and well - but not in the mass media. *St. Louis Journalism Rev.*, 22(153, Feb.):16–18.

**Mari1989** Marinelli, M.; Morpurgo, G.; Vitale, S.; Olcese, G. L. (1989). Heat release from deuterated titanium-iron (TiFe) or lanthanum-nickel (LaNi<sub>5</sub>) on exposure to the air. *Nuovo Cimento Soc. Ital. Fis. A*, 102:959–961.

**Marti1991** Martin, S. E. (1991). Using expert sources in breaking science stories: A comparison of magazine types. *Journalism Quarterly*, 68:179–187.

**Marty1991** Martynov, M. I.; Mel'dianov, A. I.; Chepovskii, A. M. (1991). Experiments on the detection of nuclear reaction products in deuterated metals. *Vopr. Atom. Nauki i Tekh., Ser. Termouader. Sintez*, (2):77–81. In Russian.

- Marw2008** Marwan, J. (2008). Study of the nanostructured palladium hydride system. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 353–375. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.
- Marw2009** Marwan, J. (2009). Study of the palladium hydrogen-deuterium system. *J. Sci. Explor.*, 23(4):465–468.
- Marw2010a** Marwan, J.; McKubre, M. C. H.; Tanzella, F. L.; Hagelstein, P. L.; Miles, M. H.; Swartz, M. R.; Storms, E.; Iwamura, Y.; Mosier-Boss, P. A.; Forsley, L. P. G. (2010). A new look at low-energy nuclear reaction (LENR) research: a response to Shanahan. *J. Environ. Monit.*, 12:1765–1770.
- Mas1990** Mas, F.; Paniagua, J. C.; Puy, J.; Salvador, J.; Vilaseca, E. (1990). Comment on: Deuterium nuclear fusion at room temperature: a pertinent inequality on barrier penetration. *J. Chem. Phys.*, 93:6118–6119.
- Mass1990** Massaron, M.; Lamperti, F. (1990). La fusione fredda (Cold fusion). *Tecnol. Chim.*, 10(4):98–104. In Italian.
- Math1989** Mathews, C. K.; Periaswami, G.; Srinivas, K. C.; Gnanasekaran, T.; Babu, S. R.; Ramesh, C.; Thiagarajan, B. (1989). On the possibility of nuclear fusion by the electrolysis of heavy water. *Indian J. Technol.*, 27:229–231.
- Matsud1990** Matsuda, J. I.; Matsumoto, T.; Nagao, K. (1990). An attempt to detect (3)He from the cold nuclear fusion. *Geochem. J.*, 24:379–382.
- Matsu1990a** Matsumoto, O.; Kimura, K.; Saito, Y.; Uyama, H.; Yaita, T. (1990a). Detection of neutrons in electrolysis of D<sub>2</sub>SO<sub>4</sub>-D<sub>2</sub>O solution by means of fission track method. *Denki Kagaku*, 58:147–150.
- Matsu1990b** Matsumoto, O.; Kimura, K.; Saito, Y.; Uyama, H.; Yaita, T. (1990b). Detection of tritium in cathode materials after the electrolysis of D<sub>2</sub>SO<sub>4</sub>-D<sub>2</sub>O solution. *Denki Kagaku*, 58:471–474.
- Matsu1989** Matsumoto, T. (1989). 'Nattoh' model for cold fusion. *Fusion Technol.*, 16:532–534.
- Matsu1990e** Matsumoto, T. (1990a). Cold fusion observed with ordinary water. *Fusion Technol.*, 17:490–492.
- Matsu1990c** Matsumoto, T. (1990b). Observation of new particles emitted during cold fusion. *Fusion Technol.*, 18:356–360.
- Matsu1990d** Matsumoto, T. (1990c). Prediction of new particle emission on cold fusion. *Fusion Technol.*, 18:647–651.
- Matsu1991c** Matsumoto, T. (1991a). Microscopic observations of palladium used for cold fusion. *Fusion Technol.*, 19:567–575.
- Matsu1991b** Matsumoto, T. (1991b). Observation of quad-neutrons and gravity decay during cold fusion. *Fusion Technol.*, 19:2125–2130.
- Matsu1992a** Matsumoto, T. (1992a). Interference phenomena observed during cold fusion. *Fusion Technol.*, 21:179–182.
- Matsu1992b** Matsumoto, T. (1992b). Observation of gravity decays of multiple-neutron nuclei during cold fusion. *Fusion Technol.*, 22:164–171.
- Matsu1992d** Matsumoto, T. (1992c). Observation of stars produced during cold fusion. *Fusion Technol.*, 22:518–523.
- Matsu1992c** Matsumoto, T. (1992d). Searching for tiny black holes during cold fusion. *Fusion Technol.*, 22:281–286.
- Matsu1993b** Matsumoto, T. (1993a). Cold fusion experiments with ordinary water and thin nickel foil. *Fusion Technol.*, 24:296–306.
- Matsu1993c** Matsumoto, T. (1993b). Experiments of one-point cold fusion. *Fusion Technol.*, 24:332–339.
- Matsu1993a** Matsumoto, T. (1993c). Observation of meshlike traces on nuclear emulsions during cold fusion. *Fusion Technol.*, 23:103–113.
- Matsu1993d** Matsumoto, T. (1993d). Response to 'Comments on 'Experiments of one-point cold fusion''. *Fusion Technol.*, 24:347–348.
- Matsu1995** Matsumoto, T. (1995). Mechanisms of cold fusion: Comprehensive explanations by the Nattoh model. *Mem. Fac. Eng. Hokkaido Univ.*, 19(2):201–224.
- Matsu2001** Matsumoto, T. (2001). Comments on "Evidence of micrometre-sized plasmoid emission during electrolysis cold fusion". *Fusion Sci. Technol.*, 40:108–109.
- Matsu1991a** Matsumoto, T.; Kurokawa, K. (1991). Observation of heavy elements produced during explosive cold fusion. *Fusion Technol.*, 20:323–329.
- Matsun1990** Matsunami, N. (1990). Solid state effects on tunnelling probability for d+d nuclear fusion at room temperature. *Radiat. Effects Def. Solids*, 112:181–188.
- Matsuz1994** Matsuzaki, A.; Nishina, T.; Uchida, I. (1994). In situ low incident angle XRD technique with electrochemical methods. Application to deuterium charging into palladium cathode. *Hyomen Gijutsu*, 45:106–107.
- Maye1991c** Mayer, F. J. (1991). Comments on 'Excess heat production by the electrolysis of an aqueous potassium carbonate electrolyte and the implications for cold fusion'. *Fusion Technol.*, 20:511.

- Maye1990** Mayer, F. J.; King, J. S.; Reitz, J. R. (1990). Nuclear fusion from crack-generated particle acceleration. *J. Fusion Energy*, 9:269–272.
- Maye1991a** Mayer, F. J.; Reitz, J. R. (1991a). Nuclear energy release in metals. *Fusion Technol.*, 19:552–557.
- Maye1991b** Mayer, F. J.; Reitz, J. R. (1991b). On very low energy hydrogenic nuclear reactions. *Fusion Technol.*, 20:367–372.
- Maye1992** Mayer, F. J.; Reitz, J. R. (1992). Response to 'Comments on "Nuclear energy release in metals"'. *Fusion Technol.*, 21:95–96.
- Maye1993** Mayer, R. E.; Patino, N. E.; Florido, P. C.; Gomez, S. E.; Granada, J. R.; Gillette, V. H. (1993). Neutron detection system for extremely low count rate. Calculation, construction and employment in search for 'cold fusion'. *Nucl. Instrum. Meth. Phys. Res. A*, 324:501–510.
- Mazi1989a** Mazitov, R. K. (1989a). On the detection of cold nuclear fusion. *Koord. Khim.*, 15(9):1294–1295. In Russian.
- Mazi1989b** Mazitov, R. K. (1989b). Possibility of nuclear transformation in chemical reactions. *Dokl. Akad. Nauk. SSSR*, 307:1158–1160. In Russian.
- McAl1992** McAllister, J. W. (1992). Competition among scientific disciplines in cold nuclear fusion research. *Science in Context*, 5:17–49.
- McCe1989** McCevoy, A. J.; O'Sullivan, C. T. D. (1989). Cold fusion: what's going on? *Nature*, 338:711–712.
- McCr1990a** McCracken, D. R.; Paquette, J.; Boniface, H. A.; Graham, W. R. C.; Johnson, R. E.; Briden, N. A.; Cross, W. G.; Arneja, A.; Tennant, D. C.; Lone, M. A.; Buyers, W. J. L.; Chambers, K. W.; McIlwain, A. K.; Attas, E. M.; Dutton, R. (1990a). In search of nuclear fusion in electrolytic cells and in metal/gas systems. *J. Fusion Energy*, 9:121–131.
- McCr1990b** McCracken, G. M.; Bailey, M.; Croft, S.; Findlay, D. J. S.; Gibson, A.; Govier, R. P.; Jarvis, O. N.; Milton, H. J.; Powell, B. A.; Sadler, G.; Sene, M. R.; Sweetman, D. R.; van P, Belle.; Watson, H. H. H. (1990b). Experimental search for 'cold fusion' in the deuterium-titanium system. *J. Phys. D: Appl. Phys.*, 23:469–475.
- McKe1992** McKee, J. S. C.; Smith, G. R.; Durocher, J. J. G.; Johnston, H. L.; Mathur, M. S.; Mayer, J. K.; Mirzai, A.; Yeo, Y. H.; Hempel, A.; Hnatiuk, H.; King, S. (1992). The role of fractofusion in the creation of anomalies in neutron production from deuterium-implanted solids. *Nucl. Instr. Methods Phys. Res. B*, 67:448–451.
- McKu2009** McKubre, M. (2009). From cold fusion to condensed matter nuclear science: 20 years of research. *J. Sci. Explor.*, 23(4):445–448.
- McKu2015** McKubre, M. C. H. (2015). Cold fusion: comments on the state of scientific proof. *Curr. Sci.*, 108:495–498.
- McKu1994** McKubre, M. C. H.; Crouch-Baker, S.; Rocha-Filho, R. C.; Smedley, S. I.; Tanzella, F. L.; Passell, T. O.; Santucci, J. (1994). Isothermal flow calorimetric investigations of the D/Pd and H/Pd systems. *J. Electroanal. Chem.*, 368:55–66.
- McKu2008** McKubre, M. C. H.; Tanzella, F. L.; Dardik, I.; El Boher, A.; Zilov, T.; Greenspan, E.; Sibilia, S.; Violante, V. (2008). Replication of condensed matter heat production. In *Low-Energy Nuclear Reactions Sourcebook* (Vol. 1) (edited by J. Marwan), volume 1, pages 219–247. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.
- Mebr1989** Mebrahtu, T.; Rodriguez, J. F.; Bothwell, M. E.; Cheng, I. F.; Lawson, D. R.; McBride, J. R.; Martin, C. R.; Soriaga, M. P. (1989). Observations on the surface composition of palladium cathodes after D<sub>2</sub>O electrolysis in LiOD solutions. *J. Electroanal. Chem.*, 267:351–357.
- Mele1999** Melendez, L.; Chavez, E.; Lopez, R.; Cruz, G. J.; Olayo, M. G. (1999). Titanium deuteration with neutron emission through electrical discharges. *Fusion Technol.*, 35:71–77.
- Mell1992** Mellican, R. E. (1992). From fusion frenzy to fraud: Reflections on science and its cultural norms. *Bull. Sci. Tech. Soc.*, 12:1–9.
- Mend1991** Mendes, R. V. (1991). Ergodic motion and near collisions in a Coulomb system. *Mod. Phys. Lett. B*, 5:1179–1190.
- Meng1998a** Mengoli, G.; Bernardini, M.; Manduchi, C.; Zannoni, G. (1998a). Anomalous heat effects correlated with electrochemical hydriding of nickel. *Il Nuovo Cimento D*, 20:331–352.
- Meng1998b** Mengoli, G.; Bernardini, M.; Manduchi, C.; Zannoni, G. (1998b). Calorimetry close to the boiling temperature of the D<sub>2</sub>O/Pd electrolytic system. *J. Electroanal. Chem.*, 444:155–167.
- Meng1995** Mengoli, G.; Fabrizio, M.; Manduchi, C.; Milli, E.; Zannoni, G. (1995). Absorption-desorption of deuterium at Pd95%-Rh5% alloy. II: Neutron emission. *J. Electroanal. Chem.*, 395:249–260.
- Meng1993** Mengoli, G.; Fabrizio, M.; Manduchi, C.; Zannoni, G. (1993). Surface and bulk effects in the extraction of hydrogen from highly loaded Pd sheet electrodes. *J. Electroanal. Chem.*, 350:57–72.
- Meng1992** Mengoli, G.; Fabrizio, M.; Manduchi, C.; Zannoni, G.; Riccardi, L.; Buffa, A. (1992). Tritium and neutron emission in D<sub>2</sub>O electrolysis at Pd and Ti cathodes. *J. Electroanal. Chem.*, 322:107–117.

**Meng1991** Mengoli, G.; Fabrizio, M.; Manduchi, C.; Zannoni, G.; Riccardi, L.; Veronesi, F.; Buffa, A. (1991). The observation of tritium in the electrolysis of D<sub>2</sub>O at palladium sheet electrodes. *J. Electroanal. Chem.*, 304:279–287.

**Menl1990a** Menlove, H. O.; Fowler, M. M.; Garcia, E.; Mayer, A.; Miller, M. C.; Ryan, R. R.; Jones, S. E. (1990a). The measurement of neutron emission from Ti plus D<sub>2</sub> gas. *J. Fusion Energy*, 9:215–216.

**Menl1990b** Menlove, H. O.; Fowler, M. M.; Garcia, E.; Miller, M. C.; Paciotti, M. A.; Ryan, R. R.; Jones, S. E. (1990b). Measurement of neutron emission from Ti and Pd in pressurized D<sub>2</sub> gas and D<sub>2</sub>O electrolysis cells. *J. Fusion Energy*, 9:495–506.

**Menl1990c** Menlove, H. O.; Miller, M. C. (1990). Neutron-burst detectors for cold-fusion experiments. *Nucl. Instr. Methods Phys. Res. A*, 299:10–16.

**Meul2015** Meulenbergh, A. (2015). Extensions to physics: what cold fusion teaches. *Curr. Sci.*, 108:499–506.

**Meye1991** Meyerhof, W. E. (1991). Statistical analysis of a 'cold fusion' experiment. *J. Radioanal. Nucl. Chem., Lett.*, 153:391–398.

**Miao1994a** Miao, B. (1994a). Experimental exploration on possible mechanism of D-D cold fusion in titanium lattice. *Xibei Shifan Daxue Xuebao, Ziran Kexueban*, 30:44–48. In Chinese.

**Miao1994b** Miao, B. (1994b). Experimental exploration on the possible mechanism of D-D cold fusion in titanium lattice. *Xibei Shifan Xuebao. Ziran Kexueban*, 30(1):39–43. In Chinese, Engl. abstr.

**Midd1990** Middleton, R.; Klein, J.; Fink, D. (1990). Tritium measurements with a tandem accelerator. *Nucl. Instr. Methods Phys. Res. B*, 47:409–414.

**Miles2008** Miles, M.; Fleischmann, M. (2008). Accuracy of isoperibolic calorimetry used in a cold fusion control experiment. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 153–171. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Miles1998b** Miles, M. H. (1998a). Reply to 'An assessment of claims of excess heat in cold fusion calorimetry'. *J. Phys. Chem. B*, 102:3648.

**Miles1998a** Miles, M. H. (1998b). Reply to 'Examination of claims of Miles et al. in Pons-Fleischmann-type cold fusion experiments'. *J. Phys. Chem. B*, 102:3642–3646.

**Miles2000** Miles, M. H. (2000). Calorimetric studies of Pd/D<sub>2</sub>O+LiOD electrolysis cells. *J. Electroanal. Chem.*, 482:56–65.

**Miles1994a** Miles, M. H.; Bush, B. F.; Lagowski, J. J. (1994a). Anomalous effects involving excess power, radiation, and helium production during D<sub>2</sub>O electrolysis using palladium cathodes. *Fusion Technol.*, 25:478–486.

**Miles1994b** Miles, M. H.; Bush, B. F.; Stilwell, D. E. (1994b). Calorimetric principles and problems in measurements of excess power during Pd-D<sub>2</sub>O electrolysis. *J. Phys. Chem.*, 98:1948–1952.

**Miles2009** Miles, M. H.; Fleischmann, M. (2009). Twenty-year review of isoperibolic calorimetric measurements of the Fleischmann-Pons effect. *J. Sci. Explor.*, 23(4):469–473.

**Miles1993** Miles, M. H.; Hollins, R. A.; Bush, B. F.; Lagowski, J. J.; Miles, R. E. (1993). Correlation of excess power and helium production during D<sub>2</sub>O and H<sub>2</sub>O electrolysis using palladium cathodes. *J. Electroanal. Chem.*, 346:99–117.

**Miles2001** Miles, M. H.; Imam, M. A.; Fleischmann, M. (2001). Calorimetric analysis of a heavy water electrolysis experiment using a Pd-B alloy cathode. *Proc. Electrochem. Soc.*, 2001-23:194–205.

**Miles1990a** Miles, M. H.; Miles, R. E. (1990). Theoretical neutron flux levels, dose rates, and metal foil activation in electrochemical cold fusion experiments. *J. Electroanal. Chem.*, 295:409–414.

**Mile1990b** Miles, M. H.; Park, K. H.; Stilwell, D. E. (1990). Electrochemical calorimetric evidence for cold fusion in the palladium-deuterium system. *J. Electroanal. Chem.*, 296:241–254.

**Miley1999** Miley, G. H. (1999). Emerging physics for a breakthrough thin-film electrolytic power unit. In *Space Technol. Applic. Int. Forum* (edited by M. S. El-Genk), volume 458, pages 1227–1231. American Institute of Physics.

**Miley2000** Miley, G. H. (2000). Some personal reflections on scientific ethics and the cold fusion 'episode'. *Accountability Res.*, 8:121–135.

**Miley2010** Miley, G. H.; Hora, H.; Philberth, K.; Lipson, A.; Shrestha, P. J. (2010). Radiochemical comparisons on low energy nuclear reactions and uranium. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 235–252. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Miley2008** Miley, G. H.; Shrestha, P. J. (2008). Transmutation reactions and associated low-energy nuclear reactions effects in solids. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 173–218. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Milj1990** Miljanic, S.; Jevtic, N.; Pesic, S.; Ninkovic, M.; Nikolic, D.; Josipovic, M.; Petkovska, Lj.; Bacic, S. (1990). An

- Mill2000** Mills, R. (2000). Novel hydrogen compounds from a potassium carbonate electrolytic cell. *Fusion Technol.*, 37:157–182.
- Mill1992** Mills, R. L. (1992). Reply to 'Comments on "Excess heat production by the electrolysis of an aqueous potassium carbonate electrolyte and the implications for cold fusion"'. *Fusion Technol.*, 21:96.
- Mill1998** Mills, R. L. (1998). Comments on 'Interaction of palladium/hydrogen and palladium/deuterium to measure the excess energy per atom for each isotope'. *Fusion Technol.*, 33:384–385.
- Mill2003** Mills, R. L. (2003). No title. *Int. J. Hydrogen Energy*, 28:359–360. Author's Response to a Letter to the Editor.
- Mill2001** Mills, R. L.; Dhandapani, B.; Nansteel, M.; He, J.; Voigt, A. (2001). Identification of compounds containing novel hydride ions by nuclear magnetic resonance spectroscopy. *Int. J. Hydrogen Energy*, 26.
- Mill1995** Mills, R. L.; Good, W. R. (1995). Fractional quantum energy levels of hydrogen. *Fusion Technol.*, 28:1697–1719.
- Mill1994** Mills, R. L.; Good, W. R.; Shaubach, R. M. (1994). Dihydrino molecule identification. *Fusion Technol.*, 25:103–119.
- Mill2007a** Mills, R. L.; He, J.; Lu, Y.; Nansteel, M.; Chang, Z.; Dhandapani, B. (2007a). Comprehensive identification and potential applications of new states of hydrogen. *Int. J. Hydrogen Energy*, 32(14):2988–3009.
- Mill1991** Mills, R. L.; Kneizys, S. P. (1991). Excess heat production by the electrolysis of an aqueous potassium carbonate electrolyte and the implications for cold fusion. *Fusion Technol.*, 20:65–81.
- Mill2002c** Mills, R. L.; Ray, P. (2002a). The grand unified theory of classical quantum mechanics. *Int. J. Hydrogen Energy*, 27:565–590.
- Mill2002a** Mills, R. L.; Ray, P. (2002b). Spectral emission of fractional quantum energy levels of atomic hydrogen from a helium-hydrogen plasma and the implications for dark matter. *Int. J. Hydrogen Energy*, 27:301–322.
- Mill2002b** Mills, R. L.; Ray, P. (2002c). Vibrational spectral emission of fractional-principal-quantum-energy-level hydrogen molecular ion. *Int. J. Hydrogen Energy*, 27:533–564.
- Mill2002d** Mills, R. L.; Ray, P. C.; Dhandapani, B.; Mayo, R. M.; He, J. (2002). Comparison of excessive Balmer alpha line broadening of glow discharge and microwave hydrogen plasmas with certain catalysts. *J. Appl. Phys.*, 92:7008–7021.
- Mill2007b** Mills, R. L.; Zea, H.; He, J.; Dhandapani, B. (2007b). Water bath calorimetry on a catalytic reaction of atomic hydrogen. *Int. J. Hydrogen Energy*, 32:4258–4266.
- Mill2009a** Mills, R. L.; Akhtar, K. (2009). Tests of features of field-acceleration models for the extraordinary selective H Balmer [alpha] broadening in certain hydrogen-mixed plasmas. *Int. J. Hydrogen Energy*, 34(15):6465–6477.
- Min1989** Min, D. P. (1989). Computation of the cold fusion rate. *Sae Mulli*, 29:233–234. In Korean, Engl. abstr.
- Mint1989** Mintmire, J. W.; Dunlap, B. I.; Brenner, D. W.; Mowrey, R. C.; Ladouceur, H. D.; Schmidt, P. P.; White, C. T.; O'Grady, W. E. (1989). Chemical forces associated with deuterium confinement in palladium. *Phys. Lett. A*, 138:51–54.
- Mish1992** Mishima, H. (1992). Experimental trial for cold fusion using electrolysis technique of heavy water with palladium electrode Part 1. *Shigen to kankyou, Resources and Environment*, 1:273–281. In Japanese.
- Misk1989** Miskelly, G. M.; Heben, M. J.; Kumar, A.; Penner, R. M.; Sailor, M. J.; Lewis, N. S. (1989). Analysis of the published calorimetric evidence for electrochemical fusion of deuterium in palladium. *Science*, 246:793–796.
- Mizu2008** Mizuno, T. (2008). Transmutation reactions in condensed matter. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 271–294. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.
- Mizu1992** Mizuno, T.; Akimoto, T.; Azumi, K.; Enyo, M. (1992). Diffusion rate of deuterium in Pd during cathodic charging. *Denki Kagaku oyobi Kogyo Butsuri Kagaku*, 60:405–411. In Japanese, Engl. abstr.
- Mizu1996a** Mizuno, T.; Akimoto, T.; Azumi, K.; Kitaichi, M.; Kurokawa, K. (1996a). Anomalous heat evolution from a solid-state electrolyte under alternating current in high-temperature D<sub>2</sub> gas. *Fusion Technol.*, 29:385–389.
- Mizu1991** Mizuno, T.; Akimoto, T.; Azumi, K.; Sato, N. (1991). Tritium evolution during cathode polarization of palladium electrode in D<sub>2</sub>O solution. *Denki Kagaku*, 59:798–799. In Japanese.
- Mizu1998** Mizuno, T.; Akimoto, T.; Ohmori, T.; Enyo, M. (1998). Confirmation of the changes of isotopic distribution for the elements on palladium cathode after strong electrolysis in D<sub>2</sub>O solutions. *Int. J. Soc. Mat. Eng. Resources*, 6(1):45–59.
- Mizu2001** Mizuno, T.; Akimoto, T.; Ohmori, T.; Takahashi, A. (2001). Neutron evolution from a palladium electrode by alternate absorption treatment of deuterium and hydrogen. *Jpn. J. Appl. Phys.*, 40:L989–L991.
- Mizu1989** Mizuno, T.; Akimoto, T.; Sato, N. (1989). Neutron evolution from annealed palladium cathode in LiOD-D<sub>2</sub>O solution. *Denki Kagaku*, 57:742–743.

**Mizu1997** Mizuno, T.; Inoda, K.; Akimoto, T.; Azumi, K.; Kitaichi, M.; Kurokawa, K.; Ohmori, T.; Enyo, M. (1997). Anomalous gamma peak evolution from SrCe solid state electrolyte charged in D<sub>2</sub> gas. *Int. J. Hydrogen Energy*, 22:23–25.

**Mizu2000** Mizuno, T.; Ohmori, T.; Akimoto, T.; Takahashi, A. (2000). Production of heat during plasma electrolysis in liquid. *Jpn. J. Appl. Phys.*, 39:6055–6061.

**Mizu1996b** Mizuno, T.; Ohmori, T.; Kurokawa, K.; Akimoto, T.; Kitaichi, M.; Inoda, K.; Azumi, K.; Shimokawa, S.; Enyo, M. (1996b). Anomalous isotopic distribution of elements deposited on palladium induced by cathodic electrolysis. *Denki Kagaku oyubi Kogyo Butsuri Kagaku*, 64:1160–1165. In Japanese.

**Moiz1991** Moizhes, B. Ya. (1991). Formation of a compact D<sub>2</sub> molecule in interstitial sites - a possible explanation for cold nuclear fusion. *Sov. Tech. Phys. Lett.*, 17:540–541. Orig. in: Pis'ma Zh. Tekh. Fiz. 17 (1991) 15.

**Morg1990a** Morgan III, J. D. (1990). Comment on: Deuterium nuclear fusion at room temperature: a pertinent inequality on barrier penetration. *J. Chem. Phys.*, 93:6115–6617.

**Morg1990b** Morgan III, J. D.; Monkhurst, H. J. (1990). Simple model for accurate calculation of Coulomb-barrier penetration factors in molecular fusion rates. *Phys. Rev A*, 42:5175–5180.

**Mori1994** Morioka, S. (1994). Nuclear fusion triggered by positron annihilation at vacancies in deuterated metals. *Il Nuovo Cimento A*, 107:2755–2765.

**Morrey1990** Morrey, J. R.; Caffee, M. W.; H. I. V. Farrar; Hoffman, N. J.; Hudson, G. B.; Jones, R. H.; Kurz, M. D.; Lupton, J.; Oliver, B. M.; Ruiz, B. V.; Wacker, J. F.; Van Veen, A. (1990). Measurements of helium in electrolyzed palladium. *Fusion Technol.*, 18:659–668.

**Morr1989** Morrison, D. (1989). A view from CERN. *Physics World*, 2:17.

**Morr1990** Morrison, D. (1990). The rise and decline of cold fusion. *Physics World*, 3:35–38.

**Morr1991** Morrison, D. R. M. (1991). Review of cold fusion. *Sov. Phys. Usp.*, 34:1055–1060.

**Morr1994** Morrison, D. R. O. (1994). Comments on claims of excess enthalpy by Fleischmann and Pons using simple cells made to boil. *Phys. Lett. A*, 185:498–502.

**Mosi2009b** Mosier-Boss, A.; Szpak, S.; Gordon, F. E.; Forsley, L. P. G. (2009a). Characterization of tracks in CR-39 detectors obtained as a result of Pd/D Co-deposition. *Eur. Phys. J. Appl. Phys.*, 46:30901–p1–30901–p12.

**Mosi2010b** Mosier-Boss, P.; Dea, J. Y.; Forsley, L. P. G.; Morey, M. S.; Tinsley, J. R.; Hurley, J. P.; Gordon, F. E. (2010a). Comparison of Pd/D co-deposition and DT neutron generated triple tracks observed in CR-39 detectors. *Euro. Phys. J. Appl. Phys.*, 51:20901–p1–20901–p10.

**Mosi2015b** Mosier-Boss, P. A.; Forsley, L. P.; Gordon, F. E.; Letts, D.; Cravens, D.; Miles, M. H.; Swartz, M.; Dash, J.; Tanzella, F.; Hagelstein, P.; McKubre, M.; Bao, J. (2015a). Condensed matter nuclear reaction products observed in Pd/D co-deposition experiments. *Curr. Sci.*, 108:656–659.

**Mosi2016** Mosier-Boss, P. A.; Forsley, L. P.; McDaniel, P. J. (2016). Investigation of nano-nuclear reactions in condensed matter. Final Report. Technical report, DTRA (Defence Threat Reduction Agency) report.

**Mosi2015a** Mosier-Boss, P. A.; Forsley, L. P.; Roussetski, A. S.; Lipson, A. G.; Tanzella; Saunin, E. I.; McKubre, M.; Earle, B.; Zhou, D. (2015b). Use of CR-39 detectors to determine the branching ratio in Pd/D co-deposition. *Curr. Sci.*, 108:585–588.

**Mosi2011** Mosier-Boss, P. A.; Forsley, L. P. G.; Carbonelle, P.; Morey, M. S.; Tinsley, J. R.; Hurley, J. P.; Gordon, F. E. (2011). Comparison of SEM and optical analysis of DT neutron tracks in CR-39 detectors. In *Proc. SPIE 8142, Hard X-Ray, Gamma-Ray, and Neutron Detector Physics XIII, 81420K*. URL doi: 10.1117/12.896953. No page numbers.

**Mosi2012** Mosier-Boss, P. A.; Forsley, L. P. G.; Carbonelle, P.; Morey, M. S.; Tinsley, J. R.; Hurley, J. P.; Gordon, F. E. (2012). Comparison of SEM and optical analyses of DT neutron tracks in CR-39 detectors. *Radiat. Meas.*, 47:57–66.

**Mosi2010a** Mosier-Boss, P. A.; Gordon, F. E.; Forsley, L. P. G. (2010b). Characterization of energetic particles emitted during Pd/D co-deposition for use in a radioisotope thermoelectric generator (RTG). In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 119–135. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Mosi2008b** Mosier-Boss, P. A.; nd F. E. Gordon, S. Szpak; Forsley, L. P. G. (2008a). Detection of energetic particles and neutrons emitted during Pd/D co-deposition. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 311–334. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Mosi1999** Mosier-Boss, P. A.; Szpak, S. (1999). The Pd/(n)H system: transport processes and development of thermal instabilities. *Nuovo Cimento A*, 112:577–589.

**Mosi2007** Mosier-Boss, P. A.; Szpak, S.; Gordon, F. E.; Forsley, L. P. G. (2007). Use of CR-39 in Pd/D co-deposition

**Mosi2008a** Mosier-Boss, P. A.; Szpak, S.; Gordon, F. E.; Forsley, L. P. G. (2008b). Reply to comment on 'The use of CR-39 in Pd/D co-deposition experiments': a response to Kowalski. *Eur. Phys. J. Appl. Phys.*, 44:291–295.

**Mosi2009c** Mosier-Boss, P. A.; Szpak, S.; Gordon, F. E.; Forsley, L. P. G. (2009b). Characterization of neutrons emitted during Pd/D co-deposition. *J. Sci. Explor.*, 23(4):473–477.

**Mosi2009a** Mosier-Boss, P. A.; Szpak, S.; Gordon, F. E.; Forsley, L. P. G. (2009). Triple tracks in CR-39 as the result of Pd-D co-deposition: evidence of energetic neutrons. *Naturwiss.*, 96:135–142.

**Muel1989** Mueller, D.; Grisham, L. R. (1989). Nuclear reactions products that would appear if substantial cold fusion occurred. *Fusion Technol.*, 16:379–382.

**Mugu1990** Muguet, F. F.; Bassez-Muguet, M. P. (1990). Ab initio computations of one and two hydrogen or deuterium atoms in the palladium tetrahedral site. *J. Fusion Energy*, 9:383–389.

**Mukh1994** Mukherjee, D.; Wordsworth, A. (1994). Stress relieving of palladium foils, controls its electro-catalytic properties. *Tool & Alloy Steels*, pages 323–325.

**Mukh1990** Mukhopadhyay, R.; Dasannacharya, B. A.; Nandan, D.; Singh, A. J.; Iyer, R. M. (1990). Real time deuterium loading investigation in palladium using neutron diffraction. *Solid State Commun.*, 75:359–362.

**Murr1990** Murr, L. E. (1990). Palladium metallurgy and cold fusion: some remarks. *Scripta Metallurg. Mater.*, 24:783–786.

**Myer1990** Myers, S. M.; Follstaedt, D. M.; Schirber, J. E.; Richards, P. M. (1990). Search for cold fusion at D/Pd > 1 using ion implantation. *J. Fusion Energy*, 9:263–268.

**Myer1991** Myers, S. M.; Richards, P. M.; Follstaedt, D. M.; Schirber, J. E. (1991). Superstoichiometry, accelerated diffusion, and nuclear reactions in deuterium-implanted palladium. *Phys. Rev. B*, 43:9503–9510.

**Nage1998** Nagel, D. J. (1998). The status of 'cold fusion'. *Radiat. Phys. Chem.*, 51:653–668.

**Nage2000** Nagel, D. J. (2000). Fusion physics and philosophy. *Accountability Res.*, 8:137–155.

**Nage2015a** Nagel, D. J. (2015a). Energy gains from lattice-enabled nuclear reactions. *Curr. Sci.*, 108:641–645.

**Nage2015b** Nagel, D. J. (2015b). Lattice-enabled nuclear reactions in the nickel and hydrogen gas system. *Curr. Sci.*, 108:646–652.

**Naka1994** Nakamitsu, Y.; Chiba, M.; Fukushima, K.; Hirose, T.; Kubo, K.; Fujii, M.; Nakahara, H.; Seimiya, T.; Sueki, K.; Katada, M.; Baba, N.; Kamasaki, S.; Ikuta, S.; Endo, K.; Shirakawa, T. (1994). Study of cold nuclear fusion with electrolysis at low-temperature range. *Nuovo Cimento A*, 107:117–128.

**Naka1996** Nakamura, K.; Kawase, T.; Ogura, I. (1996). Possibility of element transmutation by arcing in water. *Kinki Daigaku Genshiyoku Kenkyusho Nenpo*, 33:25–31.

**Naka1990b** Nakazawa, M. (1990). Urtra low-level neutron counting. *Hoshasen*, 16(3):8–14.

**Naka1990a** Nakazawa, M.; Shibata, T.; Iguchi, T.; Akimoto, T.; Niimura, N.; Oyama, Y.; Aizawa, O. (1990). Cold fusion and low level neutron measurements. *Nihon Genshiryoku Gakkaishi*, 32:114–122. In Japanese.

**Naer1990** Närger, U.; Hayden, M. E.; Booth, J. L.; Hardy, W. N.; Whitehead, L. A.; Carolan, J. F.; Balzarini, D. A.; Wishnow, E. H.; Blake, C. C. (1990). High precision calorimetric apparatus for studying electrolysis reactions. *Rev. Sci. Instrum.*, 61:1504–1508.

**Nass1998** Nassisi, V. (1998). Transmutation of elements in saturated palladium hydrides by an XeCl excimer laser. *Fusion Technol.*, 33:468–475.

**Nass2000** Nassisi, V.; Longo, M. L. (2000). Experimental results of transmutation of elements observed in etched palladium samples by an excimer laser. *Fusion Technol.*, 37:247–252.

**Nedo1997** Nedospasov, A. V.; Mudetskaya, E. V. (1997). Comments on the possible nature of 'cold fusion' phenomena. *Fusion Technol.*, 31:121–122.

**Nefe1991** Nefedov, V. I. (1991). Cold nuclear fusion? *Vestnik Akad. Nauk SSSR*, (1):49–60. In Russian.

**Nich1996** Nicholson, J. P. (1996). A search for particle emission from a gas-loaded deuterium-palladium system in the alpha-beta phase. *Fusion Technol.*, 30:383–385.

**Nimtz1990** Nimtz, G.; Marquardt, P. (1990). A proposal for a lukewarm nuclear fusion. *Fusion Technol.*, 18:518.

**Nish1990** Nishizawa, K. (1990). Radiation Protection Aspects of cold fusion. *Hoken Butsuri*, 25:288–290. In Japanese.

**Nish1991** Nishizawa, K. (1991). Neutron measurements in cold fusion. *Hoshasen*, 17(1):4–12. In Japanese, Engl. abstr.

**Nomu1994** Nomura, K.; Akiba, E. (1994). Trial of nuclear fusion. *Busshtsu Kogaku Gijutsu Kenkyusho Hokoku*, 2(4):439–450.

**Noni1992** Noninski, V. C. (1992). Excess heat during the electrolysis of a light water solution of K<sub>2</sub>CO<sub>3</sub> with a nickel cathode. *Fusion Technol.*, 21:162–167.

**Noni1995a** Noninski, V. C.; Ciottone, J. L.; White, P. J. (1995a). Experiments on a possible gamma-ray emission caused by a chemical process. *J. Sci. Exploration*, 9:201–206.

**Noni1995b** Noninski, V. C.; Ciottone, J. L.; White, P. J. (1995b). Experiments on claimed beta-particle emission decay. *J. Sci. Exploration*, 9:317–321.

**Noni1996** Noninski, V. C.; Ciottone, J. L.; White, P. J. (1996). Experiments on claimed transmutation of elements caused by a chemical process. *J. Sci. Expl.*, 10:249–252.

**Noni1997** Noninski, V. C.; Ciottone, J. L.; White, P. J. (1997). On an experimental curiosity that if undetected may lead to erroneous far-reaching conclusions. *Fusion Technol.*, 31:248–250.

**Noni1991b** Noninski, V. C.; Noninski, C. I. (1991a). Comments on 'measurement and analysis of neutron and gamma-ray emission rates, other fusion products, and power in electrochemical cells having palladium cathodes'. *Fusion Technol.*, 19:579–580.

**Noni1991a** Noninski, V. C.; Noninski, C. I. (1991b). Determination of the excess energy obtained during the electrolysis of heavy water. *Fusion Technol.*, 19:364–368.

**Noni1993** Noninski, V. C.; Noninski, C. I. (1993). Notes on two papers claiming no evidence for the existence of excess energy during the electrolysis of 0.1M LiOD/D<sub>2</sub>O with palladium cathodes. *Fusion Technol.*, 23:474–476.

**Norde1989** Nordemann, D. J. R. (1989). Cold fusion and geophysics: the current situation. *Mineracao Metalurgia*, 53:51. In Portuguese.

**Nord1989** Nordlander, P.; Nørskov, J. K.; Besenbacher, F.; Myers, S. M. (1989). Multiple deuterium occupancy of vacancies in Pd and related metals. *Phys. Rev. B*, 40:1990–1992.

**Noto1993a** Notoya, R. (1993a). Cold fusion by electrolysis in a light water-potassium carbonate solution with a nickel electrode. *Fusion Technol.*, 24:202–204.

**Noto1993b** Notoya, R. (1993b). Current status of cold fusion research. *Genshiryoku Koyo*, 39(9):34–36. In Japanese.

**Noto1996** Notoya, R. (1996). Cold fusion arising from hydrogen evolution reaction on active metals in alkali metallic ions' solutions. *Env. Res. Forum*, 1-2:127–140.

**Noto1994** Notoya, R.; Noya, Y.; Ohnishi, T. (1994). Tritium generation and large excess heat evolution by electrolysis in light and heavy water-potassium carbonate solutions with nickel electrodes. *Fusion Technol.*, 26:179–183.

**Numa1997** Numata, H.; Fukuhara, M. (1997). Low-temperature elastic anomalies and heat generation of deuterated palladium. *Fusion Technol.*, 31:300–309.

**Ogur1990** Oguro, K. (1990). Hydrogen absorbing alloys and low-temperature nuclear fusion. *Zairyo*, 39(437):228–229. In Japanese.

**Oh1999** Oh, H. K. (1999). Some observations on the cavity of creation for cold fusion and the generation of heat. *J. Mater. Proc. Technol.*, 94:60–65.

**Ohas1989** Ohashi, H.; Morozumi, T. (1989). Decoding of thermal data in Fleischmann and Pons paper. *J. Nucl. Sci. Technol.*, 26:729–732.

**Ohmo1999** Ohmori, T. (1999). Reply to 'Comments on 'Transmutation in a gold-light water electrolysis system''. *Fusion Technol.*, 36:243.

**Ohmo2000b** Ohmori, T. (2000a). Recent development in solid state nuclear transmutation occurring by the electrolysis. *Curr. Topics Electrochem.*, 7:101–118.

**Ohmo2000a** Ohmori, T. (2000b). Reply to Comments on 'Transmutation in a gold-light water electrolysis system'. *Fusion Technol.*, 38:274–275.

**Ohmo1993** Ohmori, T.; Enyo, M. (1993). Excess heat evolution during electrolysis of H<sub>2</sub>O with nickel, gold, silver, and tin cathodes. *Fusion Technol.*, 24:293–295.

**Ohmo1997a** Ohmori, T.; Enyo, M.; Mizuno, T.; Nodasaka, Y.; Minagawa, H. (1997a). Transmutation in the electrolysis of lightwater - excess energy and iron production in a gold electrode. *Fusion Technol.*, 31:210–217.

**Ohmo1997c** Ohmori, T.; Mizuno, T. (1997). Nuclear transmutation occurring in the electrolysis on several metal electrodes. *Curr. Topics Electrochem.*, 5:37–70.

**Ohmo1998a** Ohmori, T.; Mizuno, T.; Kurokawa, K.; Enyo, M. (1998a). Nuclear transmutation reaction occurring during the light water electrolysis on Pd electrode. *Int. J. Soc. Mat. Eng. Resources*, 6(1):35–44.

**Ohmo1997b** Ohmori, T.; Mizuno, T.; Minagawa, H.; Enyo, M. (1997b). Low temperature nuclear transmutation forming iron on/in gold electrode during light water electrolysis. *J. Hydrogen Energy*, 22:459–463.

**Ohmo1998b** Ohmori, T.; Mizuno, T.; Nodasaka, Y.; Enyo, M. (1998b). Transmutation in a gold-light water electrolysis system. *Fusion Technol.*, 33:367–382.

**Ohmo2003** Ohmori, T.; Yamada, H.; Narita, S.; Mizuno, T.; Aoki, Y. (2003). Enrichment of 41K isotope in potassium formed on and in a rhenium electrode during plasma electrolysis in K<sub>2</sub>CO<sub>3</sub>/H<sub>2</sub>O and K<sub>2</sub>CO<sub>3</sub>/D<sub>2</sub>O solu-

- Ohms1989** Ohms, D.; Rahner, D.; Wiesener, K. (1989). Kernfusion in einer Elektrolysezelle? (Nuclear fusion in an electrolysis cell?). *Mitteilungsblatt - Chem. Ges. DDR*, 36:151–153. In German.
- Ohta1989** Ohta, T. (1989). Is cold fusion possible? A proposal of the concept of "surfusion". *Hyomen Kagaku*, 10(11):896–900. In Japanese.
- Oka1989b** Oka, Y.; Koshizuka, S.; Kondo, S. (1989a). D<sub>2</sub>O-fueled fusion power reactor using electrochemically induced deuterium-deuterium D-D<sub>n</sub>, D-D<sub>p</sub> and deuterium-tritium reactions - preliminary design of a reactor system. *Fusion Technol.*, 16:263–267.
- Oka1989a** Oka, Y.; Koshizuka, S.; Kondo, S. (1989b). Electrochemically induced deuterium-tritium fusion power reactor - preliminary design of a reactor system. *Fusion Technol.*, 16:260–262.
- Okab1993** Okabe, S. (1993). Some new scientific fields related to exoelectron emission and fracto-emission. *Poverkhnost. Fis. Khim. Mech.*, (7):34–42.
- Olay1998** Olayo, M. G.; Cruz, G. J.; Balderas, L.; Melendez, L.; Chavez, A.; Valencia, R.; Chavez, E.; Flores, A.; Lopez, R. (1998). Absorption of deuterium in titanium plates induced by electric discharges. *Int. J. Hydrogen Energy*, 23:885–890.
- Olem1990** Olemskoj, A. I.; Toropov, E. A. (1990). On the fluctuation theory of cold fusion. *Ukr. Fiz. Zh.*, 35:1619–1622. In Russian.
- Olof1991** Olofsson, G.; Wadsö, I.; Eberson, L. (1991). Design and testing of a calorimeter for measurements on electrochemical reactions with gas evolution. *J. Chem. Thermodyn.*, 23:95–104.
- Ono1991** Ono, H.; Takahashi, S.; Morisaki, H.; Yazawa, K. (1991). Absorption and desorption of hydrogen and deuterium into palladium. *Denki Tsushin Daigaku Kiyo*, 4:235–242. In Japanese, Engl. abstr.
- Oria1996** Oriani, R. A. (1996). An investigation of anomalous thermal power generation from a proton-conducting oxide. *Fusion Technol.*, 30:281–287.
- Oria1998** Oriani, R. A. (1998). Anomalous heavy atomic masses produced by electrolysis. *Fusion Technol.*, 34:76–80.
- Oria2002** Oriani, R. A.; Fisher, J. C. (2002). Generation of nuclear tracks during electrolysis. *Jpn. J. Appl. Phys.*, 41:6180–6183.
- Oria1990** Oriani, R. A.; Nelson, J. C.; Lee, S. K.; Broadhurst, J. H. (1990). Calorimetric measurements of excess power output during the cathodic charging of deuterium into palladium. *Fusion Technol.*, 18:652–658.
- Ota1997** Ota, K.; Kobayashi, T. (1997). Cold fusion and calorimetry. *Netsu Sokutei*, 24(3):138–145. In Japanese, Engl. abstr.
- Ota1998** Ota, K.; Kobayashi, T.; Motohira, N.; Kamiya, N. (1998). Effect of boron for the heat production during the heavy water electrolysis using palladium cathode. *Int. J. Soc. Mat. Eng. Resources*, 6(1):26–34.
- Ota1993** Ota, K.; Yoshitake, H.; Kamiya, N. (1993). Present status of cold fusion. *Hyomen Kagaku*, 14(9):570–573. In Japanese.
- Oyam1991** Oyama, N.; Hatozaki, O. (1991). Present and future of cold fusion - nuclear fusion induced by electrochemical reaction. *Oyo Butsuri*, 60:220–226. In Japanese.
- Oyam1990a** Oyama, N.; Ohsaka, T.; Hatozaki, O.; Kurasawa, Y.; Yamamoto, N.; Kasahara, S.; Ohta, N.; Imai, Y.; Oyama, Y.; Nakamura, T.; Shibata, T.; Imamura, M.; Uwamino, Y.; Shibata, S. (1990a). Electrochemical calorimetry of D<sub>2</sub>O electrolysis using a palladium cathode - an undivided, open cell system. *Bull. Chem. Soc. Japan*, 63:2659–2664.
- Oyam1990b** Oyama, N.; Yamamoto, N.; Hatozaki, O.; Ohsaka, T. (1990b). Probing absorption of deuterium into palladium cathodes during D<sub>2</sub>O electrolysis with an in situ electrochemical microbalance technique. *Jpn. J. Appl. Phys. Part 2*, 29:L818–L821.
- Oyam1990c** Oyama, Y. (1990). Very low level flux neutron measurement with an NE213 liquid scintillator. *Hoshasen*, 16:15–21. In Japanese.
- Pack1989** Packham, N. J. C.; Wolf, K. L.; Wass, J. C.; Kainthla, R. C.; Bockris, J. O. M. (1989). Production of tritium from D<sub>2</sub>O electrolysis at a palladium cathode. *J. Electroanal. Chem.*, 270:451–458.
- Pala1990** Palamalai, A.; Ahmed, A. G. Rafi; Sampath, M.; Chinnusamy, A.; Prasad, G. N.; Rao, K. S. Krishna; Sreedharan, O. M.; Raman, V. R.; Balasubramanian, G. R. (1990). Preliminary experimental studies on electrochemically induced fusion of deuterium. *Trans. SAEST*, 25:73–80.
- Pali1991** Palibroda, E.; Glück, P. (1991). Cold nuclear fusion in thin foils of palladium. *J. Radioanal. Nucl. Chem. Lett.*, 154:153–161.
- Pall1990** Palleschi, V.; Harith, M. A.; Salvetti, G.; Singh, D. P.; Vaselli, M. (1990). A plasma model of the process of cold nuclear fusion in metals. *Phys. Lett. A*, 148:345–350.
- Pane1927c** Paneth, F. (1927a). Recent experiments on the transmutation of hydrogen into helium. *Naturwiss.*, 15:379.

- Pane1926a** Paneth, F.; Peters, K. (1926a). On the transmutation of hydrogen into helium. *Ber.*, 59:2039–2048. In German.
- Pane1926b** Paneth, F.; Peters, K. (1926b). On the transmutation of hydrogen to helium. *Naturwiss.*, 14:956–962. In German.
- Pane1927a** Paneth, F.; Peters, K.; Günther, P. (1927). On the transmutation of hydrogen into helium. *Ber.*, 60:808–809. In German.
- Pari1990** Parish, T. A.; Perry, R. T.; Wilson, W. B. (1990). Neutron sources and spectra from cold fusion. *J. Fusion Energy*, 9:479–481.
- Park1993** Park, A. E. (1993). Some thoughts on a simple mechanism for the  $2\text{H} + 2\text{H} \rightarrow 4\text{He}$  cold fusion reaction. *Fusion Technol.*, 24:319–323.
- Park1989** Park, Y. W.; Yoon, C. O.; Yoon, M. Y.; Kim, J. C. (1989). The observation of 2.2 MeV gamma-rays in an electrochemical cell. *Sae Mulli*, 29:231–232. In Korean.
- Parmer1989** Parmenter, R. H.; Lamb Jr, W. E. (1989). Cold fusion in metals. *Proc. Natl. Acad. Sci. USA*, 86:8614–8616.
- Parmer1990b** Parmenter, R. H.; Lamb Jr, W. E. (1990a). Cold fusion in palladium: a more realistic calculation. *Proc. Natl. Acad. Sci. USA*, 87:8652–8654.
- Parmer1990a** Parmenter, R. H.; Lamb Jr, W. E. (1990b). More cold fusion in metals: corrected calculations and other considerations. *Proc. Natl. Acad. Sci. U.S.A.*, 87:3177–3179.
- Parmi1989** Parmigiani, F.; Sona, P. G. (1989). Theoretical considerations on the cold nuclear fusion in condensed matter. *Nuovo Cimento Soc. Ital. Fis. D*, 11:913–919.
- Pase1990** Paseka, I.; Vondrak, J. (1990). Cold nuclear fusion. *Chem. Listy*, 84:897–908. In Czech, Engl. abstract.
- Paul1989** Pauling, L. (1989). Explanations of cold fusion. *Nature*, 339:105.
- Perf1989** Perfetti, P.; Cillico, F.; Felici, R.; Capozi, M.; Ippoliti, A. (1989). Neutron emission under particular nonequilibrium conditions from palladium and titanium electrolytically charged with deuterium. *Nuovo Cimento Soc. Ital. Fis. D*, 11:921–926.
- Pero1989** Peroni, P. (1989). Cold fusion: what's going on? *Nature*, 338:711.
- Pete1989** Petelenz, P. (1989). Hypothetical D-D bound states in solid palladium. *Acta Phys. Polon. A*, 75:929–933.
- Petr1989b** Petrasso, R. D.; Chen, X.; Wenzel, K. W.; Parker, R. R.; Li, C. K.; Fiore, C. (1989a). Measurement of gamma-ray from cold fusion. *Nature*, 339:667–669.
- Petr1989a** Petrasso, R. D.; Chen, X.; Wenzel, K. W.; Parker, R. R.; Li, C. K.; Fiore, C. (1989b). Problems with the gamma-ray spectrum in the Fleischmann et al experiments. *Nature*, 339:183–185.
- Petr1991** Petrii, O. A.; Tsirlina, G. A.; Simonov, E. F.; Safonov, V. A.; Lapshina, E. V. (1991). Attempts to detect electrochemical cold nuclear fusion by determining the excess tritium. *Sov. Electrochem.*, 27:1240–1248.
- Petr1989** Petrillo, C.; Sacchetti, F. (1989). A possible mechanism for bulk cold fusion in transition metal hydrides. *Europhys. Lett.*, 10:15–18.
- Phil2008b** Phillips, J.; Chen, C.-K. (2008). Evidence of catalytic production of hot atomic hydrogen in RF generated hydrogen/helium plasmas. *Int. J. Hydrogen Energy*, 33(23):7185–7196.
- Phil2007** Phillips, J.; Chen, C.-K.; Akhtar, K.; Dhandapani, B.; Mills, R. (2007). Evidence of catalytic production of hot hydrogen in RF generated hydrogen/argon plasmas. *International Journal of Hydrogen Energy*, 32(14):3010–3025.
- Phil2008a** Phillips, J.; Chen, C.-K.; Mills, R. L. (2008). Evidence of energetic reactions between hydrogen and oxygen species in RF generated H<sub>2</sub>O plasmas. *Int. J. Hydrogen Energy*, 33(10):2419–2432.
- Phil2004** Phillips, J.; Mills, R. L.; Chen, X. (2004). Water bath calorimetric study of excess heat generation in “resonant transfer” plasmas. *Journal of Applied Physics*, 96(6):3095–3102.
- Pica1989** Picasso, L. E. (1989). Fusione: Fredda o calda? (Fusion; cold or hot?). *Acciaio Inoss.*, 56(2):5. In Italian.
- Pinc1992** Pinch, T. J. (1992). Opening black boxes: Science, technology and society. *Social Studies of Science*, 22:487–510.
- Pokr1990** Pokropivnii, V. V.; Ogorodnikov, V. V. (1990). The bineutron model of cold nuclear fusion in metals. *Sov. Tech. Phys. Lett.*, 16(111):819–821. Orig. in: Pis'ma Zh. Teor. Fiz. 16(21) (1990) 31 (in Russian).
- Pokr1993** Pokropivnyi, V. V. (1993). Bineutron theory of cold nuclear fusion. *Dokl. Akad. Nauk. Ukr.*, (4):86–92. In Russian, Engl. abstr.
- Pons1990** Pons, S.; Fleischmann, M. (1990). Calorimetric measurements of the palladium/deuterium system: fact and fiction. *Fusion Technol.*, 17:669–679.

**Pons1992** Pons, S.; Fleischmann, M. (1992). Concerning the detection of neutron and gamma-rays from cells containing palladium cathodes polarized in heavy water. *Nuovo Cimento A*, 105:763–772.

**Pons1996** Pons, S.; Fleischmann, M. (1996). Etalonnage du systeme Pd-D<sub>2</sub>O: effets de protocole et feed-back positif. (Calibration of the Pd-D<sub>2</sub>O system: protocol and positive feed-back effects). *J. Chim. Phys.*, 93:711–730. In French, Eng. abstr.

**Pori1989** Porile, N. (1989). Cold fusion as the subject of a final exam in honors general chemistry. *J. Chem. Educ.*, 66:932–933.

**Port1990** Porter, J. D.; Shihab-Eldin, A. A.; Bossy, H.; Echegaray, F. J.; Nitschke, J. M.; Prussin, S. G.; Rasmussen, J. O.; Stoyer, M. A. (1990). Limits on electromagnetic and particle emission from palladium-D<sub>2</sub>O electrolytic cells. *J. Fusion Energy*, 9:319–327.

**Powe1990** Powell, G. L.; JS, I. V. Bullock; Hallman, R. L.; Horton, P. J.; Hutchinson, D. P. (1990). The preparation of palladium for cold fusion experiments. *J. Fusion Energy*, 9:355–357.

**Pozw1997** Pozwolski, A. E. (1997). Comments on composite electrolytes and cold fusion. *Fusion Technol.*, 31:120–121.

**Prat1992** Prati, P.; Ricco, G.; Taiuti, M.; Boragno, C.; Eggenhoffner, R.; Valbusa, U. (1992). Search for neutron emission from titanium-deuterium systems. *Nuovo Cimento A*, 105:293–299.

**Pre11990** Prelas, M.; Boody, F.; Gallaher, W.; Leal-Quiros, E.; Mencin, D.; Taylor, S. (1990). Cold fusion experiments using Maxwellian plasmas and sub-atmospheric deuterium gas. *J. Fusion Energy*, 9:309–313.

**Pre11989** Prelas, M. A. (1989). Advanced energy conversion methods for cold fusion. *Fusion Technol.*, 16:240–242.

**Prem1989** Premuda, F. (1989). Cold fusion: what's going on? *Nature*, 338:712.

**Prem1998** Premuda, F. (1998). Coulomb barrier total screening by Bose-Einstein-condensed deuterium in palladium blisters and reaction chains in high-density hysteresis. *Fusion Technol.*, 33:350–366.

**Prep1991b** Preparata, G. (1991a). A new look at solid-state fractures, particle emission and 'cold' nuclear fusion. *Nuovo Cimento Soc. Ital. Fis. A*, 104:1259–1263.

**Prep1991a** Preparata, G. (1991b). Some theories of 'cold' nuclear fusion: a review. *Fusion Technol.*, 20:82–92.

**Prep1996** Preparata, G.; Scorletti, M.; Verpelli, M. (1996). Isoperibolic calorimetry on modified Fleischmann-Pons cells. *J. Electroanal. Chem.*, 411:9–18.

**Pric1990** Price, P. B. (1990). Search for high-energy ions from fracture of LiD crystals. *Nature*, 343:542–542.

**Pric1993** Price, P. B. (1993). Advances in solid state nuclear track detectors. *Nucl. Tracks Radiat. Meas.*, 22(1-4):9–21.

**Pric1989** Price, P. B.; Barwick, S. W.; Williams, W. T.; Porter, J. D. (1989). Search for energetic-charged-particle emission from deuterated Ti and Pd foils. *Phys. Rev. Lett.*, 63:1926–1929.

**Pyun1994** Pyun, S.; Lim, C.; Kim, K. B. (1994). An investigation of the electrochemical kinetics of deuterium insertion into a Pd membrane electrode in 0.1M LiOD solution by the a.c. impedance technique. *J. Alloys Comp.*, 203:149–156.

**Qin1991** Qin, G.; Peng, Q.; Fu, J.; Zhang, L.; Zhang, B. (1991). Evolution of hydrogen (deuterium) in palladium-hydrogen (deuterium) system and the distribution of hydrogen near the surface. *Wuli Xuebao*, 40(6):943–948. In Chinese, Engl. abstr.

**Qiu1991** Qiu, W.; Dong, Q.; Gan, F. (1991). Positron lifetime studies on systems of palladium filled galvanostatically with hydrogen or deuterium. *Nucl. Sci. Techniques*, 2(3):157–163.

**Qiu1992** Qiu, W. C.; Dong, Q. H.; Gan, F. X.; Wang, S. J. (1992). PAS studies on the new topic: Cold nuclear fusion. *Mat. Sci. Forum*, 105-110:1961–1964.

**Quic1991** Quick, J. E.; Hinkley, T. K.; Reimer, G. M.; Hedge, C. E. (1991). Tritium concentrations in the active Pu'u O'o crater, Kilauea volcano, Hawaii: implications for cold fusion in the Earth's interior. *Phys. Earth Planet. Interior*, 69:132–137.

**Quic1993** Quickenden, T. I.; Green, T. A. (1993). A calorimetric study of the electrolysis of D<sub>2</sub>O and H<sub>2</sub>O at palladium cathodes. *J. Electroanal. Chem.*, 344:167–185.

**Rabi1989** Rabinowitz, M. (1989). A theoretical framework for cold fusion mechanisms. *EPRI J.*, (Jul/Aug):42–44. Reprinted in IEEE Power Eng. Rev., (Nov-89) 8–10.

**Rabi1990b** Rabinowitz, M. (1990). High temperature superconductivity and cold fusion. *Mod. Phys. Lett. B*, 4:233–247.

**Rabi1990a** Rabinowitz, M.; Worledge, D. H. (1990). An analysis of cold and lukewarm fusion. *Fusion Technol.*, 17:344–349.

**Rafe1991** Rafelski, H. E.; Harley, D.; Shin, G. R.; Rafelski, J. (1991). Cold fusion: muon-catalyzed fusion. *J. Phys. B*, 24:1469–1516.

**Rafe1990** Rafelski, J.; Sawicki, M.; Gajda, M.; Harley, D. (1990). How cold fusion can be catalyzed. *Fusion Technol.*

- Ragh1989** Ragheb, M.; Miley, G. H. (1989). On the possibility of deuteron disintegration in electrochemically compressed deuterium ion ( $D^+$ ) in a palladium cathode. *Fusion Technol.*, 16:243–247.
- Ragh1990** Ragheb, M.; Miley, G. H. (1990). Deuteron disintegration in condensed media. *J. Fusion Energy*, 9:429–435.
- Raja1989** Rajagopalan, S. R. (1989). Cold fusion produces more tritium than neutrons. *Curr. Sci.*, 58:1059–1062.
- Rajan1991** Rajan, K. G.; Mudali, U. K.; Dayal, R. K.; Rodriguez, P. (1991). Electromigration approach to verify cold fusion effects. *Fusion Technol.*, 20:100–104.
- Ramb1992** Rambaut, M. (1992). Double screened Coulomb barrier accounts for neutrons productions in cluster and other fusion experiments. *Phys. Lett. A*, 164:155–163.
- Rand1989** Rand McNally Jr., J. (1989). On the possibility of a nuclear mass-energy resonance in deuterium + deuterium reactions at low energy. *Fusion Technol.*, 16:237–239.
- Rang1989** Rangarajan, S. K. (1989). Electrochemically induced cold fusion? A commentary. *Curr. Sci.*, 58:598–599.
- Rant1990** Rant, J.; Ilić, R.; Skvarč, J.; Šutej, T.; Budnar, M.; Miklavžič, U. (1990). Methods for in-situ detection of cold fusion in condensed matter. *Kerntechnik*, 55:165–167.
- Rao1996** Rao, K. R.; Chaplot, S. L. (1996). Computer experiments concerning palladium-deuterium and titanium-deuterium lattices - implications to phenomenon of low-energy nuclear reaction. *Fusion Technol.*, 30:355–362.
- Ratk1989** Ratkje, S. K.; Hafskjold, B. (1989). Local heat effects by electrolysis of heavy water. *J. Electroanal. Chem.*, 273:269–273.
- Ray1992** Ray, M. K. S.; Saini, R. D.; Das, D.; Chatopadhyay, G.; Parthasarathy, R.; Garg, S. P.; Venkataramani, R.; Sen, B. K.; Iyengar, T. S.; Kutty, K. K.; Wagh, D. N.; Bajpai, H. N.; Iyer, C. S. P. (1992). The Fleischmann-Pons phenomenon - a different perspective. *Fusion Technol.*, 22:395–399.
- Rede1990** Redey, L.; Myles, K. M.; Dees, D.; Krumpelt, M.; Vissers, D. R. (1990). Calorimetric measurements on electrochemical cells with Pd-D cathodes. *J. Fusion Energy*, 9:249–256.
- Rees1991** Rees, L. B. (1991). What do we know? What do we think? *J. Fusion Energy*, 10:111–116.
- Rehm1990** Rehm, K. E.; Kutschera, W.; Perlow, G. J. (1990). Search for protons from the  $2H(d,p)3H$  reaction in an electrolytic cell with palladium-platinum electrodes. *Phys. Rev. C: Nucl. Phys.*, 41:45–49.
- Reif1994** Reifenschweiler, O. (1994). Reduced radioactivity of tritium in small titanium particles. *Phys. Lett. A*, 184:149–153.
- Reif1996** Reifenschweiler, O. (1996). Some experiments on the decrease of tritium radioactivity. *Fusion Technol.*, 30:261–272.
- Reif1997** Reifenschweiler, O. J. A. (1997). About the possibility of decreased radioactivity of heavy nuclei. *Fusion Technol.*, 31:291–299.
- Rice1990a** Rice, R. A.; Chulik, G. S.; Kim, Y. E.; Yoon, J. H. (1990). The role of velocity distribution in cold deuterium-deuterium fusion. *Fusion Technol.*, 18:147–150.
- Rice1994** Rice, R. A.; Kim, Y. E. (1994). Comments on 'Electron transitions on deep Dirac levels I'. *Fusion Technol.*, 26:110–111.
- Rice1990b** Rice-Evans, P.; Evans, H. (1990). Search for neutrons from cold nuclear fusion. *Eur. J. Phys.*, 11:251–252.
- Rich1989** Richards, P. M. (1989). Molecular-dynamics investigation of deuteron separation in PdD<sub>1.1</sub>. *Phys. Rev. B*, 40:7966–7968.
- Rieker1991** Rieker, A.; Speiser, B.; Mangold, K. M.; Hanack, M. (1991). Potential error sources in combined electrochemistry/neutron detection experiments. *Z. Naturforsch. B*, 46:1125–1125.
- Rile1992** Riley, A. M.; Seader, J. D.; Pershing, D. W. (1992). An in-situ volumetric method for dynamically measuring the absorption of deuterium in palladium during electrolysis. *J. Electrochem. Soc.*, 139:1342–1347.
- Ritl1990** Ritley, K. A.; Dull, P. M.; Weber, M. H.; Carroll, M.; Hurst, J. J.; Lynn, K. G. (1990). The behavior of electrochemical cell resistance: a possible application to cold fusion experiments. *Fusion Technol.*, 17:699–703.
- Ritl1991** Ritley, K. A.; Lynn, K. G.; Dull, P.; Weber, M. H.; Carroll, M.; Hurst, J. J. (1991). A search for tritium production in electrolytically deuterided palladium. *Fusion Technol.*, 19:192–195.
- Ritt1990** Rittner, E. S.; Meulenbergh Jr, A. (1990). A chemical interpretation of heat generated in 'cold fusion'. *J. Fusion Energy*, 9:377–381.
- Robe1992** Roberts, D. A.; Becchetti, F. D.; Ashktorab, K.; Stewart, D.; Jaenecke, J.; Gustafson, H. R.; Dueweke, M. J. (1992). Deuterated liquid scintillator (NE230) as a fast neutron detector for cold fusion and other research. *IEEE Trans. Nucl. Sci.*, 39(4):529–535.

**Robe1990** Roberts, D. A.; Becchetti, F. D.; Ben-Jacob, E.; Garik, P.; Musser, J.; Orr, B.; Tarle, G.; Tomasch, A.; Holder, J. S.; Redina, D.; Heuser, B.; Wicker, G. (1990). Energy and flux limits of cold fusion neutrons using a deuterated liquid scintillator. *Phys. Rev. C*, 42:R1809–R1813.

**Robe2009** Robertson, N.; Saito, H.; Yurkovic, J.; Zakskorn, S. (2009). Field assisted electroplating. *J. Sci. Explor.*, 23(4):452–455.

**Rock1990** Rock, P. A.; Fink, W. H.; McQuarrie, D. A.; Volman, D. H.; Hung, Y. F. (1990). Energy balance in the electrolysis of water with a palladium cathode. *J. Electroanal. Chem.*, 293:261–267.

**Roge1989a** Rogers, V. C.; Sandquist, G. M. (1989). Isotopic hydrogen fusion in metals. *Fusion Technol.*, 16:254–259.

**Roge1990** Rogers, V. C.; Sandquist, G. M. (1990). Cold fusion reaction products and their measurement. *J. Fusion Energy*, 9:483–485.

**Roge1989b** Rogers, V. C.; Sandquist, G. M.; Nielson, K. K. (1989). Deuterium concentration and cold fusion rate distributions in palladium. *Fusion Technol.*, 16:523–525.

**Roli1991** Rolison, D. R.; O’Grady, W. E. (1991). Observation of elemental anomalies at the surface of palladium after electrochemical loading of deuterium or hydrogen. *Anal. Chem.*, 63:1697–1702.

**Roli1990** Rolison, D. R.; Trzaskoma, P. P. (1990). Morphological differences between hydrogen-loaded and deuterium-loaded palladium as observed by scanning electron microscopy. *J. Electroanal. Chem.*, 287:375–383.

**Romo1991** Romodanov, V. A.; Savin, V. I.; Shakhurin, M. V.; Chernyavskii, V. T.; Pustovit, A. E. (1991). Nuclear fusion in the solid state. *Sov. Phys. Tech. Phys.*, 36(5):572–574. Orig. in: Zh. Tekh. Fiz. 61 (1991) 122–125.

**Rosa1991** Rosamilia, J. M.; Abys, J. A.; Miller, B. (1991). Electrochemical hydrogen insertion into palladium and palladium-nickel thin films. *Electrochim. Acta*, 36:1203–1208.

**Rose1989** Rosen, G. (1989). Deuterium nuclear fusion at room temperature: a pertinent inequality on barrier penetration. *J. Chem. Phys.*, 91:4415–4416.

**Rose1990** Rosen, G. (1990). Groundstate thermalization of hydrogen isotopes in certain metals: enhancement of p+d and d+d nuclear fusion rates by Bethe-Bloch polarization. *Hadronic J.*, 13:255–261.

**Ross1989** Ross, K.; Bennington, S. (1989). Solid state fusion (?). *Physics World*, 2:15–16.

**Roes1989** Rössler, O. E.; Becker, J.; Hoffmann, M.; Nadler, W. (1989). Fermi gas like hypothesis for Fleischmann-Pons experiments. *Z. Naturforsch. A*, 44:329.

**Rote1991** Rotegard, D. (1991). Fusion, cold fusion, and space policy. *Space Power*, 10:205–215.

**Roth1990** Roth, J.; Behrisch, R.; Möller, W.; Ottenberger, W. (1990). Fusion reactions during low energy deuterium implantation into titanium. *Nucl. Fusion*, 30:441.

**Rous1992** Rousseau, D. L. (1992). Case studies in pathological science. *Amer. Scientist*, 80(Jan-Feb):54–63.

**Rout1991a** Rout, R. K.; Shyam, A.; Srinivasan, M.; Bansal, A. (1991a). Copious low energy emissions from palladium loaded with hydrogen or deuterium. *Indian J. Technol.*, 29:571–578.

**Rout1996** Rout, R. K.; Shyam, A.; Srinivasan, M.; Garg, A. B.; Shrikhande, V. K. (1996). Reproducible, anomalous emissions from palladium deuteride/hydride. *Fusion Technol.*, 30:273–280.

**Rout1993** Rout, R. K.; Shyam, A.; Srinivasan, M.; Krishnan, M. S. (1993). Update on observation of low-energy emissions from deuterated and hydrated palladium. *Indian J. Technol.*, 31:551–554.

**Rout1991b** Rout, R. K.; Srinivasan, M.; Shyam, A.; Chitra, V. (1991b). Detection of high tritium activity on the central titanium electrode of a plasma focus device. *Fusion Technol.*, 19:391–394.

**Ruga1991** Rugari, S. L.; France, R. H.; Lund, B. J.; Smolen, S. D.; Zhao, Z.; Gai, M.; Lynn, K. G. (1991). Upper limits on emission of neutrons from Ti in pressurized D2 gas cells: A test of evidence for ‘cold fusion’. *Phys. Rev. C*, 43:1298–1313.

**Ruso1989** Rusov, V. D.; Zelentsova, T. N.; Semenov, M. Yu.; Radin, I. V.; Babikova, Yu. F. (1989). Fast neutron recording by dielectric track detectors in a palladium-deuterated -tritiated water system in an electrolytic cell. *Pis’mya Zh. Tekh. Fiz.*, 15(19):9–13. In Russian.

**Russ1990** Russell Jr, J. L. (1990). Plausibility argument for a suggested mechanism for cold fusion. *Ann. Nucl. Energy*, 17:545–548.

**Russ1991b** Russell Jr, J. L. (1991a). Proposed heat producing nuclear reaction for cold fusion. *Ann. Nucl. Energy*, 18:305–308.

**Russ1991a** Russell Jr, J. L. (1991b). Virtual electron capture in deuterium. *Ann. Nucl. Energy*, 18:75–79.

**Russ1993** Russell Jr, J. L. (1993). On the nature of the cold fusion process. *Ann. Nucl. Energy*, 20:227–228.

**Russ1992** Russell Jr, J. L. (1992). Low energy nuclear reactions and the search for cold fusion. *Ann. Nucl. Energy*, 25:2059–2070.

**Ruzi1989** Ruzic, D. N.; Schatz, K.; Nguyen, P. L. (1989). A novel apparatus to investigate the possibility of plasma-assisted cold fusion. *Fusion Technol.*, 16:251–253.

**Sada1997** Sada, H. (1997). Theory of nuclear reactions in solids. *Fusion Technology*, 32:107–125.

**Sahn1990** Sahni, V. C. (1990). Comment on 'Cold fusion in condensed matter: is a theoretical description in terms of usual solid state physics possible?'. *Mod. Phys. Lett. B*, 4:497–498.

**Sait1990** Saito, N.; Sakuta, K.; Sawata, S.; Tanimoto, M.; Takata, N. (1990). Search for cold-fusion neutrons from palladium breathing deuterons. *Denshi Gijutsu Sogo Kenkyusho Iho*, 54(9):986–1004. In Japanese, Eng. abstr.

**Sait1991** Saito, N.; Sakuta, K.; Sawata, S.; Tanimoto, M.; Takata, N. (1991). Measurement of neutrons from cold fusion. *Hoshasen*, 17(1):31–36. In Japanese, Engl. abstr.

**Saka1996** Sakamoto, Y.; Imoto, M.; Takai, K.; Yanaru, T.; Ohshima, K. (1996). Calorimetric enthalpies for palladium-hydrogen (deuterium) systems at H(D) contents up to about  $[H]/[D]/[Pd] = 0.86$ . *J. Phys.: Condens. Mater.*, 8:3229–3244.

**Sala1990** Salamon, M. H.; Wrenn, M. E.; Bergeson, H. E.; Crawford, K. C.; Delaney, W. H.; Henderson, C. L.; Li, Y. Q.; Rusho, J. A.; Sandquist, G. M.; Seltzer, S. M. (1990). Limits on the emission of neutrons, gamma-rays, electrons and protons from Pons/Fleischmann electrolytic cells. *Nature*, 344:401–405.

**Sams1996** Samsonenko, N. V.; Tahti, D. V.; Ndahayo, F. (1996). On the Barut-Vigier model of the hydrogen atom. *Phys. Lett. A*, 220:297–301.

**Sams1997** Samsonenko, N. V.; Tahti, D. V.; Ndahayo, F. (1997). Reply to the comment on 'On the Barut-Vigier model of the hydrogen atom' by Samsonenko et al. *Phys. Lett. A*, 229:133–134.

**Sanc1989** Sanchez, C.; Sevilla, J.; Escarpizo, B.; Fernandez, F. J.; Canizares, J. (1989). Nuclear products detection during electrolysis of heavy water with titanium and platinum electrodes. *Solid State Commun.*, 71:1039–143.

**Sand1990** Sandquist, G. M.; Rogers, V. C. (1990). Enhancement of cold fusion reaction rates. *J. Fusion Energy*, 9:351–354.

**Sank1996** Sankaranarayanan, T. K.; Srinivasan, M.; Bajpai, M. B.; Gupta, D. S. (1996). Investigation of low-level tritium generation in Ni-H<sub>2</sub>O electrolytic cells. *Fusion Technol.*, 30:349–354.

**Sann1991** Sannikov, V. I.; Gorodetskii, V. G.; Sulimov, E. M.; Polosukhin, B. G.; Kudyakov, V. Ya. (1991). Emission of neutrons and gamma-quanta from a titanium electrode polarised by a current in the gas phase over LiD. *Rasplavy*, (4):86–89. In Russian.

**Sant1989a** Santhanam, K. S. V.; Ragurajan, J.; Braganza, O. N.; Haram, S. K.; Limaye, N. M.; Mandal, K. C. (1989a). Electrochemically initiated cold fusion of deuterium. *Indian J. Technol.*, 27:175–177.

**Sant1989b** Santhanam, K. S. V.; Ragurajan, J.; Mandal, K. C.; Haram, S. K. (1989b). Excess enthalpy during electrolysis of D<sub>2</sub>O. *Curr. Sci.*, 58:1139–1141.

**Sapo1997** Sapogin, L. G. (1997). Energy generation processes and cold nuclear fusion in terms of Schroedinger equation. *Chin. J. Nucl. Phys.*, 19(2):115–120.

**Sapo1995** Sapogin, L. G.; Kulikov, I. V. (1995). Cold nuclear fusion in the unitary quantum theory. *Chinese J. Nucl. Phys.*, 17:360–370.

**Sarg2013** Sarg-Sargoylev, S. (2013). Physics of cold fusion with the BSMÄSSG atomic models. *The General Science Journal*, pages 1–23. URL <http://gsjournal.net/Science-Journals/Essays/View/5281>.

**Sarg2014** Sarg-Sargoylev, S. (2014). Nickel-hydrogen cold fusion by intermediate Rydberg state of hydrogen: selection of the isotopes for energy optimization and radioactive waste minimization. *The General Science Journal*, pages 1–16. URL <http://gsjournal.net/Science-Journals/Essays/View/5281>.

**Sasa1990** Sasaki, A. (1990). An approach to cold fusion. *Kenkyu Kiyo - Miyagi Kogyo Koto Senmom Gakko*, 26:47–50. In Japanese.

**Sast1989** Sastry, K. S. R. (1989). Fusion reaction. *Science*, 244:904.

**Sato1991** Sato, T.; Okamoto, M.; Kim, P.; Fujii, Y.; Aizawa, O. (1991). Detection of neutrons in electrolysis of heavy water. *Fusion Technol.*, 19:357–363.

**Savi1990** Savinell, R. F.; Burney, Jr.; HS, . (1990). Report of the electrolytic industries for the year 1989. *J. Electrochem. Soc.*, 137:485C–503C.

**Savv1996a** Savvatimova, I. B.; Karabut, A. B. (1996a). Nuclear reaction products detected at the cathode after a glow discharge in deuterium. *Poverkhnost'*, (1):63–75. In Russian.

**Savv1996b** Savvatimova, I. B.; Karabut, A. B. (1996b). Radioactivity of palladium cathodes after irradiation in a glow discharge. *Poverkhnost'*, (1):76–81. In Russian.

**Scari1993** Scaramuzzi, F. (1993). La fusione fredda quattro anni dopo (Cold fusion four years later). *Chim. Ind. (Milano)*.

- Scar2000** Scaramuzzi, F. (2000). Ten years of cold fusion: an eye-witness account. *Accountability Res.*, 8:77–92.
- Schi1990** Schilling, K. D.; Gippner, P.; Seidel, W.; Stary, F.; Wohlfarth, D. (1990). Search for charged-particle emission from deuterated palladium foils. *Z. Phys. A: At. Nucl.*, 336:1–4.
- Schi1989** Schirber, J. E.; Butler, M. A.; Ginley, D. S.; Ewing, R. I. (1989). Search for cold fusion in high-pressure deuterium-loaded titanium and palladium metal and deuteride. *Fusion Technol.*, 16:397–400.
- Schn1989** Schneider, J. H. (1989). How a rectangular potential in Schroedinger's equation could explain some experimental results on cold nuclear fusion. *Fusion Technol.*, 16:377–378.
- Scho1989** Schommers, W.; Politis, C. (1989). Cold fusion in condensed matter: is a theoretical description in terms of usual solid state physics possible? *Mod. Phys. Lett. B*, 3:597–604.
- Schr1989** Schrieder, G.; Wipf, H.; Richter, A. (1989). Search for cold nuclear fusion in palladium-deuterium. *Z. Phys. B: Condens. Matter*, 76:141–142.
- Schu2002** Schulte, U. (2002). Die 'Kalte Kernfusion' - ein wissenschaftlicher Artifakt. *Deutsche Apotheker Zeitung*, 142(14):77–79. In German.
- Schu1989a** Schultze, J. W.; König, U.; Hochfeld, A.; Van Calker, C.; Kies, W. (1989a). Electrochemically induced nuclear fusion in a solid? *Nachr. Chem., Tech. Lab.*, 37:707–719. In German.
- Schu1989b** Schultze, J. W.; König, U.; Hochfeld, A.; Van Calker, C.; Kies, W. (1989b). Prospects and problems of electrochemically induced cold nuclear fusion. *Electrochim. Acta*, 34:1289–1313.
- Schw1990b** Schwinger, J. (1990a). Cold fusion: a hypothesis. *Z. Naturforsch. A*, 45:756.
- Schw1990a** Schwinger, J. (1990b). Nuclear energy in an atomic lattice. 1. *Z. Phys. D: At., Mol. Clusters*, 15:221–225.
- Schw1991b** Schwinger, J. (1991a). Cold fusion: Does it have a future? In *Springer Procs. in Physics (Evolutionary Trends in the Physical Sciences)* (edited by M. Suzuki; R. Kubo), volume 57, pages 171–175. Springer Verlag, Heidelberg.
- Schw1991a** Schwinger, J. (1991b). Nuclear energy in an atomic lattice. *Prog. Theor. Phys.*, 85:711–712.
- Scot1990a** Scott, C. D.; Mrochek, J. E.; Scott, T. C.; Michaels, G. E.; Newman, E.; Petek, M. (1990a). Measurement of excess heat and apparent coincident increases in the neutron and gamma-ray count rates during the electrolysis of heavy water. *Fusion Technol.*, 18:103–114.
- Scot1990b** Scott, C. E.; Greenbaum, E.; Michaels, G. E.; Mrochek, J. E.; Newman, E.; Petek, M.; Scott, T. C. (1990b). Preliminary investigation of possible low-temperature fusion. *J. Fusion Energy*, 9:115–119.
- Seel1990** Seeliger, D. (1990). Physical problems of the investigations into nuclear fusion in condensed media. *Isotopen-praxis*, 26:384–395. In German.
- Seel1991b** Seeliger, D. (1991). Theoretical limits of nuclear fusion in condensed matter. *Acta Phys. Hung.*, 69:257–267.
- Seel1991a** Seeliger, D.; Meister, A. (1991). A simple plasma model for the description of d-d fusion in condensed matter. *Fusion Technol.*, 19:2114–2118.
- Seel1989** Seeliger, D.; Wiesener, K.; Meister, A.; Marten, H.; Ohms, D.; Rahner, D.; Schwierz, R.; Wüstner, P. (1989). Search for DD-fusion neutrons during heavy water electrolysis. *Electrochim. Acta*, 34:991–993.
- Segr1990** Segre, S. E.; Atzeni, S.; Briguglio, S.; Romanelli, F. (1990). A mechanism for neutron emission from deuterium trapped in metals. *Europhys. Lett.*, 11:201–206.
- Seif1991** Seifritz, W. (1991). No end to cold fusion (Kalte Fusion und kein Ende). *GIT Fachz. Lab.*, 35:114–118. In German.
- Seif2003** Seifritz, W. (2003). (Letter to the Editor). *Int. J. Hydrogen Energy*, 28:357.
- Seit1989** Seitz, R. (1989). Fusion in from the cold? *Nature*, 339:185.
- Sevi1991** Sevilla, J.; Fernandez, F.; Escarpizo, B.; Sanchez, C. (1991). Some characteristics of titanium and palladium samples used in cold fusion experiments. *Fusion Technol.*, 19:188–191.
- Shah1992** Shaheen, M.; Ragheb, M. (1992). Anomalous deuteron to hydrogen ratio in naturally occurring fission reactions and the possibility of deuteron disintegration. *J. Radioanal. Nucl. Chem.*, 158:323–342.
- Shan2002** Shanahan, K. (2002). A systematic error in mass flow calorimetry demonstrated. *Thermochim. Acta*, 387:95–100.
- Shan2005** Shanahan, K. (2005). Comments on 'Thermal behavior of polarized Pd/D electrodes prepared by co-deposition'. *Thermochim. Acta*, 428:207–212.
- Shan2006** Shanahan, K. L. (2006). Reply to 'Comments on papers by K. Shanahan that propose to explain anomalous heat generated by cold fusion'. *Thermochim. Acta*, 441:210–214.
- Shan2010** Shanahan, K. L. (2010). Comments on "A new look at low-energy nuclear reaction research". *J. Environ.*

- Shan1989** Shani, G.; Cohen, C.; Grayevsky, A.; Brokman, A. (1989). Evidence for a background neutron enhanced fusion in deuterium absorbed palladium. *Solid State Commun.*, 72:53–57.
- Shan1995** Shanley, E. S. (1995). The simplest explanation... *Chem. Health Saf.*, 2(2):4.
- Shap1989** Shapovalov, V. L. (1989). Test for additional heat evolution in electrolysis of heavy water with palladium cathode. *JETP*, 50:117–119.
- Shaw1989** Shaw, G. L.; Shin, M.; Bland, R. W.; Fonda, L.; Matis, H. S.; Pugh, H. G.; Slansky, R. (1989). Scenario for cold fusion by free quark catalysis. *Nuovo Cimento Soc. Ital. Fis. A*, 102:1441–1447.
- She1997** Shelton, D. S.; Hansen, L. D.; Thorne, J. M.; Jones, S. E. (1997). An assessment of claims of 'excess heat' in 'cold fusion' calorimetry. *Thermochim. Acta*, 297:7–15.
- Shen1991** Shen, G.; Li, S.; Jing, W.; Sui, Q.; Li, Z.; Yang, Z. (1991). The efficiency calculation of a low background neutron detection system. *Yuanzinen Kexue Jishu (Atomic Energy Science and Technology)*, 25:93–96. In Chinese, Engl. abstr.
- Shib1993** Shibata, T. (1993). Critical points for the evaluation of measured results on cold fusion. *Oyo Buturi*, 62(7):715–716. In Japanese.
- Shib1992** Shibata, T.; Imamura, M.; Shibata, S.; Uwamino, Y.; Ohkubo, T.; Satoh, S.; Yamakoshi, K.; Oyama, N.; Ohsaka, T.; Yamamoto, N.; Hatozaki, O.; Niimura, N. (1992). A low background neutron measuring system and its application to the detection of neutrons produced by the D<sub>2</sub>O electrolysis. *Nucl. Instrum. Methods Phys. Res. A*, 316:337–342.
- Shih1989** Shihab-Eldin, A. A.; Rasmussen, J. O.; Justice, M.; Stoyer, M. A. (1989). Cold fusion: effects of possible narrow nuclear resonance. *Mod. Phys. Lett. B*, 3:965–969.
- Shim1989** Shimamura, I. (1989). Intramolecular nuclear fusion in hydrogen-isotope molecules. *Prog. Theor. Phys.*, 82:304–314.
- Shio1999** Shioe, Y.; Mondal, N. N.; Chiba, M.; Hirose, T.; Fujii, M.; Nakahara, H.; Sueki, K.; Shirakawa, T.; Utsumi, M. (1999). Measurement of neutron production rate regarding the quantity of LiNbO<sub>3</sub> in the fracturing process under D<sub>2</sub> atmosphere. *Nuovo Cimento A*, 112:1059–1066.
- Shir1991** Shirai, O.; Kihara, S.; Sohrin, Y.; Matsui, M. (1991). Some experimental results relating to cold nuclear fusion. *Bull. Inst. Chem. Res., Kyoto Univ.*, 69:550–559.
- Shir1993** Shirakawa, T.; Chiba, M.; Fujii, M.; Sueki, K.; Miyamoto, S.; Nakamitu, Y.; Toriumi, H.; Uehara, T.; Miura, H.; Watanabe, T.; Fukushima, K.; Hirose, T.; Seimiya, T.; Nakahara, H. (1993). A neutron emission from lithium niobate fracture. *Chem. Lett.*, pages 897–900.
- Shke1996** Shkedi, Z. (1996). Response to "Comments on 'calorimetry, excess heat, and Faraday efficiency in Ni-H<sub>2</sub>O electrolytic cells'". *Fusion Technol.*, 30:133.
- Shke1995** Shkedi, Z.; McDonald, R. C.; Breen, J. J.; Maguire, S. J.; Veranth, J. (1995). Calorimetry, excess heat, and Faraday efficiency in Ni-H<sub>2</sub>O electrolytic cells. *Fusion Technol.*, 28:1720–1731.
- Shma1995** Shmal'ko, Yu. F.; Lototsky, M. V.; Klochko, Ye. V.; Solovey, V. V. (1995). The formation of excited H species using metal hydrides. *J. Alloys Compds*, 231:856–859.
- Shoh1990** Shohoji, N. (1990). Unique features of hydrogen in palladium metal lattice: hints for discussing the possible occurrence of cold nuclear fusion. *J. Mater. Sci. Lett.*, 9:231–232.
- Shun1991** Shunjin, W. (1991). Effect of Coulomb screening on deuterium-deuterium fusion cross section. *Gaoneng Wuli Yu Hewuli*, 15(8):761–764. In Chinese.
- Shya2000** Shyam, A. (2000). Strange behavior of tritiated natural water. *Fusion Technol.*, 37:264.
- Shya1998** Shyam, A.; Kaushik, T. C. (1998). Absence of neutron emission during interaction of deuterium with metal at low energies. *Pramana*, 50:75–83.
- Silv1993** Silver, D. S.; Dash, J.; Keefe, P. S. (1993). Surface topography of a palladium cathode after electrolysis in heavy water. *Fusion Technol.*, 24:423–430.
- Silv1990** Silvera, I. F.; Moshary, E. (1990). Deuterated palladium at temperatures from 4.3 to 400K and pressures to 105 kbar: search for cold fusion. *Phys. Rev. B*, 42:9143–9146.
- Sima1990** Simanek, E. (1990). Quantum tunnelling through a fluctuating barrier. Enhancement of cold-fusion rate. *Physica A (Amsterdam)*, 164:147–168.
- Sinh1989** Sinha, B.; Viyogi, Y. P.; Chattopadhyaya, S.; Mazumdar, M. R. D.; Murthy, G. S. N.; Muthukrishnan, G.; Bandyopadhyaya, T.; Trivedi, M. D.; Ghosh, D.; Srivastava, D. K.; Sen, P. (1989). Observations of neutron bursts in electrolysis of heavy water. *Indian J. Technol.*, 27:275–277.
- Sinh2015** Sinha, K. P. (2015). Model of low energy nuclear reactions in a solid matrix with defects. *Curr. Sci.*, 108:516–518.
- Siiod1994** Sioda, R. (1994). Cavity ion metal (hohlraum) limited-radiation effect and law. *Curr. Topics Electrochem..*

- Siod1989** Sioda, R. E. (1989). Heat effects during room-temperature electrolysis of deuterium oxide. *Bull. Electrochem.*, 5:902–904.
- Siod1992** Sioda, R. E.; Fahidy, T. Z. (1992). A simplified approach to the thermal behaviour of electrolytic Dewar cell calorimeters. *J. Appl. Electrochem.*, 22:347–350.
- Slan1989** Slanina, Z. (1989). Towards molecular-thermodynamic aspects of postulated Pd/D low-temperature nuclear fusion: a useful example of a failure of the conventional translation partition function. *Thermochim. Acta*, 156:285–290.
- Smil1996** Smilga, A. V.; Smilga, V. P. (1996). A small physical effect. *Ross. Khim. Zh.*, 40(3):122–126. In Russian.
- Sobk1990** Sobkowski, J. (1990). Cold fusion - facts and opinions. *Wiad. Chem.*, 44:587–602. In Polish.
- Sobo1990** Sobotka, L. G.; Winter, P. (1990). Fracture without fusion. *Nature*, 343:601.
- Sohl1990** Sohlberg, K.; Szalewicz, K. (1990). Fusion rates for deuterium in titanium clusters. *Phys. Lett. A*, 144:365–370.
- Soif1990** Soifer, V. N.; Goryachev, V. A.; Salyuk, A. N.; Sergeyev, F. (1990). Neutron yield in heavy-water electrolysis. *Sov. Phys. Dokl.*, 35(6):546–548. Orig. in: Dokl. Akad. Nauk. SSSR 312 (1990) 860–863, in Russian.
- Son2005** Son, S.; Fisch, N. J. (2005). Pycnonuclear reaction and possible chain reactions in an ultra-dense DT plasma. *Physics Lett. A*, 337:397–407.
- Sona1990a** Sona, P. G.; Ferrari, M. (1990). The possible negative influence of dissolved O<sub>2</sub> in cold nuclear fusion experiments. *Fusion Technol.*, 18:678–679.
- Sona1990b** Sona, P. G.; Parmigiani, F.; Barberis, F.; Battaglia, A.; Berti, R.; Buzzanca, G.; Capelli, A.; Capra, D.; Ferrari, M. (1990). Preliminary tests on tritium and neutrons in cold nuclear fusion within palladium cathodes. *Fusion Technol.*, 17:713–717.
- Song1997** Song, X.; Liu, J. (1997). Cold fusion and its lessons. *Juaxue Tongbao*, (1):54–58. In Chinese.
- Sout1990** Southon, J. R.; Stark, J. W.; Vogel, J. S.; Waddington, J. C. (1990). Upper limit for neutron emission from cold deuteron-triton fusion. *Phys. Rev. C: Nucl. Phys.*, 41:R1899–R1900.
- Soyf1992** Soyfer, V. N.; Goryachev, V. A.; Salyuk, A. N.; Sergeyev, A. F. (1992). Neutron emission during heavy water electrolysis. *Appl. Radiat. Isot.*, 43:1041–1044.
- Spei1989** Speiser, B.; Rieker, A. (1989). Energy from electrochemically induced nuclear fusion? *Nachr. Chem. Tech. Lab.*, 37:616–618. In German.
- Spin1990** Spinrad, B. I. (1990). On cold fusion. *Fusion Technol.*, 17:343.
- Srin1991** Srinivasan, M. (1991). Nuclear fusion in an atomic lattice: An update on the international status of cold fusion research. *Curr. Sci.*, 60:417–439.
- Srin2009a** Srinivasan, M. (2009a). Observation of high multiplicity neutron emission events from deuterated Pd and Ti samples at BARC: a review. *J. Sci. Explor.*, 23(4):477–482.
- Srin2009b** Srinivasan, M. (2009b). Observation of neutrons and tritium in a wide variety of lenr configurations: BARC results revisited. *J. Sci. Explor.*, 23(4):483–491.
- Srin2010** Srinivasan, M. (2010). Wide-ranging studies on the emission of neutrons and tritium by LENR configurations: an historical review of the early BARC results. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 35–57. Oxford University Press, Washington, USA. ISBN 9780841224544.
- Srin2015c** Srinivasan, M. (2015a). Introduction to isotopic shifts and transmutations observed in LENR experiments. *Curr. Sci.*, 108:624–627.
- Srin2015b** Srinivasan, M. (2015b). Observation of neutrons and tritium in the early BARC cold fusion experiments. *Curr. Sci.*, 108:619–623.
- Srin2015a** Srinivasan, M.; Editors, A. Meulenberg Guest (2015). Preface - Low energy nuclear reactions . *Curr. Sci.*, 108:491–494.
- Sriv2010** Srivastava, Y. N.; Widom, A.; Larsen, L. (2010). A primer for electro-weak induced low energy nuclear reactions. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 253–270. Oxford University Press, Washington, USA. ISBN 9780841224544.
- Stac1989** Stacey Jr, W. M. (1989). Reactor prospects of muon-catalyzed fusion of deuterium and tritium concentrated in transition metals. *Fusion Technol.*, 16:268–278.
- Ste11990** Steinert, C. (1990). Laser-induced 'semicold' fusion. *Fusion Technol.*, 17:206–208.
- Stel1995** Stella, B.; Celani, F.; Corradi, M.; Ferrarotto, F.; Iucci, N.; Milone, V.; Spallone, A.; Villoresi, G. (1995). A high efficiency, low background neutron and gamma detector for cold fusion experiments. *Nucl. Instrum.*

**Stil1990** Stilwell, D. E.; Park, K. H.; Miles, M. H. (1990). Electrochemical calorimetric studies on the electrolysis of water and heavy water ( $D_2O$ ). *J. Fusion Energy*, 9:333–336.

**Stop1991** Stoppini, G. (1991). Coulomb screening in superconducting PdH. *Il Nuovo Cimento D*, 13:1181–1188.

**Stop1998** Stoppini, G. (1998). Nuclear processes in hydrogen-loaded metals. *Fusion Technol.*, 34:81–85.

**Stor1991b** Storms, E. (1991). Review of experimental observations about the cold fusion effect. *Fusion Technol.*, 20:433–477.

**Stor1993** Storms, E. (1993). Measurements of excess heat from a Pons-Fleischmann-type electrolytic cell using palladium sheet. *Fusion Technol.*, 23:230–245.

**Stor1994** Storms, E. (1994). Warming up to cold fusion. *Techology Review*, (May/June):20–29.

**Stor1995** Storms, E. (1995). Cold fusion, a challenge to modern science. *J. Sci. Exploration*, 9:585–594.

**Stor1996b** Storms, E. (1996a). How to produce the Pons-Fleischmann effect. *Fusion Technol.*, 29:261–268.

**Stor1996a** Storms, E. (1996b). Review of the 'cold fusion' effect. *J. Sci. Expl.*, 10:185–241.

**Stor2006** Storms, E. (2006). Comments on papers by K. Shanahan that propose to explain anomalous heat generated by cold fusion. *Thermochim. Acta*, 441:207–209.

**Stor2008** Storms, E. (2008). How to explain cold fusion? In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 85–98. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Stor2010** Storms, E. (2010). Status of cold fusion (2010). *Naturwiss.*, 97:861–881.

**Stor2013** Storms, E. (2013). Efforts to explain low-energy nuclear reactions. *Naturwiss.*, 100:1103.

**Stor2015a** Storms, E. (2015a). How the explanation of LENR can be made consistent with observed behaviour and natural laws. *Curr. Sci.*, 108:531–534.

**Stor2015b** Storms, E. (2015b). Introduction to the main experimental findings of the LENR field. *Curr. Sci.*, 108:535–539.

**Stor1990** Storms, E.; Talcott, C. (1990). Electrolytic tritium production. *Fusion Technol.*, 17:680–695.

**Stor1991a** Storms, E.; Talcott-Storms, C. (1991). The effect of hydriding on the physical structure of palladium and on the release of contained tritium. *Fusion Technol.*, 20:246–257.

**Stre1999** Stremmenos, C. (1999). Fusione fredda. Un dibattito che prosegue (Cold fusion. A debate that continues). *Chim. Ind.*, 81:361–363. In Italian.

**Stri2010** Stringham, R. S. (2010). Sonofusion, deuterons to helium experiments. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 159–173. Oxford University Press, Washington, USA. ISBN 9780841224544.

**stro1993** Stroka, A.; Baranowski, B.; Filipek, S. M. (1993). Search for  $^3He$  and  $^4He$  in Pd-D<sub>2</sub> system long term cumulation experiment in high pressure. *Pol. J. Chem.*, 67:353–354.

**Stuk1993** Stukan, P. A.; Rumyantsev, Yu. M.; Shishkov, A. V. (1993). Generation of hard radiation and accumulation of tritium during electrolysis of heavy water. *High Energy Chem.*, 27:461–465.

**Stuk1996** Stukan, R. A.; Rumyantsev, Yu. M. (1996). Effect of tritium on the generation of hard radiation in the electrolysis of  $D_2O$  with a palladium cathode (T-D cold fusion reactions). *High Energy Chem.*, 30:343–346.

**Suga1996** Sugakov, V. I. (1996). Conditions for inducing, dynamics and manifestation of atom acceleration in nonequilibrium crystals. *Ukr. Fiz. Zh.*, 41:834–839. In Ukrainian, Engl. abstr.

**Sull1994** Sullivan, D. L. (1994). Exclusionary epideictic: NOVA's narrative excommunication of Fleischmann and Pons. *Sci., Technol. & Human Values*, 19:283–306.

**Sun1992** Sun, D. L.; Lei, Y. Q.; Chen, Y. L.; Wu, J.; Wang, Q. D.; Lu, X. N. (1992). A study of existing forms of deuterium in palladium by positron lifetime spectroscopy. *Chinese Sci. Bull.*, 37:1073–1075.

**Sun1993** Sun, D. L.; Lei, Y. Q.; Wu, J.; Wang, Q. D.; Wang, R. (1993). An explanation for the abnormal temperature rise of palladium cathode during electrochemical deuterium charging. *Science in China A*, 36:1501–1508.

**Sun1999** Sun, Y.; Yang, Q.-D.; Zhang, Q.-F. (1999). Application of real time surveillance technique to precision calorimetry system. *Sichuan Lianhe Daxue Xuebao, Gongcheng Kexueban (J. Sichuan Union Univ., Eng. Sci. Ed.)*, 3(6):119–122. In Chinese, Engl. abstr.

**Sun2003** Sun, Y.; Zhang, Q. F.; Gou, Q. Q. (2003). The crystal change and 'excess heat' produced by long time electrolysis of heavy water with titanium cathode. *Chin. J. At. Mol. Phys.*, 20:69–74.

**Sun1989** Sun, Z.; Tomanek, D. (1989). Cold fusion: how close can deuterium atoms come inside palladium? *Phys. Rev.*

- Sund1989** Sundqvist, B. U. R.; Håkansson, P.; Hedin, A.; Bucur, R. V.; Johansson, B.; Wäppling, R. (1989). On the observation of charged particles in cold fusion. *Phys. Scr.*, 40:303–306.
- Swar1997c** Swartz, M. (1997a). Codeposition of palladium and deuterium. *Fusion Technol.*, 32:126–130.
- Swar2009b** Swartz, M. (2009a). Excess heat and electrical characteristics of type "B" anode-plate high-impedance phusor LANR devices. *J. Sci. Explor.*, 23(4):491–495.
- Swar1992** Swartz, M. R. (1992). Quasi-one-dimensional model of electrochemical loading of isotopic fuel into a metal. *Fusion Technol.*, 22:296–300.
- Swar1997a** Swartz, M. R. (1997b). Consistency of the biphasic nature of excess enthalpy in solid-state anomalous phenomena with the quasi-one-dimensional model of isotope loading into a material. *Fusion Technol.*, 31:63–74.
- Swar1997b** Swartz, M. R. (1997c). Phusons in nuclear reactions in solids. *Fusion Technol.*, 31:228–236.
- Swar2009a** Swartz, M. R. (2009b). Survey of the observed excess energy and emissions in lattice assisted nuclear fusion. *J. Sci. Explor.*, 23(4):419–436.
- Swar2015** Swartz, M. R.; Verner, G. M.; Tolleson, J. W.; Hagelstein, P. L. (2015). Dry, preloaded NANOR®-type CF/LANR components. *Curr. Sci.*, 108:595–600.
- Swit1991** Switendick, A. C. (1991). Electronic structure and stability of palladium hydrogen (deuterium) systems, PdH(D)<sub>n</sub>, 1 ≤ n ≤ 3. *J. Less-Common Met.*, 172–174:1363–1370.
- Szal1989** Szalewicz, K.; III, J. D. Morgan; Monkhurst, H. J. (1989). Fusion rates for hydrogen isotopic molecules of relevance for 'cold fusion'. *Phys. Rev. A: Gen. Phys.*, 40:2824–2827.
- Szef1992** Szeplinski, Z.; Kozlowski, M.; Osuch, S.; Sawicki, P.; Szeplinska, G.; Wilhelm, Z.; Starowieyski, K. B.; Tkacz, M. (1992). Upper limit of neutron emission from the chemical reaction of LiD with heavy water. *Phys. Lett. A*, 168:83–86.
- Szpa1991b** Szpak, S.; Gabriel, C. J.; Smith, J. J.; Nowak, R. J. (1991a). Electrochemical charging of Pd rods. *J. Electroanal. Chem.*, 309:273–292.
- Szpa2001** Szpak, S.; Mosier, P. A.; Chubb, S. R. (2001). Cold fusion. *C & EN*, 24(December):5.
- Szpa1996b** Szpak, S.; Mosier-Boss, P. A. (1996). On the behavior of the cathodically polarized Pd/D system: a response to Vigier's comments. *Phys. Lett. A*, 221:141–143.
- Szpa1998b** Szpak, S.; Mosier-Boss, P. A. (1998). On the release of n/1H from cathodically polarized palladium electrodes. *Fusion Technol.*, 34:273–278.
- Szpa1994** Szpak, S.; Mosier-Boss, P. A.; Boss, R. D. (1994). Comments on the analysis of tritium content in electrochemical cells. *J. Electroanal. Chem.*, 373:1–9.
- Szpa1998a** Szpak, S.; Mosier-Boss, P. A.; Boss, R. D.; Smith, J. J. (1998). On the behavior of the Pd/D system: Evidence for tritium production. *Fusion Technol.*, 33:38–51.
- Szpa2007** Szpak, S.; Mosier-Boss, P. A.; Gordon, F. E. (2007). Further evidence of nuclear reactions in the Pd/D lattice: emission of charged particles. *Naturwiss.*, 94:511–514.
- Szpa1999** Szpak, S.; Mosier-Boss, P. A.; Miles, M. (1999). Calorimetry of the Pd+D codeposition. *Fusion Technol.*, 36:234–241.
- Szpa2004** Szpak, S.; Mosier-Boss, P. A.; Miles, M. H.; Fleischmann, M. (2004). Thermal behavior of polarized Pd/D electrodes prepared by co-deposition. *Thermochim. Acta*, 410:101–107.
- Szpa1992** Szpak, S.; Mosier-Boss, P. A.; Scharber, S. R. (1992). Charging of the Pd/(n)H system: role of the interphase. *J. Electroanal. Chem.*, 337:147–163.
- Szpa1991a** Szpak, S.; Mosier-Boss, P. A.; Smith, J. J. (1991b). On the behavior of Pd deposited in the presence of evolving deuterium. *J. Electroanal. Chem.*, 302:255–260.
- Szpa1996a** Szpak, S.; Mosier-Boss, P. A.; Smith, J. J. (1996). On the behavior of the cathodically polarized Pd/D system: Search for emanating radiation. *Phys. Lett. A*, 210:382–390.
- Szpa2005b** Szpak, S.; Mosier-Boss, P. A.; Young, C.; Gordon, F. E. (2005a). The effect of an external electric field on surface morphology of co-deposited Pd/D films. *J. Electroanal. Chem.*, 580:284–290.
- Szpa2005a** Szpak, S.; Mosier Boss, P. A.; Young, C.; Gordon, F. E. (2005b). Evidence of nuclear reactions in the Pd lattice. *Naturwiss.*, 92:394–397.
- Tabe1990a** Tabet, E.; Tenenbaum, A. (1990a). A dynamical model for cold fusion in deuterated palladium. *Fusion Technol.*, 18:143–146.
- Tabe1990b** Tabet, E.; Tenenbaum, A. (1990b). Nuclear reactions from lattice collapse in a cold fusion model. *Physics Lett. A*, 144:301–305.

**Tach1991** Tachikawa, E. (1991). Outline of room temperature nuclear fusion. *Genshiryoku Kogyo*, 37(4):11–20. In Japanese.

**Taji1990** Tajima, T.; Iyetomi, H.; Ichimaru, S. (1990). Influence of attractive interaction between deuterons in Pd on nuclear fusion. *J. Fusion Energy*, 9:437–440.

**Taka1991** Takagi, R.; Numata, H.; Ohno, I.; Kawamura, K.; Haruyama, S. (1991). Neutron emission during a long-term electrolysis of heavy water. *Fusion Technol.*, 19:2135–2139.

**Takah1989a** Takahashi, A. (1989a). Opening possibility of deuteron-catalyzed cascade fusion channel in PdD under D<sub>2</sub>O electrolysis. *J. Nucl. Sci. Technol.*, 26:558–560.

**Takah1992b** Takahashi, A. (1992). Cold fusion research: Recent progress. *Kaku Yugo Kenkyu*, 68(4):360–367.

**Takah1993b** Takahashi, A. (1993a). Cold fusion research: present status. *Kon Gakkaishi*, 19(5):179–185. In Japanese.

**Takah1993a** Takahashi, A. (1993b). Production of neutron, tritium and excess heat. *Oyo Butsuri*, 62:707–709. In Japanese.

**Takah1996** Takahashi, A. (1996). Recent results and activities on the new hydrogen energy ("cold fusion"). *Suiso Enerugi Shisutemu*, 21:39–44. In Japanese, Eng. abstr.

**Taka2010** Takahashi, A. (2010). The basics of deuteron-cluster dynamics as shown by a Langevin equation. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 193–217. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Taka2013** Takahashi, A. (2013). Physics of cold fusion by TSC theory. *J. Phys. Sci. Appl.*, 3:191–198.

**Taka2015** Takahashi, A. (2015). Development status of condensed cluster fusion theory. *Curr. Sci.*, 108:514–515.

**Takah1998a** Takahashi, A.; Fukuoka, H.; Yasuda, K.; Taniguchi, M. (1998a). Experimental study on correlation between excess heat and nuclear products by D<sub>2</sub>O/Pd electrolysis. *Int. J. Soc. Mat. Eng. Resources*, 6(1):4–13.

**Takah1991** Takahashi, A.; Iida, T.; Maekawa, F.; Sugimoto, H.; Yoshida, S. (1991). Windows of cold nuclear fusion and pulsed electrolysis experiments. *Fusion Technol.*, 19:380–390.

**Takah1995** Takahashi, A.; Iida, T.; Miyamaru, H.; Fukuhara, M. (1995). Multibody fusion model to explain experimental results. *Fusion Technol.*, 27:71–85.

**Takah1992a** Takahashi, A.; Iida, T.; Takeuchi, T.; Mega, A. (1992). Excess heat and nuclear products by D<sub>2</sub>O/Pd electrolysis and multibody fusion. *Int. J. Appl. Electromagn. Mater.*, 3:221–230.

**Takah1999** Takahashi, A.; Maruta, K.; Ochiai, K.; Miyamaru, H. (1999). Detection of three-body deuteron fusion in titanium deuteride under the stimulation by a deuteron beam. *Phys. Lett. A*, 255:89–97.

**Takah1998b** Takahashi, A.; Maruta, K.; Ochiai, K.; Miyamaru, H.; Iida, T. (1998b). Anomalous enhancement of three-body deuteron fusion in titanium-deuteride with low-energy D<sup>+</sup> beam implantation. *Fusion Technol.*, 34:256–272.

**Takah1990a** Takahashi, A.; Takeuchi, T.; Iida, T.; Watanabe, M. (1990). Emission of 2.45 MeV and higher energy neutrons from D<sub>2</sub>O-Pd cell under biased-pulse electrolysis. *J. Nucl. Sci. Technol.*, 27:663–666.

**Taka2008** Takahashi, A.; Yabuuchi, N. (2008). Study on 4D/tetrahedral symmetrical condensate condensation motion by non-linear Langevin equation. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 57–83. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.

**Takah1990b** Takahashi, H. (1990a). Dynamical screening of potential by mobile deuteron and fusion rate of accelerated deuteron in PdDx. *J. Fusion Energy*, 9:441–445.

**Takah1989b** Takahashi, Y. (1989b). Present status and future problems of cold nuclear fusion. *Kagaku Kogaku*, 53:608–609. In Japanese.

**Takah1989c** Takahashi, Y. (1989c). Room temperature nuclear fusion. *Gendai Kagaku*, 223:48–54. In Japanese.

**Takah1990c** Takahashi, Y. (1990b). After effects of the cold nuclear fusion experiments. *Kagaku (Kyoto)*, 45:54–55. In Japanese.

**Takat1989** Takata, N.; Kaneko, H.; Nozaki, K.; Sakuta, K.; Tanimoto, M. (1989). A preliminary attempt to measure neutrons from cold fusion. *Densi Gijutsu Kenkyusho Iho*, 53:1438–1447. In Japanese.

**Take1991** Takeda, T. (1991). Theory of room temperature nuclear fusion. *Genshiryoku Kogyo*, 37(4):40–48. In Japanese.

**Take1989** Takeda, T.; Takizuka, T. (1989). Fractofusion mechanism. *J. Phys. Soc. Jpn*, 58:3073–3076.

**Tale2010** Talevarkhan, R. P.; West, C. D.; Lahey Jr., R. T.; Nigmatulin, R. I.; Block, R. C.; Cho, J. S.; Xu, Y. (2010). Recent advances and results in acoustic inertial confinement bubble nuclear fusion. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 2)* (edited by J. Marwan; S. Krivit), volume 2, pages 139–157. Oxford University Press, Washington, USA. ISBN 9780841224544.

**Tama1990** Tamayo, J. M. M.; Rivas, J. M.; Celis, B. Z.; Garcia, F. P. R.; Penalosa, O. N. (1990). Experiments on cold fusion at IMP. *Rev. Inst. Min. Metall. Inst. Min. Metall.*, 22:42–47. In Spanish.

**Tana1992** Tanaka, M. (1992). Parametric enhancement of the tunneling transmission through a potential barrier. *J. Nucl. Sci. Technol.*, 29:1129–1132.

**Tani1990a** Taniguchi, N.; Baba, S.; Kawamura, K.; Gamo, T. (1990a). Conditions for cold nuclear fusion. *Nippon Kagaku Kaishi*, (9):992–998. In Japanese.

**Tani1990c** Taniguchi, R.; Yamamoto, T. (1990). High sensitivity measurement of charged particles using a silicon surface barrier detector. *Hoshasen*, 16:29–35. In Japanese.

**Tani1989** Taniguchi, R.; Yamamoto, T.; Irie, S. (1989). Detection of charged particles emitted by electrolytically induced cold nuclear fusion. *Jap. J. Appl. Phys.*, 28:L2021–L2023.

**Tani1990b** Taniguchi, R.; Yamamoto, T.; Irie, S. (1990b). Fine structure of the charged particle bursts induced by D<sub>2</sub>O electrolysis. *Bull. Univ. Osaka Prefect., Ser A*, 39(2):233–240.

**Tate1991** Tateno, H.; Iwashita, Y. (1991). An attempt to observe nuclear fusion in titanium by internal friction. *Jpn. J. Appl. Phys. Suppl.*, 30–31:41–42.

**Tayl1989** Tayler, K. (1989). Fusion of 1947? *Nature*, 339:346.

**Tayl1991** Taylor, C. A. (1991). Defining the scientific community: A rhetorical perspective on demarcation. *Commun. Monogr.*, 58:402–420.

**Tenn2013** Tennfors, E. (2013). On the idea of low-energy nuclear reactions in metallic lattices by producing neutrons from protons capturing "heavy" electrons. *Eur. Phys. J. Plus*, 128:1–4. Article 15.

**Tesc1990** Tesch, S. (1990). Yet again 'cold' nuclear fusion. *Radio. Fernsehen Elektro. (East Ger.)*, 39:53–54. In German.

**Thac1995** Thacker, B.; Stratman, J. E. (1995). Transmuting common substances. The cold fusion controversy and the rhetoric of science. *J. Business Tech. Commun.*, 9:389–424.

**Thom1991** Thomassen, K. I. (1991). What do we know? What do we think? *J. Fusion Energy*, 10:123–124.

**Thom1990** Thompson, D. T. (1990). A report from the meeting in Salt Lake City. *Platinum Metals Rev.*, 34:136–141.

**Tian1992** Tian, Z. Q. (1992). A proposal for a cold fusion study in the Ti/D system. *Fusion Technol.*, 21:92–94.

**Tima1989** Timashev, S. F. (1989). Possible mechanisms for nuclear-chemical transformations in a palladium matrix during heavy water electrolysis. *Russ. J. Phys. Chem.*, 63:1258–1259. Orig. in: Zh. Fiz. Khim. 63 (1989) 2283 (in Russian).

**Tima1995** Timashev, S. F. (1995). Nuclear-chemical transformations in the condensed phase. *Zh. Fiz. Khim.*, 69:1396–1400. In Russian.

**Tise1993a** Tisenko, Yu. A. (1993a). Possible ways to achieve cold fusion. I. *Sov. Phys. J.*, 36:764–768.

**Tise1993b** Tisenko, Yu. A. (1993b). Possible ways to achieve cold fusion. II. *Sov. Phys. J.*, 36:769–773.

**Tise1994** Tisenko, Yu. A. (1994). Possible ways to achieve cold fusion. III. *Russ. Phys. J.*, 37:590–592.

**Toki2000** Toki, H.; Sugimoto, K. (2000). Deuteron-alpha Bose-Einstein condensation for coherent deuteron fusion in Pd double structure cathode. *Proc. Jpn. Acad., Ser. B*, 76(3):35–40.

**Toma1989** Tomas, P.; Blagus, S.; Bogovac, M.; Hodko, D.; Krcmar, M.; Miljanic, D.; Pravdic, V.; Rendic, D.; Vajic, M.; Vukovic, M. (1989). Deuterium nuclear fusion in metals at room temperature. *Fizika Zagreb*, 21:209–214.

**Tome1990** Tomellini, M.; Gozzi, D. (1990). On the possibility for local oversaturation of deuterium in palladium. *J. Mater. Sci. Lett.*, 9:836–838.

**Toum1996** Toumey, C. P. (1996). Conjuring science in the case of cold fusion. *Public Understand. Sci.*, 5:121–133.

**Tran1990** Tran, D. N.; Tran, D. T.; Truong, T. A.; Phi, T. H.; Tran, V. V. (1990). Investigation of nuclear fusion at the normal temperature. *Tap Chi Vat Ly*, 15(1):29–32. In Vietnamese.

**Tsar1990** Tsarev, V. A. (1990). Cold fusion. *Sov. Phys. Usp.*, 33(11):881–910.

**Tsar1992a** Tsarev, V. A.; Chechin, V. A. (1992). On the nonstationary quantum-mechanical nature of anomalous nuclear effects in a solid. *Kratk. Soobshch. Fiz.*, (9–10):47–52. In Russian.

**Tsar1991a** Tsarev, V. A.; Golubnichii, P. I. (1991). Geological manifestations of cold fusion. *Sov. Phys. - Lebedev Inst. Rep.*, (3):22–24. Orig. in: Kratk. Soobshch. Fiz. (1991) 24.

**Tsar1991b** Tsarev, V. A.; Worledge, D. H. (1991). New results on cold nuclear fusion: a review of the conference on anomalous nuclear effects in deuterium/solid systems, Provo, Utah, October 22–24, 1990. *Fusion Technol.*, 20:484–508.

**Tsar1992b** Tsarev, V. A.; Worledge, D. H. (1992). Cold fusion studies in the USSR. *Fusion Technol.*, 22:138–155.

**Tsar1992c** Tsarev, V. A. Sov. (1992). Anomalous nuclear effects in solids ("cold fusion"): questions still remain. *Sov. Phys. Usp.*, 35:842–856. Orig. in: *Usp. Fiz. Nauk* 162 (1992) 63; this journal now goes under the new name of Physics Uspekhy in translation.

**Tsuc2004** Tsuchiya, K. (2004). Quantum states of deuterons in Pd. *Int. J. Hydrogen Energy*, 29:1513–1519.

**Tsuc1995** Tsuchiya, K. I.; Ohashi, K.; Fukuchi, M. (1995). A possible mechanism for nuclear reactions in solids. *Fusion Technol.*, 27:452–457.

**Tsuc1991** Tsuchiya, K. I.; Ohashi, Y. H.; Ohashi, K.; Fukuchi, M. (1991). Interaction between two neighboring deuterium atoms in palladium. *J. Less-Common Met.*, 172-174:1371–1374.

**Tsve1993** Tsvetkov, S. A.; Bondarenko, N. B.; Bel'tyukov, I. L.; Varaksin, A.; Zhivoderov, A. A. (1993). Molecular-dynamics calculation of phase transitions in the Pd-D system and cold nuclear fusion. *Phys. Metals Metallogr.*, 76:399–401.

**Turn1989** Turner, L. (1989). Thoughts unbottled by cold fusion. *Physics Today*, (September):142.

**Turn1990** Turner, L. (1990). Peregrinations on cold fusion. *J. Fusion Energy*, 9:447–450.

**Uchr1995** Uchrin, J.; Uchrin, R.; Gerasimsov [sic], K.; Lomovski, O. (1995). Reactions of titanium and niobium deuterides under intensive mechanical treatment. *Mater. Sci. Forum*, 179-181:389–390.

**Uhm1991** Uhm, H. S.; Lee, W. M. (1991). High concentration of deuterium in palladium from plasma ion implantation. *Phys. Fluids B*, 3:3188–3193.

**Uhm1992** Uhm, H. S.; Lee, W. M. (1992). High concentration of deuterium in palladium. *Fusion Technol.*, 21:75–81.

**Ulma1990** Ulman, M.; Liu, J.; Augustynski, J.; Meli, F.; Schlapbach, L. (1990). Surface and electrochemical characterization of Pd cathodes after prolonged charging in LiOD + D<sub>2</sub>O solutions. *J. Electroanal. Chem.*, 286:257–264.

**Upad2000** Upadhyay, C. S. (2000). Some views on spin relativity and its impact on science. *Ind. J. Theo. Phys.*, 48:149–160.

**Urut2000** Urutskoev, L. I.; Liksonov, V. I. (2000). Experimental detection of 'strange' radiation and transformations of chemical elements. *Prikl. Fiz.*, (4):83–100. Russian, Engl. abstr.

**Vaid1991** Vaidya, S. N. (1991). On the possibility of coherent deuteron-deuteron fusion in a crystalline Pd-D lattice. *Fusion Technol.*, 20:481–483.

**Vaid1993** Vaidya, S. N. (1993). Comments on the model for coherent deuteron-deuteron fusion in crystalline Pd-D lattice. *Fusion Technol.*, 24:112–114.

**Vaid1996** Vaidya, S. N. (1996). Deuteron screening, nuclear reactions in solids, and superconductivity. *Fusion Technol.*, 29:405–408.

**Vaid1989a** Vaidya, S. N.; Mayya, Y. S. (1989a). The role of combined electron-deuteron screening in deuteron-deuteron fusion in metals. *Pramana*, 33:L343–L346.

**Vaid1989b** Vaidya, S. N.; Mayya, Y. S. (1989b). Theory of screening-enhanced D-D fusion in metals. *Jpn. J. Appl. Phys. 2 Lett.*, 28:2258–2260.

**Vaim1989** Vaiman, L. A.; Valiev, A. N.; Ketko, A. Ya.; Kiseleva, E. V.; Skorodumov, B. G.; Ulanov, V. G.; Yatsevich, I. O. (1989). Observation of reactions in cold fusion during sorption or desorption of deuterium from palladium from the gas phase. *Izv. Akad. Nauk UzSSR, Ser. Fiz.-Mat. Nauk*, (6):62–63. In Russian.

**Vala2015** Valat, M.; Hunt, R.; Greenyer, B. (2015). Martin Fleischmann Memorial Project status review. *Curr. Sci.*, 108:614–618.

**Vand1990** Van der Merwe, P. D. T. (1990). Enhanced fusion induced by affiliated muons. *Fusion Technol.*, 17:696–698.

**VanS1986** Van Siclen, C. DeW.; Jones, S. E. (1986). Piezonuclear fusion in isotopic hydrogen molecules. *J. Phys. G: Nucl. Phys.*, 12:213–221.

**VanV2000** Van Veen, R. J. A. R. (2000). Koude fusie. *Ned. Tijdschr. Natuurkd.*, 66(4):132–135. In Dutch.

**Vara1991** Varaksin, A. N.; Zhivoderov, A. A.; Bondarenko, N. B.; Shipitsin, V. F. (1991). Computer modelling of phase transitions in deuterised palladium (possible mechanism of low-temperature nuclear fusion). *Fiz. Metal. Metalloved.*, pages 30–34. In Russian.

**Vase1989** Vaselli, M.; Harith, M. A.; Palleschi, V.; Salvetti, G.; Singh, D. P. (1989). Screening effect of impurities in metals: a possible explanation of the process of cold nuclear fusion. *Nuovo Cimento Soc. Ital. Fis. D*, 11:927–932.

**Vele1990** Velev, O. A.; Kainthla, R. C. (1990). Heat flow calorimeter with a personal-computer-based data acquisition system. *Fusion Technol.*, 18:351–355.

**Vern2015** Verner, G.; Swartz, Mitchell; Hagelstein, P. (2015). Summary report: 'Introduction to Cold Fusion' àÁš IAP course at the Massachusetts Institute of Technology, USA. *Curr. Sci.*, 108:653–654.

- Viel1991** Vielstich, W.; Iwasita, T.; von Buttlar, H.; Farzin, K.; Uebelguenn, K. (1991). Search for neutrons from controlled deuterium concentrations in palladium. *J. Electroanal. Chem.*, 303:211–220.
- Vigi1996** Vigier, J. P. (1996). On cathodically polarized Pd/D systems. *Phys. Lett. A*, 221:138–140.
- Viol2015** Violante, V.; Castagna, E.; Lecci, S.; Sarto, F.; Sansovini, M.; Torre, A.; La Gatta, A.; Duncan, R.; Hubler, G.; El Boher, A.; Aziz, O.; D.Pease; Kries, D.; McKubre, M. (2015). Review of materials science for studying the Fleischmann and Pons effect. *Curr. Sci.*, 108:540–558.
- Viol1997** Violante, V.; De Ninno, A. (1997). Lattice ion trap: a possible mechanism inducing a strong approach between two deuterons in condensed matter. *Fusion Technol.*, 31:219–227.
- Viol1998** Violante, V.; Torre, A.; Dattoli, G. (1998). Lattice ion trap: classical and quantum description of a possible collision mechanism for deuterons in metal lattices. *Fusion Technol.*, 34:156–162.
- Viol2001** Violante, V.; Torre, A.; Selvaggi, G.; Miley, G. H. (2001). Three-dimensional analysis of the lattice confinement effect on ion dynamics in condensed matter and lattice effect on the d-d nuclear reaction channel. *Fusion Technol.*, 39:266–281.
- Vokh1992** Vokhnik, O. M.; Goryachev, B. I.; Zubrilo, A. A.; Kutznetsova, G. P.; Popov, Yu. V.; Svertilov, S. I. (1992). Search for effects related to nuclear fusion in the optical breakdown of heavy water. *Sov. J. Nucl. Phys.*, 55(12):1772–1773.
- Vys02009a** Vysotskii, V. I.; Kornilova, A. A. (2009a). Nuclear transmutation of isotopes in biological systems (history, models, experiments, perspectives). *J. Sci. Explor.*, 23(4):496–500.
- Vys02009b** Vysotskii, V. I.; Kornilova, A. A. (2009b). Physical model and direct experimental observation of water memory and biophysical activity of magnetic-activated water. *J. Sci. Explor.*, 23(4):500–505.
- Vys02015c** Vysotskii, V. I.; Kornilova, A. A. (2015). Microbial transmutation of Cs-137 and LENR in growing biological systems. *Curr. Sci.*, 108:636–640.
- Vys02015b** Vysotskii, V. I.; Kornilova, A. A.; Vasilenko, A. O. (2015). Observation and investigation of anomalous X-ray and thermal effects of cavitation. *Curr. Sci.*, 108:608–613.
- Vys01994** Vysotskii, V. I.; Kuz'min, R. N. (1994). Nonequilibrium Fermi condensate of deuterium atoms in microvoids of crystals and the problem of barrier-free cold nuclear fusion. *Tech. Phys.*, 39(7):663–666.
- Vys02008** Vysotskii, V. I.; Tashhyrev, A. B.; Kornilova, A. A. (2008). Experimental observation and modeling of Cs-137 isotope deactivation and stable isotopes transmutation in biological cells. In *Low-Energy Nuclear Reactions Sourcebook (Vol. 1)* (edited by J. Marwan), volume 1, pages 295–309. Oxford University Press, Washington, USA. ISBN 9780841269668, 0841269661.
- Vys02013** Vysotskii, V. I.; Vysotskyy, M. V. (2013). Coherent correlated states and low-energy nuclear reactions in non stationary systems. *Eur. Phys. J. A*, 49:99:1–12.
- Vys02015a** Vysotskii, V. I.; Vysotskyy, M. V. (2015). Coherent correlated states of interacting particles - the possible key to paradoxes and features of LENR. *Curr. Sci.*, 108:524–530.
- Waan1990** Waanders, F. B.; Smit, J. J. A. (1990). Koue kernsmelting (Cold fusion). *Spectrum*, 28:46–47. In Afrikaans.
- Wada1990** Wada, N. (1990). Possibility of room temperature nuclear fusion. *Suri Kagaku*, 330:69–71. In Japanese.
- Wada1989** Wada, N.; Nishizawa, K. (1989). Nuclear fusion in solid. *Jap. J. Appl. Phys.*, 28:L2017–L2020.
- Wagn1990** Wagner, F. T.; Moylan, T. E.; Hayden, M. E.; Naerger, U.; Booth, J. L. (1990). A comparison of calorimetric methods applied to the electrolysis of heavy water on palladium cathodes. *J. Electroanal. Chem.*, 295:393–402.
- Waka1990** Wakao, S.; Ozeki, K.; Sawa, H. (1990). Gamma-ray emission from hydrogen-absorbing metal cathodes in D2O. *J. Adv. Sci.*, 2(3):149–152. In Japanese, Engl. abstr.
- Wall1989** Walling, C.; Simons, J. (1989). Two innocent chemists look at cold fusion. *J. Phys. Chem.*, 93:4693–4697.
- Wang1993** Wang, D.; Chen, S.; Li, Y.; Liu, R.; Wang, M.; Fu, Y.; Zhang, X.; Zhang, W. (1993). Neutrons, gamma-rays and x-rays in a gas discharge. *Chin. J. Atomic Mol. Phys.*, 10(3):2789–2794. In Chinese.
- Wang1995** Wang, D.; Chen, S.; Li, Y.; Wang, M.; Fu, Y. (1995). Research and progress of nuclear fusion phenomenon at normal temperature. *Trends Nucl. Phys.*, 12(4):31–32.
- Wang1990** Wang, R. (1990). Remarks on the possibility of cold fusion. *Commun. Theor. Phys. (China)*, 13:549–556.
- Wang1996** Wang, X.; Tang, P.; Zhang, W.; Liu, H.; Chen, Z.; Li, Z.; Zhou, C.; Zhu, R.; Ding, D. (1996). Time distribution of neutron burst in thermal D/soiled system. *Chin. Sci. Bull.*, 41(1):73–78.
- Wang1989** Wang, X. W.; Louie, S. G.; Cohen, M. L. (1989). Hydrogen interactions in PdH<sub>n</sub> ( $1 \leq n \leq 4$ ). *Phys. Rev. B*, 40:5822–5825.

- Wass1992** Wasserman, A. (1992). Electrochemical method of reducing aluminum oxide and producing additional energy. *Fusion Technol.*, 21:168–169.
- Wei1990a** Wei, S. H.; Zunger, A. (1990a). Instability of diatomic deuterium in fcc palladium. *J. Fusion Energy*, 9:367–370.
- Wei1990b** Wei, S. H.; Zunger, A. (1990b). Stability of atomic and diatomic hydrogen in fcc palladium. *Solid State Commun.*, 73:327–330.
- Welb1991** Welborn, V. (1991). The cold fusion story: A case study illustrating the communication and information seeking behavior of scientists. *Sci. Technol. Librarian*, (Spring):51–60.
- Wenz1989** Wenzl, H. (1989). Fruitless experiments to prove 'cold nuclear fusion'. *Phys. Bl.*, 45:408–409. In German.
- Werl1989** Werle, H.; Fieg, G.; Lebkuecher, J.; Moeschke, M. (1989). Trials to induce neutron emission from a titanium-deuterium system. *Fusion Technol.*, 16:391–396.
- Whal1990** Whaley, K. B. (1990). Boson enhancement of finite-temperature coherent dynamics for deuterium in metals. *Phys. Rev. B*, 41:3473–3481.
- Whit1991** White, C. T.; Brenner, D. W.; Mowrey, R. C.; Mintmire, J. W. (1991). D-D (H-H) interactions within the interstices of Pd. *Jpn. J. Appl. Phys. Part 1*, 30:182–189.
- Whit1990** White, C. T.; Dunlap, B. I.; Brenner, D. W.; Mowrey, R. C.; Mintmire, J. W. (1990). Limits of chemical effects on cold fusion. *J. Fusion Energy*, 9:363–366.
- Wido2006** Widom, A.; Larsen, L. (2006). Ultra low momentum neutron catalyzed nuclear reactions on metallic hydride surfaces. *Eur. Phys. J. C*, 46:107–111.
- Wies1990** Wiesmann, H. (1990). Examination of cathodically charged palladium electrodes for excess heat, neutron emission, or tritium production. *Fusion Technol.*, 17:350–354.
- Wilh1990** Wilhelmi, Z.; Szeflinski, Z.; Tarasiuk, J.; Turowiecki, A.; Złomanczuk, J. (1990). Search for neutron emission in the deuterium-palladium system. *Nukleonika*, 35(7-9):175–186.
- Will1997** Will, F. (1997). Hydrogen + oxygen recombination and related heat generation in undivided electrolysis cells. *J. Electroanal. Chem.*, 426:177–184.
- Will1993** Will, F. G.; Cedzynska, K.; Linton, D. C. (1993). Reproducible tritium generation in electrochemical cells employing palladium cathodes with high deuterium loading. *J. Electroanal. Chem.*, 360:161–176.
- Will1989** Williams, D. E.; Findlay, D. J. S.; Craston, D. H.; Sene, M. R.; Bailey, M.; Croft, S.; Hooton, B. W.; Jones, C. P.; Kucernak, A. R. J.; Mason, J. A.; Taylor, R. I. (1989). Upper bounds on 'cold fusion' in electrolytic cells. *Nature*, 342:375–384.
- Wiln1989** Wilner, B. (1989). No new fusion under the sun. *Nature*, 339:180.
- Wils1992** Wilson, R. H.; Bray, J. W.; Kosky, P. G.; Vakil, H. B.; Will, F. G. (1992). Analysis of experiments on the calorimetry of LiOD-D<sub>2</sub>O electrochemical cells. *J. Electroanal. Chem.*, 332:1–31.
- Wolf1990** Wolf, K. L.; Packham, N. J. C.; Lawson, D.; Shoemaker, J.; Cheng, F.; Wass, J. C. (1990). Neutron emission and the tritium content associated with deuterium-loaded palladium and titanium metals. *J. Fusion Energy*, 9:105–113.
- Wu1991** Wu, B.; Jin, S.; Shang, F.; Yao, D.; Ding, Y.; Yao, J.; Yao, P. (1991). The SEM observation of palladium-deuterium system after the gas discharge process. *Gaojishu Tongxin*, 1(9):1–5. In Chinese, Engl. abstr.
- Wu1989** Wu, C. K.; Yao, Y. T.; Wang, C. W.; Lin, E. K. (1989). Experimental observation of lack of room temperature fusion between palladium and heavy water. *Hua Hsueh*, 47(2):139–141. In Chinese.
- Xiao1999** Xiao, J.; Li, P. (1999). The possibilities for initiation of the cold fusion of the deuterons in the hydrogen storage materials. *Int. J. Hydrogen Energy*, 24:741–746.
- Yagi1989b** Yagi, M.; Mitsugashira, T.; Satoh, I.; Hara, M.; Shiokawa, Y.; Inoue, K.; Masumoto, K.; Suzuki, S. (1989a). Measurement of neutron emission from a SiO<sub>2</sub>-D<sub>2</sub> system. *J. Radioanal. Nucl. Chem. Lett.*, 137:421–429.
- Yagi1989a** Yagi, M.; Shiokawa, Y.; Suzuki, S.; Hara, M.; Satoh, I.; Masumoto, K.; Mitsugashira, T. (1989b). Measurement of neutron emission from a titanium-deuterium system. *J. Radioanal. Nucl. Chem.*, 137:411–420.
- Yague1990** Yague, A. R. (1990). Cold nuclear fusion and its history. *Metal. Electr. (Spain)*, 54(618):134–136. In Spanish.
- Yama1998** Yamada, H.; Fujiwara, T. (1998). Neutron emission from palladium point electrode in pressurised deuterium gas under DV voltage application. *Int. J. Soc. Mat. Eng. Resources*, 6(1):14–21.
- Yama2001** Yamada, H.; Uchiyama, K.; Kawata, N.; Kurisawa, Y.; Nakamura, M. (2001). Producing a radioactive source in a deuterated palladium electrode under direct-current glow discharge. *Fusion Technol.*, 39:253–259.
- Yamag1990** Yamaguchi, E.; Nishioka, T. (1990). Cold fusion induced by controlled out-diffusion of deuterons in palladium. *Jpn. J. Appl. Phys. Part 2*, 29(4):L666–L669.

**Yamag1993a** Yamaguchi, E.; Nishioka, T. (1993a). Helium-4 production and its correlation with heat evolution. *Oyo Butsuri*, 62(7):712–714. In Japanese.

**Yamag1993b** Yamaguchi, E.; Nishioka, T. (1993b). Helium-4 production from deuterated palladium. *Kakuyuogo Kenkyo*, 69(7):743–751.

**Yamam1990b** Yamamoto, N.; Ohsaka, T.; Terashima, T.; Oyama, N. (1990a). In situ electrochemical quartz crystal microbalance studies of water electrolysis at a palladium cathode in acidic aqueous media. *J. Electroanal. Chem.*, 296:463–471.

**Yamam1990a** Yamamoto, T.; Oka, T.; Taniguchi, R. (1990b). In-situ observation of deuteride formation in palladium electrochemical cathode by x-ray diffraction method. *Annu. Rep. Osaka Prefect. Radiat. Res. Inst.*, 30:79–82.

**Yamam1991** Yamamoto, T.; Taniguchi, R.; Oka, T.; Kawabata, K. (1991). In situ observation of deuteride formation in palladium foil cathode by an x-ray diffraction method. *J. Less-Common Met.*, 172-174:1381–1387.

**Yama2002** Yamamura, T.; Shiokawa, Y.; Inoue, A.; Zhang, Y. C.; Arata, Y. (2002). Neutron activation analysis of Pd atom clusters caused pycnonuclear fusion. *J. High. Temp. Soc.*, 28:144–149.

**Yamaz1996** Yamazaki, O.; Watanabe, Y.; Yoshitake, H.; Kamiya, N.; Ota, K. (1996). Hydrogen absorption in Pd cathode in alkaline solutions. *Oyobi Kogyo Butsuri Kagaku*, 64:62–68. In Japanese, Engl. abstr.

**Yan1989** Yan, X.; Tsai, S.; Guo, S.; Zhang, Z. (1989). Room temperature deuterium-deuterium fusion reaction rate - a strong-coupling plasma model. *Chin. Phys. Lett.*, 6:343–346.

**Yang1990** Yang, F. (1990). On cold fusion. *Nucl. Tech. (China)*, 13(12):705–707. In Chinese.

**Yang1991** Yang, J. (1991). A new fusion mechanism. *Hunan Shifan Daxue Ziran Kexue Xuebao*, 14(2):126–132. In Chinese.

**Yang1992** Yang, J. (1992).  $^2_1H - e$  touched capturing and  $^2_1H - ^2_0N$  fusion. *Acta Sci. Nat. Univ. Norm. Hunan*, 15(1):18–25.

**Yang1994** Yang, J.; Chen, D.; Zhou, G.; Wu, Q.; Huang, J.; Tang, L.; Cheng, X.; Xie, D.; Gu, L. (1994). 'Abnormal' nuclear phenomena and possible nuclear process. *Fusion Technol.*, 25:203–206.

**Yang1996b** Yang, J.; Tang, L.; Chen, X. (1996a). Dineutron model research of cold fusion. *Acta Sci. Nat. Univ. Norm. Hunan*, 19(2):25–29.

**Yang1996a** Yang, J.; Tang, L.; Chen, X. (1996b). Possible nuclear process in deuterium-metal system. *J. Changsa Univ. Elec. Power (Nat. Sci.)*, 11(3):289–295.

**Yano1989** Yanokura, M.; Minami, M.; Yamagata, S.; Nakabayashi, S.; Aratani, M.; Kira, A.; Tanihata, I. (1989). An approach to the cold fusion through hydrogen isotopes analysis by the heavy ion Rutherford scattering. *Chem. Lett.*, pages 2197–2200.

**Yao1990** Yao, Y. D.; Wang, C. W.; Lin, E. K.; Wu, J. K. (1990). Observation of cathodic charging on a palladium electrode in heavy water. *J. Mater. Sci. Lett.*, 9:228.

**Yaro1989b** Yaroslavskii, M. A. (1989a). Nuclear reactions induced by temperature changes and phase transitions in solids. *Sov. Phys. Dokl.*, 34(7):648–649. Orig. in Dokl. Akad. Nauk SSSR 307 (1989) 600–601, in Russian.

**Yaro1989a** Yaroslavskii, M. A. (1989b). Possible mechanism for the initiation of nuclear reactions during temperature changes and phase transitions in condensed materials. *Sov. Phys. Dokl.*, 34:813–814. Orig. in Akad. Nauk SSSR 308 (1989) 95–97, in Russian.

**Yasu1992** Yasui, K. (1992). Fractofusion mechanism. *Fusion Technol.*, 22:400–406.

**Yi1994** Yi, K.; Jiang, D.; Qian, X.; Lin, J.; Ye, Y. (1994). A study of D-D fusion in TiD target induced by 197Au bombardment. *Nucl. Tech. (China)*, 17:722–728. In Chinese, Engl. abstr.

**Yoshid1991** Yoshida, Y.; Aradono, Y.; Hirabayashi, T. (1991). Verification of room temperature nuclear fusion. 1. *Gen-shiryoku Kogyo*, 37(4):21–30. In Japanese.

**Yoshih1989** Yoshihara, K.; Sekine, T.; Braun, T. (1989). An attempt to detect fracto-fusion during microwave irradiation of D<sub>2</sub>O loaded silica gel. *J. Radioanal. Nucl. Chem.*, 137:333–339.

**Yuki1997** Yuki, H.; Sato, T.; Ohtsuki, T.; Yorita, T.; Aoki, Y.; Yamazaki, H.; Kasagi, J.; Ishii, K. (1997). Measurement of the D(d,p) reaction in Ti for  $2.5 < Ed < 6.5$  keV and electron screening in metal. *J. Phys. Soc. Japan*, 66:73–78.

**Yun1991** Yun, K. S.; Ju, J. B.; Cho, B. W.; Cho, W. I.; Park, S. Y. (1991). Calorimetric observation of heat production during electrolysis of 0.1 M LiOD + D<sub>2</sub>O solution. *J. Electroanal. Chem.*, 306:279–285.

**Zahm1990** Zahm, L. L.; Klein, A. C.; Binney, S. E.; JN, Jr. Reyes; Higginbotham, J. F.; Robinson, A. H. (1990). Experimental investigations of the electrolysis of D<sub>2</sub>O using palladium cathodes and platinum anodes. *J. Electroanal. Chem.*, 281:313–321.

**Zak1989** Zak, J. (1989). Low-temperature fusion of light nuclei in the Fleischmann-Pons reaction. *Inz. Apar. Chem.*,

**Zakh1989** Zakharova, V. P.; Kotel'nikov, G. A. (1989). To the question of cold nuclear fusion. *Atom. Tekh. za Rubez.*, 9:28–31. In Russian.

**Zako1991** Zakowicz, W. (1991). Possible resonant mechanism of cold fusion. *Fusion Technol.*, 19:170–173.

**Zang1998** Zang, Q.; Liu, F.; Sun, Y.; Cheng, L.; Zhou, X.; Cheng, X. (1998). The experimental study on the 'excess heat' for deuteron absorbed in the lattice of titanium. *Chin. J. Atomic Molec. Phys.*, 15:210–214. In Chinese, Engl. abstr.

**Zele1990b** Zelenskii, V. F.; Bozhko, V. P.; Golovnya, V. Ya.; Oleinik, S. N. (1990a). Experimental investigation of cold D-D-fusion by ion implantation. *Vopr. At. Nauki Tekh. Ser., Fiz. Radiats. Povrezhdenii Radiats. Mater.*, (1):91–93. In Russian.

**Zele1991a** Zelenskii, V. F.; Rybalko, V. F. (1991). Studies of neutron emission by mechanical destruction of Ti and Pd samples, saturated with deuterium. *Vopr. At. Nauki Tekh. Ser.: Fiz. Radiats. Povredzh. Radiats. Mater.*, (2):46–47. In Russian.

**Zele1991b** Zelenskii, V. F.; Rybalko, V. F.; Morozov, A. N.; Pistryak, S. V.; Tolstolutskaya, G. D.; Kulish, V. G. (1991). Preliminary results of the second series of experiments on cold fusion. *Vopr. At. Nauki Tekh. Ser.: Fiz. Radiats. Povredzh. Radiats. Mater.*, (2):48–53. In Russian.

**Zele1990a** Zelenskii, V. F.; Rybalko, V. F.; Morozov, A. N.; Tolstolutskaya, G. D.; Kulish, V. G.; Pistryak, S. V.; Martynov, I. S. (1990b). Experiments on cold nuclear fusion in Pd and Ti saturated with deuterium by ion implantation. *Vopr. At. Nauki Tekh., Ser.: Fiz. Radiats. Povrezhdenii Radiats. Mater.*, (1):65–77. In Russian.

**Zele1989** Zelentsov, V. V. (1989). New but quite forgotten matters. *Koord. Khim.*, 19:1296. In Russian.

**Zhan1993** Zhang, F. X.; Jin, S. X. (1993). Effect of electron screening and ionic correlation on the fusion rate of deuterium in Pd/D system. *Chinese Sci. Bull.*, 38(9):718–722.

**Zhan1991** Zhang, J. S. (1991). The estimation of the difference between d(n,n)3He and d(d,p)T cross sections in the cold fusion. *Commun. Theor. Phys.*, 16:439–442.

**Zhan1996** Zhang, Q.; Gou, Q.; Zhu, Z.; Liu, F.; Luo, J.; Sun, Y. (1996). The relationship of crystal structure transition of Ti-cathode and 'excess heat' on cold fusion. *Chin. J. At. Molec. Phys.*, 13(3):257–261. In Chinese, Engl. abstr.

**Zhan1995a** Zhang, Q.; Gou, Q.; Zhu, Z.; Luo, J.; Liu, F.; Sun, J.; Miao, B.; Ye, A.; Cheng, X. (1995a). The excess heat experiments on cold fusion in titanium lattice. *Chin. J. Atom. Mol. Phys.*, 12(2):165–169.

**Zhan1999a** Zhang, Q.; Kiu, F.; Sun, Y.; Chen, L.; Yang, Q. (1999). Research of calorimeter of water electrolysis open system. *Sichuan Lianhe Daxue Xuebao, Gongcheng Kexueban* (J. Sichuan Union Univ., Eng. Sci. Ed.), 3(5):33–39. In Chinese, Engl. abstr.

**Zhan1997a** Zhang, W. S.; Zhang, X. W.; Li, H. Q. (1997a). The maximum hydrogen (deuterium) loading ratio in the Pd|H<sub>2</sub>O(D<sub>2</sub>O) electrochemical system. *J. Electroanal. Chem.*, 434:31–36.

**Zhan1992** Zhang, W. X. (1992). Possibility of phase transitions inducing cold fusion in palladium/deuterium systems. *Fusion Technol.*, 21:82–85.

**Zhan1997b** Zhang, Z.; Liu, F.; Liu, M.; Wang, Z.; Zhong, F.; Wu, F. (1997b). Calorimetric studies on the electrorefining process of copper. *J. Thermal Anal.*, 50:89–103.

**Zhan1995b** Zhang, Z.; Sun, X.; Zhou, W.; Zhang, L.; Li, B.; Wang, M.; Yan, B.; Tan, F. (1995b). Precision calorimetric studies of H<sub>2</sub>O electrolysis. *J. Thermal Anal.*, 45:99–108.

**Zhan1999b** Zhang, Z.; Zhang, Z. (1999). A probable theoretical model on deuterion-deuterion two-body tight bound states. *Nucl. Phys. Rev.*, 16:95–98.

**Zhu1991a** Zhu, R.; Wang, X.; Lu, F.; Ding, D.; He, J.; Liu, H.; Jiang, J.; Chen, G.; Yuan, Y.; Yang, L.; Chen, Z.; Menlove, H. O. (1991a). Measurement of neutron burst production in thermal cycle of D<sub>2</sub> absorbed titanium chips. *Fusion Technol.*, 20:349–353.

**Zhu1991b** Zhu, R.; Wang, X.; Lu, F.; Luo, L.; He, J.; Ding, D.; Menlove, H. O. (1991b). Measurement of anomalous neutron from deuterium/solid system. *Yuanzinenq Kexue Jishu* (Atomic Energy Science and Technology), 25:84–92. In Chinese.

**Zhu1993** Zhu, S.; Xiao, X.; Lu, T.; Chen, Q.; Que, Z.; Liu, J.; Xie, H.; Sha, R.; Liu, F.; Sun, H. (1993). An investigation of cold fusion. *Nucl. Techniques*, 16(8):475–478. In Chinese, Engl. abstr.

**Zhu1989** Zhu, S. B.; Lee, J.; Robinson, G. W. (1989). Kinetic energy imbalance in inhomogeneous materials. *Chem. Phys. Lett.*, 161:249–252.

**Zhu1990b** Zhu, S. B.; Lee, J.; Robinson, G. W. (1990a). Non-Maxwell velocity distributions in inhomogeneous materials. *J. Fusion Energy*, 9:465–467.

**Zhu1990a** Zhu, S. B.; Lee, J.; Robinson, G. W. (1990b). Nonlinear effects on thermonuclear reaction rates. *Phys. Lett. A*

- Zieg1989 Ziegler, J. F.; Zabel, T. H.; Cuomo, J. J.; Brusic, V. A.; IV, G. S. Gargill; O'Sullivan, E. J.; Marwick, A. D. (1989). Electrochemical experiments in cold nuclear fusion. *Phys. Rev. Lett.*, 62:2929–2832.
- Znid2011 Znidarsic, F.; Robertson, G. A. (2011). The flow of energy. *Phys. Procedi*, 20:457–464.
- Zuqi1989 Zuqia, H. (1989). A possible explanation of the room temperature nuclear fusion. *Beijing Shifan Daxue Xuebao. Ziran Kexueban*, 2:43–44.
- Zywo1992 Zywocinski, A.; Li, H. L.; Campbell, P.; Chambers, J. Q.; van Hook, W. A. (1992). Calorimetric measurements during long-term electrolysis of some LiOD solutions. *Thermochim. Acta*, 197:277–283.
- Zywo1991 Zywocinski, A.; Li, H. L.; Tuinman, A. A.; Campbell, P.; Chambers, J. Q.; van Hook, W. A. (1991). Analysis for light atoms produced in the bulk phase of a tubular palladium/ silver alloy cathode working electrode. *J. Electroanal. Chem.*, 319:195–205.