

- P.Acke2005 Ackerman, E. (2005). Bibliometrics of a controversial scientific literature: polywater research, 1962-1974. *Scientometrics*, 63:189–208.
- P.Alva1957 Alvarez, L. W.; Bradner, H.; Jr. F. S. Crawford; Crawford, J. A.; Falk-Vairant, P.; Good, M. L.; Gow, J. D.; Rosenfeld, A. H.; Solnitz, F.; Stevenson, M. L.; Ticho, H. K.; Tripp, R. D. (1957). Catalysis of nuclear reactions by mu-mesons. *Phys. Rev.*, 105:1127–1128.
- P.Arac2006 Arachi, Y.; Emura, S.; Omura, A.; Nunogaki, M.; Asai, T.; Yamaura, S.; Inoue, A.; Arata, Y. (2006). Structural analysis of nano-sized-Pd/ZrO<sub>2</sub> composite after H(D) absorption. *Solid State Ionics*, 177(19-25):1861–1864. *Solid State Ionics 15: Proceedings of the 15th International Conference on Solid State Ionics, Part I*.
- P.Asta1994 Astakhov, I. I.; Kazarinov, V. E.; Reznikova, L. A.; Teplitskaya, G. L. (1994). Diffusion of hydrogen isotopes in palladium hydride and deuteride in the presence of lithium. *Russ. J. Electrochem.*, 30:1379–1382.
- P.Azum2002 Azumi, K.; Asada, Y.; Ueno, T.; Seo, M. (2002). Monitoring of hydrogen absorption into titanium using resistometry. *J. Electrochem. Soc.*, 149:B422–B427.
- P.Azum1993 Azumi, K.; Fujita, T.; Ito, T.; Mizuno, T.; Seo, M. (1993). Diffusion and permeation of hydrogen/deuterium in palladium electrode. *Denki Kagaku*, 61:576–583. In Japanese, Engl. Abstr.
- P.Bago1953 Bagotskaya, I. A.; Frumkin, A. N. (1953). Effect of surface-active substances on the absorption of hydrogen into iron and the mechanism of hydrogen overvoltage. *Dokl. Akad. Nauk SSSR*, 62:979–982. In Russian.
- P.Bara1991 Baranowski, B.; Tkacz, M.; Majchrzak, S. (1991). Pressure dependence of hydrogen volume in some metallic hydrides. In *Molecular Systems under High Pressure* (edited by R. Pucci; G. Piccino), pages 139–156. Elsevier, Amsterdam.
- P.Baue1988 Bauer, H. H. (1988). Commonalities in arguments over anomalies. *J. Sci. Exploration*, 2:1–11.
- P.Bell1997 Bellanger, G.; Rameau, J. J. (1997). Determination of tritium adsorption and diffusion parameters in a palladium-silver alloy by electrochemical impedance analysis. *Fusion Technol.*, 32:94–105.
- P.Benn1976 Bennion, B.; Neuton, L. A. (1976). The epidemiology of research on 'anomalous water'. *J. Am. Soc. Inf. Sci.*, (Jan-Feb):53–56.
- P.Ber11997 Berlouis, L. E. A.; Hall, P. J.; MacKinnon, A. J.; Wark, A. W.; Manuelli, D.; Gervais, V.; Robertson, J. E. (1997). The decomposition of electrochemically loaded palladium hydride: a thermal analysis study. *J. Alloys Comp.*, 253-254:207–209.
- P.Bock1998 Bockris, J. O. M. (1998). First experimental establishment of high internal pressure of molecular hydrogen developed in palladium during water electrolysis. *Int. J. Hydrogen Energy*, 23:1079–1085.
- P.Bock2000 Bockris, J. O. M. (2000). The mechanism of the evolution of hydrogen on palladium and associated internal damage phenomena. *Int. J. Hydrogen Energy*, 25:747–765.
- P.Bock1994 Bockris, J. O. M.; Minevski, Z. S.; Lin, G. H. (1994). Hydrogen in palladium: kinetics, material properties and fugacity. *Electrochem. Soc. Proc.*, 94-21:410.
- P.Bock1971 Bockris, J. O. M.; Subramanyan, P. K. (1971). The equivalent pressure of molecular hydrogen in cavities within metals in terms of the overpotential developed during the evolution of hydrogen. *Electrochim. Acta*, 16:2169–2179.
- P.Bouc1995 Boucher, G. R.; Collins, F. E.; Matlock, R. L. (1995). Separation factors for hydrogen isotopes on nickel and platinum during electrolysis. *Fusion Technol.*, 27:183–186.
- P.Brau1976 Brauer, E.; Dörr, R.; Züchner, H. (1976). Hydrogen diffusion in titanium. *Z. phys. Chem. NF*, 100:109.
- P.Brau1983 Brauer, E.; Gruner, R.; Rauch, F. (1983). Kinetics and mechanism of hydrogen diffusion in hydrides of titanium, zirconium and TiNi<sub>0.5</sub>. *Ber. Bunsenges. Phys. Chem.*, 87:341.
- P.Burk1993a Burke, L. D.; Casey, J. K. (1993a). An examination of the electrochemical behavior of palladium electrodes in acid. *J. Electrochem. Soc.*, 140:1284.
- P.Burk1993b Burke, L. D.; Casey, J. K. (1993b). An examination of the electrochemical behavior of palladium in base. *J. Electrochem. Soc.*, 140:1292.
- P.Bystr1997 Bystritsky, V. M.; Grebenyuk, V. M.; Parzhitski, S. S.; Penkov, F. M.; Sidorov, V. T.; Stolupin, V. A.; Bulgakov, T. L.; Mesyats, G. A.; Sinebryukhov, A. A.; Sinebryukhov, V. A.; Chaikovskiy, S. A.; Luchinsky, A. V.; Ratakhin, N. A.; Sorokin, S. A.; Bystritskii, V. M.; Toor, A.; Filipowicz, M.; Gula, A.; Lacki, E.; Wozniak, J.; Gula, E. (1997). A new approach in the experimental studies of nuclear reactions at ultralow energies. *Nukleonika*, 42:775–794.
- P.Camp1992 Campbell, S. A.; Cunnane, V. J.; Schiffrin, D. J. (1992). Cathodic contact glow discharge electrolysis under reduced pressure. *J. Electroanal. Chem.*, 325:257–268.
- P.Cero1993 Cerofolini, G. F.; Boara, G.; Agosteo, S.; Foglio Para, A. (1993). Giant neutron trapping by a molecular species produced during the reaction of D<sup>+</sup> with H<sup>-</sup> in a condensed phase. *Fusion Technol.*, 23:465–469.
- P.Chat1989 Chatterjee, L. (1989). Muon production for energy applications: cold fusion. *Indian J. Pure Appl. Phys.*, 27:787–790.

- P.Chen1994 Chen, C. L.; Wu, J. K. (1994). Electrolytic hydrogen transport in palladium. *J. Mater. Sci. Lett.*, 13:84–85.
- P.Cho1990 Cho, Y.-S. (1990). Low-temperature ultrasonic attenuation peak in alpha'-palladium deuteride (PdD(x)). *Tae-han Kumsok Hakhoechi*, 28:92. In Korean.
- P.Chou1987 Chou, P.; Vannice, M. A. (1987). Calorimetric heat of adsorption measurements on palladium. I. Influences of crystallite size and support on hydrogen adsorption. *J. Catal.*, 104:1–16.
- P.Coeh1928 Coehn, A. (1928). Evidence for protons in metals. *Naturwiss.*, 16:183–184. In German.
- P.Coeh1931 Coehn, A.; Jürgens, H. (1931). On the contribution of protons to the conduction of electricity in metals. Resistance measurements. *Z. Phys.*, 71:179–204. In German.
- P.Coeh1930 Coehn, A.; Specht, W. (1930). On the contribution of protons to the conduction of electricity in metals. *Z. Phys.*, 62:1–31. In German.
- P.Cole1993 Cole, D. C.; Puthoff, H. E. (1993). Extracting energy and heat from the vacuum. *Phys. Rev. E*, 48:1562–1565.
- P.Conw1992 Conway, B. E.; Wojtowicz, J. (1992). Time-scales of electrochemical desorption and sorption of H in relation to dimensions and geometries of host metal hydride electrodes. *J. Electroanal. Chem.*, 326:277–297.
- P.Cran1989 Crandall, D. H. (1989). The scientific status of fusion. *Nucl. Instrum. Methods Phys. Res. B*, 42:409–418.
- P.Czer1997 Czerwiński, A.; Czauderna, M.; Maruszczak, G.; Kiersztyn, I.; Marassi, R.; Zamponi, S. (1997). Influence of cesium cations on hydrogen and deuterium electroadsorption in palladium. *Electrochim. Acta*, 42:81–86.
- P.Czer1995 Czerwiński, A.; Maruszczak, G.; Żelazowska, M.; Łancucka, M.; Marassi, R.; Zamponi, S. (1995). The adsorption of hydrogen and deuterium in thin palladium electrodes. Part III: The influence of solution composition. *J. Electroanal. Chem.*, 386:207–211.
- P.Czir1989 Czirr, J. B.; Jensen, G. L. (1989). A neutron coincidence spectrometer. *Nucl. Instr. Methods A*, 284:365–369.
- P.Dee1935 Dee, P. I. (1935). Some experiments upon artificial transmutation using the cloud-track. *Proc. Roy. Soc. Lond. Ser. A*, 148:623–637.
- P.DeIG2000 DelGiudice, E.; Preparata, G.; Fleischmann, M. (2000). QED coherence and electrolyte solutions. *J. Electroanal. Chem.*, 482:110–116.
- P.DeNi1997 DeNinno, A.; Barbera, L. A.; Violante, V. (1997). Deformations induced by high loading ratios in palladium-deuterium compounds. *J. Alloys Compds.*, 253-254:181–184.
- P.Dick1981 Dickinson, J. T.; Donaldson, E. E.; Park, M. K. (1981). The emission of electrons and positive ions from fracture of materials. *J. Mater. Sci.*, 16:2897–2908.
- P.East1993 Eastman, J. A.; Thompson, L. J.; Kestel, B. J. (1993). Narrowing of the palladium-hydrogen miscibility gap in nanocrystalline palladium. *Phys. Rev. B*, 48:85–93.
- P.Emur2007 Emura, S.; Arata, Y.; Arachi, Y.; Nunogaki, M.; Ohmura, A. (2007). Atomic structure analysis of Pd nano-cluster in nano-composite Pd/ZrO<sub>2</sub> absorbing deuterium. *J. High. Temp. Soc.*, 33(3):142–156. In Japanese, English abstr.
- P.Enom1990 Enomoto, Y.; Hashimoto, H. (1990). Emission of charged particles from indentation fracture of rocks. *Nature*, 346:641–643.
- P.Enyo1994 Enyo, M. (1994). The effective hydrogen pressure at cathode as a key concept in hydrogen adsorption and absorption phenomena. *Proc. Electrochem. Soc.*, 94-21:75–91.
- P.Fedo1953 Fedorova, A. I.; Frumkin, A. N. (1953). Study of the palladium-water system by the electrochemical method. *Zh. Fiz. Khim.*, 27:247–249. In Russian.
- P.Feld1997 Feldberg, S. W.; Reilly, J. J. (1997). Phenomenological treatment of hydrogen transport in a metal/metal hydride system. *J. Electrochem. Soc.*, 144:4260–4265.
- P.Feli1995 Felici, R.; Bertalot, L.; DeNinno, A.; LaBarbera, A.; Violante, V. (1995). In situ measurement of the deuterium (hydrogen) charging of a palladium electrode during electrolysis by energy dispersive x-ray diffraction. *Rev. Sci. Instrum.*, 66:3344–3348.
- P.Fieb1957 Fiebinger, K. (1957). Die Bildung von 'Selbsttargets' für die Kernreaktion D(d,n)He(3) und ihr Zusammenhang mit dem Problem der Wasserstoffdiffusion in Metallen. *Angew. Phys.*, 9:213. In German.
- P.Fili1990 Filipek, S. M.; Szafranski, A. W.; Warsza, M.; Majchrzak, S. (1990). Isotopic effects in Ni-Si-H(D) and Ni-V-H(D) systems. *J. Less Common Met.*, 158:177–189.
- P.Flan1991 Flanagan, T. B.; Oates, W. A. (1991). The palladium-hydrogen system. *Ann. Rev. Mater. Sci.*, 21:269–304.
- P.Forw1984 Forward, R. L. (1984). Extracting electrical energy from the vacuum by cohesion of charged foliated conductors. *Phys. Rev. B*, 30:1700–1702.
- P.Fran1947 Frank, F. C. (1947). Hypothetical alternative energy sources for the 'second meson' events. *Nature*, 160:525.

- B.Fran1981** Franks, F. (1981). *Polywater*. MIT, Boston, MA, USA. ISBN 0-262-06073-6.
- P.Goll1991** Gollerthan, U.; Brohm, T.; Clerc, H. G.; Hanelt, E.; Horz, M.; Morawek, W.; Schwab, W.; Schmidt, K. H.; Hessberger, F. P.; Muenzenberg, G.; Ninov, V.; Simon, R. S.; Dufour, J. P.; Montoya, M. (1991). Decay of the compound nucleus  $^{179}\text{Au}$  formed in the cold fusion reaction  $^{90}\text{Zr} + ^{89}\text{Y}^*$ . *Z. Phys. A*, 338:51–60.
- P.Gora1997** Goral, A. B.; Panta, P.; Maciak, J. (1997). The CNF ability of heavy electron. *Bull. Pol. Acad. Sci. Tech. Sci.*, 45:109.
- P.Gran1992** Graneau, P.; Graneau, N. (1992). The role of Ampère forces in nuclear fusion. *Phys. Lett. A*, 165:1–13.
- P.Grde1999** Grden, M.; Kotowski, J.; Czerwinski, A. (1999). Study of electrochemical palladium behavior by the quartz crystal microbalance. I. Acidic solutions. *J. Solid State Electrochem.*, 3:348–351.
- P.Gree1996** Green, T.; Britz, D. (1996). Kinetics of the deuterium and hydrogen evolution reactions at palladium in alkaline solution. *J. Electroanal. Chem.*, 412:59–66.
- P.Grei1991** Greiner, W.; Sandulescu, A. (1991). Cold valleys: cluster decay, cold fusion, cold fission - a unifying theory of related phenomena. *J. Phys. G*, 17:S429–S442.
- P.Guil1991** Guilinger, T. R.; Kelly, M. J.; Knapp, M. J.; Walsh, J. A.; Doyle, B. L. (1991). Ion beam measurement of deuterium in palladium and calculation of hydrogen isotope separation factors. *J. Electrochem. Soc.*, 138:L26–L27.
- P.Gupt1995** Gupta, R. K.; Singh, S.; Münzenberg, G.; Scheid, W. (1995). Neutron-halo nuclei in cold synthesis and cluster decay of heavy nuclei:  $Z = 104$  nucleus as an example. *Phys. Rev. C*, 51:2623–2629.
- P.Hagi1990a** Hagi, H. (1990a). Boundary conditions in electrochemical measurements of diffusion coefficients of hydrogen in alpha-palladium. *Mater. Trans.*, 31:842–847.
- P.Hagi1990b** Hagi, H. (1990b). Diffusion coefficient of hydrogen in palladium films prepared by RF sputtering. *Mater. Trans.*, 31:954–958.
- P.Han1997** Han, J. N.; Pyun, S. I.; Yang, T. H. (1997). Roles of thiourea as an inhibitor in hydrogen absorption into palladium electrode. *J. Electrochem. Soc.*, 144:4266–4272.
- P.Harl1990b** Harley, D.; Mueller, B.; Rafelski, J. (1990a). Muon catalyzed fusion of nuclei with  $Z > 1$ . *J. Phys. G: Nucl. Part. Phys.*, 16:281–294.
- P.Harl1990a** Harley, D.; Mueller, B.; Rafelski, J. (1990b). Time independent description of the  $t(d,n)\alpha$  fusion reaction in the presence of a muon. *Z. Phys. A*, 336:303–312.
- P.Hira1990** Hirai, E.; Matsuoka, N.; Takashima, Y. (1990). Volume reduction and tritium retention factor in electrolytic enrichment of water. *Radioisotopes (Hoshasen)*, 39:503–506.
- P.Hoar1955** Hoare, J. P.; Schuldiner, S. (1955). Mechanisms of hydrogen producing reactions on palladium. *J. Electrochem. Soc.*, 102:485–489.
- P.Hoar1956** Hoare, J. P.; Schuldiner, S. (1956). Mechanisms of hydrogen producing reactions on palladium. III. Hydrogen overvoltage on the polarization and diffusion sides of a cathode-diaphragm. *J. Electrochem. Soc.*, 103:237–241.
- P.Hoff1986** Hoffmann, B.; Baumann, H.; Rauch, F. (1986). Hydrogen uptake by palladium-implanted titanium studied by NRA and RBS. *Nucl. Instrum. Methods Phys. Res. B*, 15:361–366.
- P.Hu1995** Hu, C. C.; Wen, T. C. (1995). Effects of pH and anion on hydrogen sorption/desorption at/within oxide-derived Pd electrodes. *J. Electrochem. Soc.*, 142:1376–1383.
- P.Huke2006** Huke, A.; Czernski, K.; Dorsch, T.; Biller, A.; Heide, P.; Ruprecht, G. (2006). Evidence for a host-material dependence of the  $n/p$  branching ratio of low-energy  $d+d$  reactions within metallic environments. *Europhys. J. A*, 27(s01):187–192.
- P.Huke2008** Huke, A.; Czernski, K.; Heide, P.; Ruprecht, G.; Targosz, N.; Zebrowski, W. (2008). Enhancement of deuteron-fusion reactions in metals and experimental implications. *Phys. Rev. C*, 78:015803–015803–20.
- P.Ibis1998** Ibison, M. (1998). "The Grand Unified Theory of Classical Quantum Mechanics" by Dr. Randall L. Mills. *J. Sci. Expl.*, 12:621–624. Book review.
- P.Ichi1995** Ichimaru, S.; Kitamura, H. (1995). Enhanced pycnonuclear reactions in ultrahigh-pressure metals. *J. Phys. Soc. Jpn*, 64(7):2270–2273.
- P.Inoz1993** Inozemtsev, M. V.; Neumin, A. D.; Palkin, A. P. (1993). Solid protonic electrolytes and equilibrium potentials of hydrogen electrodes in electrochemical cells based on them. *Ionika Tverd. Tela*, pages 81–116. In Russian.
- P.Iyer1990** Iyer, R. N.; Pickering, H. W. (1990). Mechanism and kinetics of electrochemical hydrogen entry and degradation of metallic systems. *Annu. Rev. Mater. Sci.*, 20:299–338.
- P.Jaks1994** Jaksic, M. M.; Johansen, B.; Tunold, R. (1994). Electrochemical behaviour of rhodium in alkaline and acidic solutions of heavy and regular water. *Int. J. Hydrogen Energy*, 19:35–51.

- P. Jerk1994b Jerkiewicz, G.; Borodzinski, J. J.; Chrzanowski, W.; Conway, B. E. (1994). Examination of factors influencing promotion of H absorption into metals by site-blocking elements. *Proc. Electrochem. Soc.*, 94-21:44–62.
- P. Jerk1994a Jerkiewicz, G.; Zolfaghari, A. (1994). Comparison of hydrogen electroadsorption from the electrolyte with hydrogen adsorption from the gas phase. *Proc. Electrochem. Soc.*, 94-21:31–43.
- P. Koba1990 Kobayashi, M. (1990). Decrease in deuterium content of heavy water in contact with air. *Annu. Rep. Res. Reactor Inst., Kyoto Univ.*, 23:188.
- P. Kole1993 Kolesnichenko, I. I.; Michri, A. A.; Pshenichnikov, A. G. (1993). Acceleration of hydrogen transport through palladium membranes. *Sov. Electrochem.*, 29:622–630.
- P. Krap1992 Krapivnii, N. G.; Kleshya, V. B.; Sobornitskii, V. I. (1992). Calculation of the finite rate of the spread of hydrogen concentration during its diffusion into metals. *Elektrokhimiya*, 28:451–455.
- P. Krap1982 Krapivnyi, N. G. (1982). Use of electrochemical extraction to study hydrogen entry into metals. *Sov. Electrochem.*, 18:1040–1044.
- P. Kuzn1989 Kuznetsov, V. A.; Lipson, A. G.; Klyuev, V. A.; Sakov, D. M.; Toporov, Yu. P.; Simakov, Yu. S. (1989). Size reduction of metal-halide crystals. *Bull. Acad. Sci. USSR. Div. Chem. Sci.*, 37(7):1340. Orig. in: *Izv. Akad. Nauk. SSSR, Ser. Khim.* 37(7) (1989) 1466.
- P. Lang1989 Langmuir, I. (1989). Pathological science. *Physics Today*, (October):36–48.
- P. Law1990 Law, S. (1990). Electrons switch on to heavy metal. *New Scientist*, 126:57–60.
- P. Li1996 Li, Y.; Cheng, Y. T. (1996). Studies of metal hydride electrodes using an electrochemical quartz crystal microbalance. *J. Electrochem. Soc.*, 143:120.
- P. Libo1993 Liboff, R. L. (1993). Feasibility of fusion of an aggregate of deuterons in the ground state. *Phys. Lett. A*, 174:317–319.
- P. Link1981 Linke, D. (1981). 5. Die Entdeckung der Platinkatalyse, das Döbereiner-Feuerzeug und seine Verbreitung. In *International Döbereiner-Kolloquium*, pages 21–27. Friedrich-Schiller-University, Jena, DDR. In German.
- P. Lips1997 Lipson, A. G.; Lyakov, B. F.; Sakov, D. M.; Kuznetsov, V. A. (1997). Suppression of the scattering of conduction electrons by lattice phonons in palladium in the presence of small hydrogen (deuterium) inclusions. *Phys. Solid State*, 39:1891–1894.
- P. Maiz1992 Maizza, G.; Nakamura, K.; Fujitsuka, M.; Kitajima, M. (1992). Study on deuterium absorption of Pd at high-pressure D<sub>2</sub> gas and low temperatures. *Nuovo Cimento D*, 14:27–32.
- P. Mamy1978 Mamyrin, B. A.; Khabarin, L. V.; Yudenich, V. S. (1978). Anomalously high isotope ratio <sup>3</sup>He/<sup>4</sup>He in technical-grade metals and semiconductors. *Sov. Phys. Dokl.*, 23:581.
- P. Mart2010 Martin, B. (2010). How to attack a scientific theory and get away with it (usually): the attempt to destroy an origin-of-AIDS hypothesis. *Science as Culture*, 19:215–239.
- P. Math1990 Mathews, T.; Venkatesan, D. (1990). Unique series of increases in cosmic-ray intensity due to solar flares. *Nature*, 345:600–602.
- P. McBr1990 McBreen, J. (1990). Absorption of electrolytic hydrogen and deuterium by Pd: the effect of cyanide adsorption. *J. Electroanal. Chem.*, 287:279–291.
- P. McBr1992 McBreen, J. (1992). Electrolytic hydrogen-metal interactions. *Electrochem. Soc. Proc.*, 92-5:248–257.
- P. Meng1995 Mengoli, G.; Fabrizio, M.; Manduchi, C.; Milli, E.; Zannoni, G. (1995). Absorption-desorption of deuterium at Pd<sub>95</sub>-Rh<sub>5</sub> alloy. I: environment and temperature effects. *J. Electroanal. Chem.*, 390:135–142.
- P. Meyer1979 Meyer-ter-Vehn, J. (1979). Catalysed fusion processes. *Phys. Bl.*, 35:211. In German.
- P. Mizu1995 Mizuno, T.; Enyo, M. (1995). Hydrogen absorption and hydride formation in Ti during cathodic electrolysis. *Denki Kagaku*, 63:719–725. In Japanese, Engl. abstract.
- P. Moor1939 Moore, G. A. (1939). The comportment of the palladium-hydrogen system toward alternating electric current. *Trans. Electrochem. Soc.*, 75:237–269.
- P. Mouz1990 Mouze, G.; Ythier, C. (1990). Les nucleons de valence et la fission nucleaire asymetrique. *Rev. Roum. Phys.*, 35:563–577. In French.
- P. Naga1989 Nagamine, K. (1989). Muon catalyzed fusion. *Kagaku (Kyoto)*, 44:653. In Japanese.
- P. Nait1998 Naito, S.; Yamamoto, M.; Doi, M.; Kimura, M. (1998). High-temperature diffusion of hydrogen and deuterium in titanium and Ti<sub>3</sub>Al. *J. Electrochem. Soc.*, 145:2471.
- P. Naka1989 Nakahara, S.; Okinaka, Y. (1989). Defects induced in copper by cathodic charging of hydrogen. *J. Electrochem. Soc.*, 136:1892.
- P. Nara2005 Naranjo, B.; Gimzewski, J. K.; Putterman, S. (2005). Observation of nuclear fusion driven by a pyroelectric crystal. *Nature*, 434:1115–1117.

- P.Numa2000 Numata, H.; Ohno, I. (2000). In situ potentiometric, resistance, and dilatometric measurements of palladium electrodes during repeated electrochemical hydrogen absorption. *Fusion Technol.*, 38:206–223.
- P.Ohmo1991 Ohmori, T.; Sakamaki, K.; Hashimoto, K.; Fujishima, A. (1991). Ex situ observation of electrochemically hydrogenated palladium using a scanning tunnelling microscope. *Chem. Lett.*, pages 93–96.
- P.Olip1934 Oliphant, M. L.; Harteck, P.; Rutherford (1934). Transmutation effects observed with heavy hydrogen. *Nature*, 133:413.
- P.Oliv2006 Oliveira, M. C. F. (2006). A new approach to prepare highly loaded palladium. *Electrochem. Commun.*, 8:647–652.
- P.Pard1980 Pardee, W. J.; Paton, N. E. (1980). Model of sustained load cracking by hydride growth in Ti alloys. *Metallurgical Trans. A*, 11:1391–1400.
- P.Pine1983 Pine, D. J.; Cotts, R. M. (1983). Diffusion and electrotransport of hydrogen and deuterium in vanadium-titanium and vanadium-chromium alloys. *Phys. Rev. B*, 28:641–647.
- P.Powe1991 Powell, G. L.; Kirkpatrick, J. R. (1991). Surface conductance and the diffusion of H and D in Pd. *Phys. Rev. B*, 43:6968–6976.
- P.Rafe1987 Rafelski, J.; Jones, S. E. (1987). Cold nuclear fusion. *Scientific American*, (July):66–71.
- P.Robi1990 Robinson, S. L.; Moody, N. R.; Myers, S. M.; Farmer, J. C.; Greulich, F. A. (1990). The effects of current density and recombination poisons on electrochemical charging of deuterium into an iron-base superalloy. *J. Electrochem. Soc.*, 137:1391–1397.
- P.Rous1994 Rousar, I.; Riedel, T. (1994). Sparking at cathode tools during electrochemical machining in flow-through cells. *J. Appl. Electrochem.*, 24:767–771.
- P.Rous1992 Rousseau, D. (1992). Case studies in pathological science. *Amer. Sci.*, 80:54–63.
- P.Salp1998 Salpeter, E. E. (1998). Hydrogen in strong magnetic fields in neutron star surfaces. *J. Phys.: Condens. Matter*, 10:11285–11288.
- P.Salv1991 Salvarezza, R. C.; Montemayor, M. C.; Fatas, E.; Arvia, A. J. (1991). Electrochemical study of hydrogen absorption in polycrystalline palladium. *J. Electroanal. Chem.*, 313:291–301.
- P.Schu1956 Schuldiner, S.; Hoare, J. P. (1956). Mechanisms of hydrogen producing reactions on palladium. *J. Electrochem. Soc.*, 103:178–181.
- P.Senj1997 Senjuh, T.; Kamimura, H.; Uehara, T.; Sumi, M.; Miyasita, S.; Sigemitsu, T.; Asami, N. (1997). Experimental study of electrochemical deuterium loading of Pd cathodes in the LiOD/D<sub>2</sub>O system. *J. Alloys Compds.*, 253-254:617–620.
- P.Shea1990 Shea, M. J.; Compton, R. N.; Hettich, R. L. (1990). Laser ablation studies of palladium electrolytically loaded with hydrogen and deuterium. *Phys. Rev. A*, 42:3579–3586.
- P.Skib1990 Skibbe, U.; Neue, G. (1990). A 2D-NMR method to study near-surface regions of conductors. *Colloids Surf.*, 45:235–242.
- P.Stor1998 Storms, E. (1998). Formation of beta-PdD containing high deuterium concentration using electrolysis of heavy-water. *J. Alloys Compds.*, 268:89–99.
- P.Szaf1972 Szafranski, A. W.; Baranowski, B. (1972). The electrical resistance of the Pd-Ag-H system at 25 degC in a wide range of hydrogen pressure. *Phys. Stat. Solidi (a)*, 9:435–447.
- P.Szpa1994a Szpak, S.; Mosier-Boss, P. A.; Gabriel, C. J. (1994a). Absorption of deuterium in palladium rods: model vs. experiment. *J. Electroanal. Chem.*, 365:275–281.
- P.Szpa1995 Szpak, S.; Mosier-Boss, P. A.; Scharber, S. R.; Smith, J. J. (1995). Cyclic voltammetry of Pd + D codeposition. *J. Electroanal. Chem.*, 380:1–6.
- P.Szpa1994b Szpak, S.; Mosier-Boss, P. A.; Smith, J. J. (1994b). Deuterium uptake during Pd-D codeposition. *J. Electroanal. Chem.*, 379:121–127.
- P.Trip2000 Tripodi, P.; McKubre, M. C. H.; Tanzella, F. L.; Honnor, P. A.; Di, Gioacchino.; Celani, F.; Violante, V. (2000). Temperature coefficient of resistivity at compositions approaching PdH. *Phys. Lett. A*, 276:122–126.
- P.Tsir1993 Tsirlina, G. A.; Rusanova, M. Yu.; Petrii, O. A. (1993). Comparative studies of the sorption of deuterons and protons by palladium from acid solution. *Elektrokhimiya*, 29:469–471. In Russian.
- P.Tuno1990 Tunold, R.; Johansen, B.; Jaksic, M. (1990). Electrochemical behaviour of deuterium and protium on transition metals in alkaline solutions. *Adv. Hydrogen Energy*, 8:711–725. In: Hydrogen Energy Prog., Vol. 2.
- P.Turn1978 Turner, P. J.; Pritchard, H. O. (1978). Calorimetric study of an electrochemical reaction. *Can. J. Chem.*, 56:1415.
- P.Wark1996 Wark, A.; Crouch-Baker, S.; McKubre, M. C. H.; Tanzella, F. L. (1996). The effect of ultrasound on the electrochemical loading of hydrogen in palladium. *J. Electroanal. Chem.*, 418:199–204.

- P.Wiln1948 Wilner, T. (1948). Nuclear-physical experiments with simple means. *Elementa*, 31:13. In Swedish.
- P.Yama2002 Yamaura, S.; Sasamori, K.; Kimura, H.; Inoue, A.; Zhang, Y. C.; Arata, Y. (2002). Hydrogen absorption of nanoscale Pd particles embedded in  $ZrO_2$  matrix prepared from Zr-Pd amorphous alloys. *J. Mater. Res.*, 17:1329–1334.
- P.Yama1995 Yamazaki, O.; Yoshitake, H.; Kamiya, N.; Ota, K. (1995). Hydrogen absorption and Li inclusion in a Pd cathode in LiOH solution. *J. Electroanal. Chem.*, 390:127–133.
- P.Yang1996 Yang, T. H.; Pyun, S. I. (1996). An investigation of the hydrogen absorption reaction into, and the hydrogen evolution reaction from, a Pd foil electrode. *J. Electroanal. Chem.*, 414:127–133.
- P.Yuki1998 Yuki, H.; Kasagi, J.; Lipson, A. G.; Ohtsuki, T.; Baba, T.; Noda, T.; Lyakhov, B. F.; Asami, N. (1998). Anomalous enhancement of DD reaction in Pd and Au/Pd/PdO heterostructure targets under low-energy deuteron bombardment. *JETP Lett.*, 68:823–829.
- P.Yuki1997 Yuki, H.; Satoh, T.; Ohtsuki, T.; Yorita, T.; Aoki, Y.; Yamazaki, H.; Kasagi, J. (1997). D+D reaction in metal at bombarding energies below 5 keV. *J. Phys. G: Nucl. Part. Phys.*, 23:1459–1464.
- P.Zhan1997 Zhang, H.; Zhang, P.; Fang, Z. (1997). Coupling microcalorimetry with electrochemical instruments for thermoelectrochemical research. *Thermochim. Acta*, 303:11–15.
- P.Zhan1998a Zhang, W. S.; Xhang, X. W. (1998). A numerical approach to the voltammograms of a thick plate Pd/H electrode. *J. Electroanal. Chem.*, 445:55–62.
- P.Zhan1998b Zhang, W. S.; Zhang, X. W.; Zhao, X. G. (1998). Voltammograms of thin layer Pd|H(D) electrodes in the coexistence of alpha and beta phases. *J. Electroanal. Chem.*, 458:107–112.
- P.Zhan2002 Zhang, W. S.; Zhang, Z. F.; Zhang, Z. L. (2002). Some problems on the resistance method in the in situ measurement of hydrogen content in palladium electrode. *J. Electroanal. Chem.*, 528:1–17.
- P.Zolt2007 Zoltowski, P. (2007). Analysis of electrochemical techniques for studying the diffusion of hydrogen in metals. *J. Electroanal. Chem.*, 600:54–62.